# QUANTITATIVE STUDY OF PERCENTAGE HYDROQUINONE IN COSMETIC PRODUCTS USING HPLC AND UVDS METHODS

NURUL WIHDAH BINTI MOHD ZUKEPLI

Final Year Project Proposal Submitted in Partial Fulfillment of the Requirements for the Degree of Bachelor of Science (Hons.)Pure Chemistry in the Faculty of Applied Sciences University Technology MARA

JANUARY 2014

### TABLE OF CONTENTS

| ACKNOWLEDGEMENTS                    |                                  |  |          |  |
|-------------------------------------|----------------------------------|--|----------|--|
| TABLE OF CONTENTS<br>LIST OF TABLES |                                  |  |          |  |
|                                     |                                  |  |          |  |
|                                     | ГКАСТ                            |  | ix<br>xi |  |
| ABSTRAK                             |                                  |  |          |  |
|                                     |                                  |  |          |  |
| СНА                                 | PTER 1                           | INTRODUCTION   | 1        |  |
| 1.1                                 | Backg                            | round  | 1        |  |
| 1.2                                 | Proble                           | m statement  | 5        |  |
| 1.3                                 | Signif                           | icance of study  | 6        |  |
| 1.4                                 | Object                           | tives of study   | 7        |  |
| СНА                                 | PTER 2                           | LITERATURE REVIEW  | 8        |  |
| 2.1                                 | Hydro                            | quinone  | 8        |  |
| 2.2                                 | UVDS                             | method   | 7        |  |
| 2.3                                 | HPLC                             | method   | 9        |  |
| 2.4                                 | Metho                            | dology precision and accuracy                              | 10       |  |
| СНА                                 | PTER 3                           | METHODOLOGY  | 12       |  |
| 3.1                                 |                                  | nentation  | 12       |  |
| 3.2                                 | Chemi                            |  | 13       |  |
| 3.3                                 | Appar                            | atus   | 13       |  |
| 3.4                                 |                                  | etic samples   | 13       |  |
| 3.5                                 |                                  | ation of mobile phase                                      | 14       |  |
| 3.6                                 | Preparation of standard solution |  |          |  |
|                                     | 3.6.1 I                          | Preparation of standard solution to be analyzed using HPLC | 14       |  |
|                                     |                                  | Preparation of standard solution to be analyze using UVDS  | 14       |  |
| 3.7                                 | Prepara                          | ation of sample solution.                                  | 15       |  |
|                                     | 3.7.1                            | UVDS Analysis  | 15       |  |
|                                     |                                  | 3.7.1.1 Sample in liquid form                              | 15       |  |
|                                     |                                  | 3.7.1.2 Sample in solid form                               | 15       |  |
|                                     | 3.7.2                            | HPLC Analysis  | 16       |  |
|                                     |                                  | 3.7.2.1 Sample in liquid form                              | 16       |  |
|                                     |                                  | iv   |          |  |

| 3.8 Precision                               | 17 |
|---|----|
|   |    |
| 3.9 Limitation of the study                 | 17 |
|   |    |
| CHAPTER 4 RESULT AND DISCUSSION             | 18 |
| 4.1 Mobile phase composition                | 18 |
| 4.2 Standard calibration curve of HQ        | 21 |
| 4.3 Intraday result of mobile phase         | 24 |
| 4.3.1 Intraday result of mobile phase A     | 25 |
| 4.3.2 Intraday result of mobile phase B     | 28 |
| 4.3.3 Intraday result of mobile phase C     | 31 |
| 4.4 Precision methods                       | 34 |
| 4.4.1 Precision data of B toner sample in A | 35 |
| 4.4.2 Precision data of M toner sample in A | 36 |
| 4.4.3 Precision data of M cream sample in A | 38 |
| 4.4.4 Precision data of B toner sample in B | 40 |
| 4.4.5 Precision data of M toner sample in B | 41 |
| 4.4.6 Precision data of M cream sample in B | 42 |
| 4.4.7 Precision data of B toner sample in C | 44 |
| 4.4.8 Precision data of M toner sample in C | 45 |
| 4.4.9 Precision data of M cream sample in C | 46 |
| 4.5 Stability of HQ in samples              | 48 |
| 4.5.1 Stability data of B toner sample in A | 48 |
| 4.5.2 Stability data of M toner sample in A | 49 |
| 4.5.3 Stability data of M cream sample in A | 49 |
| 4.5.4 Stability data of B toner sample in B | 50 |
| 4.5.5 Stability data of M toner sample in B | 51 |
| 4.5.6 Stability data of M cream sample in B | 52 |
| 4.5.7 Stability data of B toner sample in C | 52 |
| 4.5.8 Stability data of M toner sample in C | 53 |
| 4.5.9 Stability data of M cream sample in C | 54 |
| 4.6 LOD and LOQ                             | 54 |
| 4.7 UVDS method                             | 56 |
|   |    |
|   |    |

# **CHAPTER 5 CONCLUSION AND RECOMMENDATIONS** 58

| CITED REFERENCES | 60  |
|------------------|-----|
| APPENDIXES       | 63  |
| CURRICULUM VITAE | 125 |

### LIST OF TABLES

| Table | Caption                                    | Page |
|-------|--|------|
| 4.1   | Data of intraday weight of sample          | 26   |
| 4.2   | Data of intraday concentration of B toner  | 26   |
| 4.3   | Data of intraday retention time of B toner | 27   |
| 4.4   | Data of intraday concentration of M toner  | 27   |
| 4.5   | Data of intraday retention time of M toner | 27   |
| 4.6   | Data of intraday concentration of M cream  | 28   |
| 4.7   | Data of intraday retention time of M cream | 28   |
| 4.8   | Data of intraday weight of sample          | 29   |
| 4.9   | Data of intraday concentration of B toner  | 29   |
| 4.10  | Data of intraday retention time of B toner | 29   |
| 4.11  | Data of intraday concentration of M toner  | 30   |
| 4.12  | Data of intraday concentration of M toner  | 30   |
| 4.13  | Data of intraday concentration of M cream  | 30   |
| 4.14  | Data of intraday retention time of M cream | 31   |
| 4.15  | Data of intraday retention time of M cream | 32   |
| 4.16  | Data of intraday concentration of B toner  | 32   |
| 4.17  | Data of intraday retention time of B toner | 32   |
| 4.18  | Data of intraday concentration of M toner  | 33   |
| 4.19  | Data of intraday retention time of M toner | 33   |

#### ABSTRACT

## QUANTITATIVE STUDY OF PERCENTAGE OF HYDROQUINONE IN COSMETIC PRODUCTS USING HPLC AND UVDS

There are few techniques in determine HQ concentration present in cream. In this study the technique used was by high-performance liquid chromatography (HPLC) and also Ultra-Violet Visible Detector Spectrometry (UVDS). In HPLC analysis, there are three types of mobile phase was used. Each of mobile phase gave different result in retention time and also peak types. Thus, the best composition of mobile phase was in ratio of 20:80 (methanol: water). This is because of it produce the most sharp peak and also the value of retention time is good, even though it was not the fastest time in analysis of HQ in samples, but it was not the slowest. In UVDS analysis, it allows a low cost quantitative determination of HQ. From this study, the concentration range of HQ detected was 4 to 7 ppm with the regression equation y= 0.00924x + 0.0491.