

UNIVERSITI TEKNOLOGI MARA

**PYROLYSIS OF SHREDDED OIL PALM
EMPTY FRUIT BUNCHES IMPREGNATED
WITH COBALT CATALYST**

RUSMI BIN ALIAS

Thesis submitted in fulfillment
of the requirement for the degree of
Doctor of Philosophy

Faculty of Chemical Engineering

January 2015

AUTHOR'S DECLARATION

I declare that the work in this thesis was carried out in accordance with the regulations of Universiti Teknologi MARA. It is original and is the result of my work, unless otherwise indicated or acknowledged as referenced work. This thesis has not been submitted to any other academic institution or non-academic institution for any other degree or qualification.

I hereby, acknowledge that I have been supplied with the Academic Rules and Regulations for Postgraduate, Universiti Teknologi MARA, regulating the conduct of my study and research.


Name of Student : Rusmi Bin Alias

Student I.D. No. : 2006138387

Programme : Doctor of Philosophy (EH 990)

Faculty : Chemical Engineering

Title : Pyrolysis Of Shredded Oil Palm Empty Fruit Bunches
Impregnated with Cobalt Catalyst

Signature of Student : 

Date : January 2015

ABSTRACT

The world community is concerned with the depletion of fossil fuel and looking at alternative energy resources such as biomass, solar, hydro and wind. With the growth of palm oil production in Malaysia, the amount of biomass residues generated also shows a corresponding increase. Currently, there are several routes being studied to convert the biomass to liquid bio oil, bio char and gases depending on the pyrolysis condition. Catalytic pyrolysis is proposed to be a viable technology to convert this biomass by having a catalyst introduced during the pyrolysis process and in contact physically with the biomass, in the formation of higher quality bio oil. The first goal of this thesis is to analyse the possibility of shredded oil palm empty fruit bunches (SOPEFB) as a catalyst support/carrier by direct impregnation method using cobalt as the catalyst. The concentration of the cobalt aqueous solution were prepared for 5,10,15 and 20 wt% and the SOPEFB samples were soaked in these solutions with the different soaking time. The functional groups that are involve in the reaction such as ion exchange and adsorption, leading to metal uptake by the SOPEFB. Results show that the sorption equilibrium is achieved approximately after 24 hours. The adsorption capacity was 8.12, 9.27, 11.16 and 12.06 mg/g of SOPEFB for the 5, 10, 15 and 20 wt% of cobalt aqueous solutions respectively. The adsorption follows both Langmuir and Freundlich isotherm, however, the correlation coefficient showed that Freundlich equilibrium data fitted well than Langmuir model indicated the surface heterogeneity of the SOPEFB. The second goal is to study the thermal decomposition and kinetic reaction of the pyrolysis of the impregnated SOPEFB with cobalt catalyst. Thermogravimetric analysis (TGA) was carried out to elucidate chemical kinetics of the pyrolysis of the non impregnated SOPEFB and impregnated SOPEFB with cobalt catalyst. The kinetic parameters were calculated using least square with minimizing sum of error technique. The results show that the activation energy (E_a) of SOPEFB is in the range of 80 to 100kJ/mol and the order of reaction (n) was discovered in the range of 2.0 to 3.0. The model used to predict the rate equations agree with the experimental data with the coefficient of determination (R^2) in the range of 0.70 to 0.97. Fixed bed pyrolysis was performed to evaluate the pyrolysis and catalytic pyrolysis of SOPEFB in a simple batch system. The effects of pyrolysis temperature and the cobalt catalyst content on the yield of products were investigated. Results showed that the maximum oil yield is obtained at 500°C of pyrolysis temperature. The use of cobalt catalyst has a positive impact on the yields of small molecular weight compounds. It is believed that the hydrocarbon vapour from the thermal decomposition of SOPEFB immediately came into contact with cobalt on the SOPEFB surface. The cracking of the hydrocarbon may involve reactions on the cobalt surface as well as subsequent reactions in the vapour phase. Overall, this study confirms the possibility of SOPEFB to become a cobalt catalyst support/carrier and at the same time the product of catalytic pyrolysis of the SOPEFB can be cracked to smaller molecular weight and subsequently upgraded the quality of the bio oil.

ACKNOWLEDGEMENTS

I am grateful to Allah S.W.T for granting me the ability to complete this study.

I would like to express my sincere gratitude to my supervisor, Prof Dr Ku Halim Ku Hamid, for his supervision and encouragement throughout the period of this research. I appreciate the opportunity to work under his direction, which has provided me with invaluable experience. His thoughts and suggestions have helped enormously in the completion of this doctoral program.

My gratitude also goes to Dr Kamariah Noor Ismail, the co-supervisor of this study. I greatly appreciate her insight on how to complete my PhD thesis.

Special thanks are due to Mohibah Musa and Siti Raihanah Abd Rahman for their generous assistance and helpful comments on various numerical techniques. I also want to specially thank Dr Azil Bahari Alias, Dr. Syed Shatir, Pn Siti Shawalliah, Pn Atikah and Mr. Jindra for their motivation support and data analysis guidance. My thanks also go to all staff FKK who also have supported me in many different ways throughout.

I gratefully acknowledge the financial support from the UiTM Research Management Institute (RMI) and the Ministry of Higher Education (MOHE) for providing the research grant for this project.

Finally, this work is dedicated to my beloved wife, Nor Aslina Mohamad Adnan and my children Nur Haziqah, Nur Hanis, and Luqman Hakim for their love care and understanding. Finally we did it!

TABLE OF CONTENTS

| | Page |
|--|-------------|
| AUTHOR'S DECLARATION | ii |
| ABSTRACT | iii |
| ACKNOWLEDGEMENTS | iv |
| TABLE OF CONTENTS | v |
| LIST OF TABLES | x |
| LIST OF FIGURES | xiii |
| LIST OF NOMENCLATURES | xviii |
| LIST OF ABBREVIATIONS | xxi |
| | |
| CHAPTER ONE: INTRODUCTION | |
| 1.1 Research Background and Problem Statement | 1 |
| 1.2 The Objectives of Research | 5 |
| 1.3 Scope And Limitation of Research | 5 |
| 1.4 Thesis Organization | 6 |
| | |
| CHAPTER TWO: LITERATURE REVIEW | |
| 2.1 Biomass | 8 |
| 2.2 Oil Palm And Oil Palm Biomass In Malaysia | 8 |
| 2.3 Physical and Chemical Characteristics of the Biomass | 10 |
| 2.3.1 Chemical Characteristics of Oil Palm Fibers | 10 |
| 2.3.2 Cellulose | 11 |
| 2.3.3 Hemicellulose | 12 |
| 2.3.4 Lignin | 13 |
| 2.4 Energy From Biomass | 14 |
| 2.4.1 Biomass Conversion Technologies | 15 |
| 2.4.1.1 Direct Combustion to Produce Heat | 16 |
| 2.4.1.2 Gasification to Produce Fuel Gas | 16 |
| 2.4.1.3 Biological Degradation to Produce Ethanol | 18 |
| 2.4.1.4 Pyrolysis | 19 |