# DETERMINATION OF RADIUM-226 ACTIVITY CONCENTRATION IN WATER USING LIQUID SCINTILLATION COUNTING (LSC) TECHNIQUE

### SITI SHAHRINA BT AGOS

Final Year Project Report Submitted in Partial Fulfillment of the Requirement for the Degree of Bachelor of Science (Hons.) Applied Chemistry in the Faculty of Applied Sciences Universiti Teknologi MARA

**MAY 2010** 

This Final Year Project Report entitled "Determination of Radium-226 Activity Concentration in Water using Liquid Scintillation Counting (LSC) Technique" was submitted by Siti Shahrina Bt Agos, in partial fulfillment of the requirements for the Degree of Bachelor of Science (Hons.) Applied Chemistry, in the Faculty of Applied Sciences, and was approved by

Associated Prof. Dr Haji Zaini bin Haji Hamzah

Supervisor

Faculty of Applied Sciences Universiti Teknologi MARA 40450 Shah Alam Selangor

Associated Prof. Dr Ahmad bin Saat

Co-Supervisor Institute of Science Universiti Teknologi MARA 40450 Shah Alam Selangor

Miss Sabrina Bl M. Yahaya

Project Coordinator

B.Sc. (Hons.) Applied Science Faculty of Applied Sciences Universiti Tekonolgi MARA

40450 Shah Alam

Selangor

Dr. Siti Halimah Bt Sarijo Head of Programme B.Sc. (Hons.) Applied Science

Faculty of Applied Sciences Universiti Teknologi MARA 40450 Shah Alam

Selangor

Date: 26/5/2010

#### **ACKNOWLEDGEMENT**

In the name of Allah S.W.T, the Most Compassionate, Most Gracious, Most Merciful and Him alone in worthy of all praise. Thankful to the Almighty, who gave me the ability to complete this study.

Firstly, I would like to express my deepest gratitude to my supervisor, Assoc. Prof Dr. Haji Zaini bin Haji Hamzah for all his guidance, ideas, trust and support through the running of this study and patience in assisting my project from proposal up to the completion of the dissertation. Not forgotten to my co-supervisor, Assoc. Prof Dr. Ahmad bin Saat for all his advice and guidance especially during sampling works.

Also special thanks to En. Kamarozaman Ishak and to all Radiochemistry and Environmental Laboratory (RAS) staffs, Malaysian Nuclear Agency, for their willingness to help and cooperate throughout my project at RAS.

Lastly, thanks to my beloved family for their morale support and also to my friends whose helped me in completion of this thesis either be directly or indirectly.

Thank you very much.

## TABLE OF CONTENTS

		PAGE
ACKNOWLEDGEMENT TABLE OF CONTENTS LIST OF TABLES LIST OF FIGURE LIST OF ABBREVIATIONS ABSTRACT ABSTRAK		I II IV V VI VII VIII
		V 111
CH.	APTER 1 INTRODUCTION	
1.1	Background	1
1.2	Problem Statement	3
	Objectives	3
1.4	Significance of study	4
СН	APTER 2 LITERATURE REVIEW	
2.1	Radioactivity	5
	2.1.1 Radioactive De cay Series	6
2.2	Radium	7
	2.2.1 Radium in water	7
	2.2.2 Radium application	8
2.3	Health Effect of Radium Exposure	9
2.4	Analysis of Radium	10
2.5	Liquid Scintillation Counting	11
	2.5.1 LSC Principle	11
	2.5.2 The Role of Solvent	13
	2.5.3 The Role of Scintillator	14
	2.5.4 Quenching	14
СН	APTER 3 METHODOLOGY	
3.1	Geology of are study	16
3.2	Sample Collection	17
3.3	Chemical preparation	18
3.4	Sample preparation	19
3.5	Calculation	20
	3.5.1 Calibration Procedure	21
	3.5.2 Calculation of Radon-222 Activity	22
	in Toluene Scintillator	
	3.5.3 Calculation of Radium-226 Activity in Water	22

#### **ABSTRACT**

# DETERMINATION OF RADIUM-226 ACTIVITY CONCENTRATION IN WATER USING LIQUID SCINTILLATION COUNTING (LSC) TECHNIQUE

The measurement of radioactivity in water allows the determination of population exposure to radiation by the habitual consumption of water. The occurrence of radionuclide in water causes human internal exposure, caused by the decay of radionuclide taken into the body through ingestion and inhalation. The purposes of this study were to determine the activity concentration of radium-226 in water and to compare the value with the allowable limit. Twelve samples were collected along Kelantan River at Kuala Krai and Kota Bahru district. The activity of radium-226 was determined indirectly from its daughter using Liquid Scintillation Counting for filtered and unfiltered samples. From the results, water samples from Sok River (S1), Lebir River (S8), and Sabah Hill (S12), gave high value of radon-222 activity; 1.654±0.85 Bq/L, 1.655±0.24 Bq/L and 1.438±0.49 Bq/L respectively. For radium-226 activity, high value was recorded in water sample from Sok River (S1), Lebir River (S8), and Sabah Hill (S12) with activity of 0.302±0.16 Bq/L, 0.290±0.04 Bq/L and 0.251±0.09 Bq/L respectively. Low radium-226 activity was recorded in sample from Sok River estuary (S5) with value of 0.107±0.03 Bq/L. For the other samples, the activity ranged from 0.142±0.08 to 0.190±0.01 Bq/L. Pearson correlation analysis showed a weak negative correlation between the radium-226 activity with pH and total dissolved solid of the water. Medium correlation showed in the activity with temperature and dissolved oxygen. The concentrations of radium-226 for most of the samples were above than the allowable limit regulated by United State Environmental Protection Agency, Several factors that contributed to the radioactivity are the geographical features and agricultural activity along the river. Further study need to be conducted to understand the routes and mechanisms of this radionuclide entering the human body.