UNIVERSITI TEKNOLOGI MARA

COLLECTION, EXTRACTION, FRACTIONATION AND ISOLATION OF PHYTOCHEMICAL CONSTITUENTS OF HEDYOTIS DIFFUSA

MUHAMMAD DZULFADLI B. ROHAIZAD

Dissertation submitted in partial of the requirements For the Degree of Bachelor of Pharmacy (Hons)

Faculty of Pharmacy

November 2008

ACKNOWLEDGEMENT

In the name of God, the compassionate and merciful, with all His will and guidance, Alhamdulillah this research project is completed successfully. I would like to express my gratitude to my supervisor, Dr Humeera Naz for giving me a lot of guidance, advices, knowledge and moral support to me in completing this research. Not forgotten to iKUS's staff which helped me in doing lab work, handling equipment and their willingness to share their knowledge with me.

Special thank to my research partner, Nurul Yumiza who work and help me actively in completing my research and also to all beloved fellow friends who involved direct or indirectly in helping me and give their moral support until I managed to complete this project successfully.

Last but not least, greatest thanks to my family for their tolerance of my absences, physically, and emotionally. I am blessed by their unconditional love which has indeed given me moral support and motivation to stay focused throughout this research.

TABLE OF CONTENT

TITI	LE PAGE:	PAGE:
APP	ROVAL FORM	
ACKNOWLEDGEMENTS		II
TABLE OF CONTENTS		III
LIST OF TABLES		VI
LIST OF FIGURES		VII
LIST OF APPENDICES		VIII
LIST OF ABBREVIATIONS		IX
ABSTRACT		X
CHA	PTER 1 (INTRODUCTION)	
1.1.	Hedyotis diffusa sp.	1
1.2.	Objective of study	2
1.3.	Hypothesis of study	2
1.4.	Problem statement	3
СНА	PTER 2 (LITERATURE REVIEW)	
2.1.	Description of plants of the genus	4
2.2.	Traditional Use of Hedyotis diffusa	4
2.3.	Chemical Constituents	6

ABSTRACT

Hedyotis diffusa, traditional Chinese medicines consist of complex constituents. Thus it requires a proper analytical technique for their rapid and simultaneous analysis. The main objective of this study is fractionation and isolation of compound from this herb. Generally the methods used involved extraction, fractionation, isolation and compound analysis. Initially, compound of interest was obtained through fractionation of *n*-hexane extract by using Thin Layer Chromatography (TLC) technique. Next the compound was purified by preparative TLC. Eventually, the pure compound of interest was subjected to Nuclear Magnetic Resonance (¹H-NMR) analysis to identify the real structure of the compound. Based on interpretation of NMR spectra, the compound of interest is suspected as ursolic acid. But we failed to obtain enough evidence to prove it as ursolic acid as the quantity of compound was not sufficient and adequate for further ¹³C-NMR and 2D-NMR analysis. However, throughout this study we managed to detect several unknown compounds by using TLC technique. Further study need to be conducted to identify those unknown compounds.

CHAPTER 1

INTRODUCTION

1.1. Hedyotis diffusa sp.

In ancient time, traditional Chinese medicines have been used to treat human diseases in China and perhaps it prolongs until nowadays. In the last three decades, pharmaceutical explorations of bioactive components in traditional medicines have attracted lots of scientific attention. Most traditional Chinese medicines consist of complex constituents, thus it requires a proper analytical technique for their rapid and simultaneous analysis.

Hedyotis diffusa (syn. Oldenlandia diffusa), a member of the family Rubiaceae, is a traditional herb which is included in numerous traditional Chinese herbal formulations for cancer treatment. It is widely distributed in North-East Asia. It is also found to have other pharmacological activities, including anti-inflammatory, antibacterial and central nervous system regulatory actions. In clinical application, Hedyotis diffusa also called 'Ped-Hue-Juwa-Chji-Cao' is widely used in the therapies against liver, lung, colon, brain, pancreas and other cancers. In ancient Chinese medicine, this herb has been used to boost the immune system.