FLORAIX: DEVELOPMENT OF AN APPLICATION OF FLORA HABITAT NAVIGATION SYSTEM IN PERAK (FLORAIX)

MUHAMMAD HAZIQ BIN AZHAR MUHAMMAD FARHAN HAQEEM BIN ROSLAN

Final Year Project Report Submitted In Partial Fulfillment of the Requirements for the Diploma in Geospatial Technology In the College of Built Environment Universiti Teknologi MARA

ABSTRACT

Flora Habitat Navigation Application System in Perak

The Flora Habitat Navigation Application for Perak is a unique technology for the improvement of the area's flora and fauna discovering and preserving. Using state-of-the-art geospatial tools and real time collaborative data processing. This application offers maps, plant species descriptions and habitat overviews for Perak's specific ecological regions. This application integrates Google Maps to provide users with accurate and intuitive route guidance to key flora-rich areas across Perak. By leveraging the robust mapping capabilities of Google Maps, users can easily find and navigate various plant habitats, ensuring a user-friendly experience for both casual explorers and researchers. Through GPS, users can easily move through various types of environments filled with plant life. They can learn about native and endangered plants, as well as their functions in the ecosystem and preservation status by using the application. This tool is expected to create more awareness on flora in Perak, encourage environmental conservation and help those who just love nature and botanists in their research and projects of the vegetation in the region.

ACKNOWLEDGEMENTS

Upon completing this project, we would like to thank the following parties sincerely. We are very grateful to our supervisor, Sr. Gs. Ts. Dr. Izrahayu Che Hashim, for all his assistance and support during this project. Without his instruction, we could not have finished this job. His expertise in the field of geographic technology has been important in making this project a success.

Additionally, we are grateful to OpenStreetMap for supplying the dataset utilized in this research. Without their invaluable data, this study would not have been as effective. One of the many key reasons why this study may begin is because of this important data.

In addition, we would like to thank our close ones for their unwavering moral support sincerely. We have experienced several instances when this project has touched us, therefore we truly need your support as it progresses. Nevertheless, we were able to carry on throughout the entirety of this endeavor thanks to their continuous support.

TABLES OF CONTENTS

APPROVAL SHEET	i
ABSTRACT	ii
ABSTRAK	iii
ACKNOWLEDGEMENTS	iv
TABLES OF CONTENTS:	V
LIST OF FIGURES	vii
LIST OF ABBREVATIONS	viii
CHAPTER 1 INTRODUCTION	
1.1 Background of Study:	1
1.2 Problem Statement	2
1.3 Significant of Study	3
1.4 Objective of Study	3
CHAPTER 2 LITERATURE REVIEW	
2.1 Introduction	4
2.2 Previous Studies	4
CHAPTER 3 METHODOLOGY	
3.1 Introduction	7
3.2 Flowchart and methodology	7

3.2.1 Selection of study area 9

CHAPTER 1

INTRODUCTION

1.1 Background of Study:

In today's modern age of globalization, technological capabilities are occasionally expanding. From a different perspective, using contemporary technology such as smartphones and a large internet network in Malaysia is one of the primary pillars in the growth of the era of renewed modernity and keeping up with current amenities. The Flora Habitat Apps program aims to map the location of plant life in the research region. Perak, a state on Peninsular Malaysia's west coast, was used as an example. It is well-known for its unusually diversified and abundant flora habitat. Perak's scenery ranges from beautiful lowland rainforests to mist-filled highland forests. is a haven for a variety of plant species. Among them, there is a threat that is often talked about in the current era of modernization, mostly the occurrence of human activities such as logging, the greenhouse effect and so on that increasingly affects the life of flora growth in Malaysia. Among them are Orchid flower trees with the speed of plants amounting to about 350 species including those types of trees. As evidenced by Malaysian forestry, there are significant limitations in quantifying the variance in the impact of disturbance on