

**RECYCLE FOOD WASTE INTO HIGHER QUALITY FISH  
FEED**

**NURKHAIRIL ZAHIRAH BINTI SHAM SHUL RIZAL**

**BACHELOR OF SCIENCES (HONS.) BIOLOGY  
FACULTY OF APPLIED SCIENCES  
UNIVERSITI TEKNOLOGI MARA**

**JULY 2022**

**RECYCLE FOOD WASTE INTO HIGHER QUALITY FISH FEED**

**NURKHAIRIL ZAHIRAH BINTI SHAM SHUL RIZAL**

**Final Year Project Proposal Submitted in  
Partial Fulfilment of the Requirements for the  
Degree of Bachelor of Sciences (Hons.) Biology  
In the Faculty of Applied Sciences**

**JULY 2022**

This Final Year Project Report entitled “**Recycle Food Waste into Higher Quality Fish Feed**” was submitted by Nurkhairil Zahirah binti Sham Shul Rizal in partial fulfilment of the requirements for the Degree of Bachelor of Science (Hons.) Biology, in the Faculty of Applied Sciences, and was approved by

---

Sir Mohd Lias bin Kamal  
Supervisor  
B. Sc. (Hons) Chemistry  
Faculty of Applied Sciences  
Universiti Teknologi MARA  
02600 Arau,  
Perlis

---

Sir Muhammad Azhar bin Zulkffle  
Co-Supervisor  
B. Sc. (Hons) Biology  
Faculty of Applied Sciences  
Universiti Teknologi MARA  
02600 Arau,  
Perlis

---

Muhammad Syukri Noor Azman  
Project Coordinator  
B. Sc. (Hons.) Biology  
Faculty of Applied Sciences  
Universiti Teknologi MARA  
02600 Arau,  
Perlis

---

Zalina Zainal Abidin  
Head of Programme  
B. Sc. (Hons.) Biology  
Faculty of Applied Sciences  
Universiti Teknologi MARA  
02600 Arau,  
Perlis

Date: \_\_\_\_\_

## ABSTRACT

### RECYCLE FOOD WASTE INTO HIGHER QUALITY FISH FEED

Vegetable waste fish feed is suitable as feed material for tilapia farming. Silage is the product of material treatment by acid addition or anaerobic digestion. The aim of this study was to evaluate the effect of vegetable waste fish feed on the growth of tilapia (*Oreochromis niloticus*). The results showed that vegetable waste fish feed ( $2.96\pm 0.08\%$ /day) and x fish feed ( $2.54\pm 0.21\%$ /day) had significantly the highest growth values ( $P < 0.05$ ). The use vegetable waste fish feed in the production of fish feed showed the best results in terms of growth and feed conversion compared to other treatments.

## TABLE OF CONTENTS

	<b>Page</b>
<b>ABSTRACT</b>	iv
<b>ACKNOWLEDGEMENTS</b>	v
<b>TABLE OF CONTENTS</b>	vi-vii
<b>LIST OF TABLES</b>	viii
<b>LIST OF FIGURES</b>	ix
<b>LIST OF SYMBOLS</b>	x
<b>LIST OF ABBREVIATIONS</b>	xii
<b>CHAPTER 1 INTRODUCTION</b>	
1.1 Background	1-4
1.2 Problem Statement	5-8
1.3 Significance of study	8
1.4 Objectives of study	8
<b>CHAPTER 2 LITERATURE REVIEW</b>	
2.1 Food waste	9-11
2.2 Use food waste to formulate fish feed pellets	11-12
2.3 Fish feed	12-13
2.4 Current problem on food safety and fish contamination	14
2.4.1 Environment pollution and food safety	14
2.4.2 Reason of fish contamination	14-15
2.5 Freshwater fish	15-16
2.5.1 Tilapia ( <i>Oreochromis niloticus</i> )	16-17
<b>CHAPTER 3 METHODOLOGY</b>	
3.1 Materials	18
3.1.1 Raw materials	18
3.1.2 Chemical	18
3.1.3 Apparatus	18
3.2 Sample preparation	19
3.2.1 Silage preparation	19
3.2.2 Preparation of experimental diets	19
3.3 Proximate analysis of fish feed	20
3.3.1 Moisture determination	20
3.3.2 Ash determination	20-21
3.3.3 Crude protein determination	21-22
3.3.4 Crude fat determination	22-23
3.3.5 Carbohydrate determination	23