ISOLATION AND PURIFICATION OF DAMNACANTHAL AND NORDAMNACANTHAL FROM DICHLOROMETHANE FRACTIONS OF ROOTS OF Morinda citrifolia AND ITS NEUROTOXICITY AND NEUROPROTECTION EFFECTS

IZDIHAR MOHD NOOR

Final Year Project Report Submitted in Partial Fulfillment of the Requirements for the Degree of Bachelor of Science (Hons.) Chemistry in the Faculty of Applied Sciences Universiti Teknologi MARA

APRIL 2010

ACKNOWLEDGEMENTS

Upon completion of this project, I would like to express my gratitude to many parties. My heartfelt thanks to my supervisor, Prof. Dr. Nor Hadiani Ismail and not to be forgotten my co-supervisor, Che Puteh Osman as for their guidance and advise upon completing this final project thesis. They inspired me in many ways together with their willingness to motivate me contributed tremendously to my project. The ideas of having a picture on this thesis would not be as it seems without them. My appreciation also goes to my dearest friends who kept giving me support and strength. To my parents and family for their love and to all people around me who had helped me in anyways. Thanks a million.

Izdihar Mohd Noor

TABLE OF CONTENTS

			Page				
ACKNOWLEDGEMENTS			iii				
TABLE OF CONTENTS			iv				
LIST OF TABLES			vii				
LIST OF FIGURES			viii				
LIST OF ABBREVIATIONS ABSTRACT ABSTRAK			x xii xiv				
CHA	APTER :	1 INTRODUCTION					
1.1	Backg	ground and problem statement	1				
1.2	Significance of study		3				
1.3	B Objectives of study		5				
CHA	APTER 2	2 LITERATURE REVIEW					
2.1	Origin	n and history of Morinda citrifolia	6				
2.2	Chem	Chemical composition of Morinda citrifolia					
2.3	Biological activity of Morinda citrifolia		11				
	2.3.1	Anti oxidant properties	12				
	2.3.2	Immunological activity	13				
	2.3.3	Anti inflammatory activity	14				
	2.3.4	Anti microbial activity	15				
	2.3.5	Activity neurological and listening	16				
	2.3.6	Cardiovascular activity	16				

ABSTRACT

ISOLATION AND PURIFICATION OF DAMNACANTHAL AND NORDAMNACANTHAL FROM DICHLOROMETHANE FRACTIONS OF ROOTS OF Morinda citrifolia AND ITS NEUROTOXICITY AND NEUROPROTECTION EFFECTS

Morinda citrifolia is said to have countless biological activity. Damnacanthal and nordamnacanthal listed under anthraquinones group which were identified to be the major compounds in roots of Morinda citrifolia. Isolation and purification of both compounds were the interest in this research. 50:50 dichloromethane:hexane solvent was used as the mobile phase in column chromatography packed with acid-washed silica to isolate and purify both damnacanthal and nordamnacanthal. ¹H and ¹³C NMR were carried out to elucidate on the structure of both compounds collected. Besides that, the investigation of other biological activity of both damnacanthal and nordamnacanthal were conducted. Solvent toxicity, IC₅₀ of hydrogen peroxide toxicity, neurotoxicity and neuroprotection assays were done on SH-SY5Y cell by conducting cell viability test of MTT. The result of neurotoxicity and neuroprotective effect of both compounds were determined by the percentage of cell viability of the SH-SY5Y cell.

CHAPTER 1

INTRODUCTION

1.1 Background and problem statement

The botanical description preferred scientific name of *Morinda citrifolia*. The botanical name for the genus was derived from the two Latin words morus, mulberry, and indicus, Indian, in reference to the similarity of the fruit of mengkudu to that of true mulberry (*Morus alba*). The species name indicates the resemblance of the plant foliage to that of some citrus species. *Morinda citrifolia* come from a family of Rubiaceae (coffee family) and subfamily of Rubioideae. The common names are mengkudu (Malaysia), canary wood (Australia), fromager and murier indien (French), i (Kosrae), Indian mulberry (English), lada (Guam, Northern Mariana Islands), mangal wag (Yap), kesengel, lel, ngel (Palau), kikiri (Solomon Islands), kura (Fiji), mora de la India (Spanish), nen, nin (Marshall Islands, Chuuk), non (Kiribati), noni (Hawai'i, Marquesas), nono (Cook Islands, Tahiti), non, nonu atogi, gogu atogi (Niue, Samoa, Tonga, 'Uvea/Futuna) weipwul (Pohnpei). Apart of all the different names that are called, *Morinda citrifolia* benefits human with the medication benefit that it brings (Nelson, 2006).