# THE PRACTICE OF INTERCROPPING TEAK AND RUBBER TREES AND IT EFFECT ON GROWTH AND YIELD

BY

MOHD NOORSAM BIN GHANI

Final project paper submitted in partial fulfillment for the Diploma in wood industries faculty of applied sciences, Universiti Teknologi MARA

April 2001

#### ACKNOWLEDGEMENT

All praises to Allah for His blessing to me to make the report of final project about the practice of intercropping teak with rubber trees on growth and yield until finish. Then special thanks to my advisor Professor Madya Dr. Suhaimi Muhammed for his help and guideline to make this project in goodness.

Then thanks to Professor Madya Dr. Jamaluddin Kasim and En. Wan Mohd Nazri for their support and encouragement on my final project.

Then not forget to rangers of Jabatan Hutan Raub for their help in collecting the data from the farm of teak with rubber trees and teak only.

I especially indebted in this regard to my friends. Also to my beloved parent and family for there never ending encouragement.

## **TABLE OF CONTENTS**

# Page

APPROVAL SHEET		ii
ACKNOWLEDGEMENT		iii
LIST OF TABLES		vi
LIST OF PLATES		viii
LIST OF ABBREVIATION	NS	ix
ABSTRACT		х
ABSTRAK		xi

## CHAPTER

1.0	INTR	ODUCTION1
	1.1	Justification
	1.2	Objectives
2.0	LITE	RATURE REVIEW
	2.1	Introduction
	2.2	Definition of agroforestry
		2.2.1 Agrosilvicultural
		2.2.2 Agrosilvipastoral
	2.3	The planting of teak and rubber trees
		2.3.1 Teak as a plantation crop in Malaysia
		2.3.2 Uses of teak
		2.3.3 Production and international trade
		2.3.4 Properties of teak
		2.3.5 Description
		2.3.6 Wood anatomy
		2.3.7 Growth and development
		2.3.8 Other botanical information
		2.3.9 Ecology
		2.3.10 Propagation and planting
		2.3.11 Siviculture and management
		2.3.12 Diseases and pets
		2.3.13 Harvesting
		2.3.14 Yield
		2.3.15 Genetic resources and breeding
		2.3.16 Research and development on teak
	2.4	Towards alternative <i>Hevea</i> plantation for wood supply 22
		2.4.1 Heveawood – latex plantation
		2.4.2 Heveawood plantation
		2.4.3 <i>Hevea</i> agroforestry25
		2.4.4 Uses

3.0	EXP	ERIMENTAL			
	3.1	Introduction			
	3.2	Method and data collection			
		3.2.1.1 Field visit and data collection			
		3.2.1.2 Height management			
	3.3	Instrumentation			
		3.3.1 Background of respondents			
		3.3.2 The age of plan and uses system			
	3.4	The pilot study			
	3.5	Analyses of data			
4.0	RES	ULTS AND DISCUSSIONS			
	4.1	Introduction			
	4.2	Agroforestry system			
	4.3	Data collection			
5.0	CON	<b>NCLUSIONS AND RECOMMENDATIONS</b>	42		
REF	EREN	CES			
APPENDICES					

V

VITA

### THE PRACTICE OF INTERCROPPING TEAK AND RUBBER TREES AND IT EFFECT ON GROWTH AND YIELD

By

Mohd Noorsam Bin Ghani

#### April 2001

The study was referring to the Agroforestry practice in planting teak and rubber trees at Malaysia. The study covers a sample of both government and non-government land development agencies and participating agencies in the field of Agroforestry and forestry throughout Pahang. This paper project was introduce about the growth in diameter and high of the teak and rubber trees when its were planting in a same area or in a regular plantation system (only one species for a area). From the result collection, the growth of teak and rubber trees planting in agroforestry or regular system are not very deferent. The average of diameter and high in teak in agroforestry system are 8.04 cm and 25.10°. Then in regular plantation the average high of teak is 27.02° and diameter 7.32-cm. So the Agroforestry system is good to practice in Malaysia. It can give profit to the farmer, because the yield from the plantation include latex and wood of the teak and rubber trees can cover their economic for today.