STRENGTH PROPERTIES OF ORIENTED STRAND BOARD FROM LUDAI SPECIES AT 7% RESIN CONTENT WITH DIFFERENT DENSITY

By

CHE ADNAN BIN CHE MAT

Final Project Submitted in Partial Fulfillment for the Diploma in Wood Industry, Faculty of Applied Science, Universiti Teknologi MARA, Pahang

April 2003

ACKNOWLEGMENT

First of all, I would like to take this opportunity to express my special thanks to Allah S.W.T because with blessing I have done finished my final project on time. I would like to offer my special thanks to my beloved parent, because with their pray I lastly succeed this project.

I would like to offer my special thanks to my advisor. Mr. Wan Mohd Nazri bin Wan Abdul Rahman, because of his guide and lesson and also helping me at every phase of the study. He is so generous in lending me helping hands and showing me correct ways of forming my tasks. I would like to express my most sincere thanks to him.

Also a lot of special thanks to my beloved friends and my group for their support to become my inspiration to finish this project lastly, I also to extend my appreciation to those who are involved either directly or indirectly in completing this project. I believe, without their helps, I would not able to complete this final project.

TABLE OF CONTENTS

Page

APPROVAL SHEET	i
DEDICATION	ii
ACKNOWLEGMENT	iii
LIST OF TABLES	iv
LIST OF FIGURES	
LIST OF PLATES	
ABSTACT	
ABSTRAK	

CHAPTER

1.0 INTRODUCTION	1
1.1 Justification	2
1.2 Objective	2
2.0 LITERATURE REVIEW	
2.1 History of OSB	3
2.2 Type of OSB	4
2.3 The Species Uses as Raw Material	
in OSB Manufacturing	5
2.4The Process of OSB	
Manufacturing in Commercial	6
2.4.1 Log Hauling and Sorting	6
	6
2.4.3 Debarking	7
2.4.4 Stranding	
2.4.5 Wet bins	8
2.4.6 Drying	8
2.4.7 Blending	9
2.4.8 Forming Line	9
2.4.9 Pressing	9
2.4.10 Finishing Line	10
2.4.11 Shipping	11
2.5 The Properties of OSB	11
2.6 Strength Attributes in OSB	13
2.6.1 Structural Stability	13
2.6.2 Bending Strength and Stiffness	13
2.6.3 Durability	14

Page

2.7 Malaysian Standard of OSB	14
2.8 OSB in the Construction	
2.8.1 Building Envelope and Use of OSB	
2.8.2 Application OSB in the Construction Industry	
2.9 Appropriate OSB Application	19

3.0 MATERIAL AND METHOD

3.1 The Preparation of Samples	20
3.1.1 Ludai Log	20
3.1.2 Debarking	21
3.1.3 Flaking	21
3.1.4 Pre –dry	21
3.1.5 Screening	22
	22
	23
The second se	25
	25
3.1.10 Hot Press Process	26
3.1.11 Conditioning	28
	29
	29
	30

4.0 RESULT AND DISCUSSION

4.1 Modulus of Rupture (MOR)	32
4.2 Modulus of Elasticity (MOE)	33
4.3 Water Absorption	35
4.4 Thickness Swelling	36

5.0 CONCLUSION AND RECOMMENDATION

5.1 Conclusion	31
5.2 Recommendation	37
REFERENCES	38
VITA	39

ABSTRACT

STRENGTH PROPERTIES OF ORIENTED STRAND BOARD FROM LUDAI SPECIES (Sapium baccatum) AT 7% RESIN CONTENT WITH DIFFERENT DENSITY

By

CHE ADNAN BIN CHE MAT

APRIL 2003

Oriented strand board (OSB) is the one of many types of product based on wood. It is the new product that introduce in Malaysia. The researches that have been done with used Ludai (*Sapium baccatum*) species as a raw material, shows the validity result. The test of bending, thickness swelling, and water absorption, were achieved the results over the standard .The result that are got said with using the different density influences the properties of OSB in the OSB manufacturing. Higher density with the valid with resin can produce the good quality of OSB.