

UNIVERSITI TEKNOLOGI MARA

**PACLITAXEL LOADED AND SURFACE COATED
N-VINYL CAPROLACTAM NANOPARTICLES
FOR BREAST CANCER DRUG DELIVERY**

MUSTAQIM BIN ABD RASHID

**Dissertation submitted in partial fulfillment of the requirements for the
Bachelor of Pharmacy (Hons.)**

Faculty of Pharmacy

2013

ACKNOWLEDGEMENT

I would like to express my sincere appreciation to Professor Abu Bakar Abdul Majeed for his willingness to accept me as his supervisee. My greatest gratitude goes to Dr. Rakesh who taught me everything related to polymers and helped me anytime I was in need. I would like to thank him for supporting me morally throughout the thesis and for many stimulating discussions and his critical suggestions. Without his help, this work would not have been possible. I would also like to thank to Associate Professor Dr. Vasudevan, Associate Professor Dr. Kalavathy and Dr. Steven Lim Siong Meng as well for their helps during the time to complete this work. Not to forget parents, my colleagues, postgraduate students in the CDDR lab, members of the Brain Lab, lab assistants in Imagine Lab and others who had given support to my research.

TABLE OF CONTENTS

	Page
ACKNOWLEDGMENT	ii
TABLE OF CONTENTS	iii
LIST OF TABLES	v
LIST OF FIGURES	vi
LIST OF ABBREVIATIONS	vii
ABSTRACT	ix
CHAPTER 1 INTRODUCTION	
1.1 Introduction	1
1.2 Objectives of the study	5
1.3 Problem statement	5
1.4 Hypothesis	6
1.5 Significance of the study	6
CHAPTER 2 LITERATURE REVIEW	
2.1 Breast cancer	7
2.2 Causing factors	7
2.3 Chemotherapy	9
2.4 Drug delivery system	10
2.5 Nanoparticles in drug delivery	11
2.6 Paclitaxel	15
2.7 Smart polymers as promising drug delivery system	17
2.7.1 Properties of n-vinyl caprolactam	18
2.6.2 Preparation of n-vinyl caprolactam	20
CHAPTER 3 MATERIALS AND METHODS	
3.1 Materials	21
3.2 Preparation of n-vinyl caprolactam based nanoparticles	21

ABSTRACT

In this work, a nanoformulation of paclitaxel with biodegradable thermo-responsive N-vinyl caprolactam (NVC) is developed for delivery to cancer cells. The thermo-responsive graft co-polymeric nanoparticles (PNVC-MAAc) were prepared by dispersion polymerization method, which showed a lower critical solution temperature (LCST). The paclitaxel drug was incorporated into the carrier using cross-linking reaction. After several characterizations, it was found that the nanoformulation developed met the characteristics fit for cancer drug delivery such as appeared in nanometer in size, better morphology and improve the surface charge of the NPs. These results indicated that PTX-PNVC-MAAc NPs could be a promising candidate for cancer drug delivery.

CHAPTER 1

INTRODUCTION

1.1 Introduction

Breast cancer is a malignant tumor which is a collection of cancer cells and arising from cells of the breast. Breast cancer is the most common cancer among American women. One in four new cancers diagnosed worldwide each year is a cancer of the female breast (Washbrook, 2006). According to new estimate approximately 230,500 new breast cancer cases were diagnosed in 2011 in the U.S (Yip, Taib, & Mohamed, 2006). In Malaysia breast cancer is the most common cancer in woman and in 2007 total 3, 242 cases were diagnosed (*National Cancer Registry Report, 2007*). Despite breast cancer is a major Public Health issue worldwide, the main causes of the incidence of breast cancer are still not fully understood.

Without denying the fact that major development has been done in order to treat and abate the incidence of this fatal cancer. Chemotherapy is one of an effective treatment for cancer and other serious diseases such as cardiovascular restenosis and AIDS. However, problem still exists where patients have to tolerate severe side effects and sacrifice their quality of life after the treatment (Feng, 2004).