## UNIVERSITI TEKNOLOGI MARA

# **EVALUATION OF ANTIHYPERTENSIVE DRUGS UTILIZATION**

## IN OUTPATIENT DEPARTMENT AT

# HOSPITAL TENGKU AMPUAN RAHIMAH, KLANG:

A PRESCRIPTION ANALYSIS

NUR ADILAH BT ABD RAHIM

**BACHELOR OF PHARMACY (HONS)** 

## **ACKNOWLEGEMENT**

First and foremost, I thank to Allah for granting me the health and strength to accomplish this research successfully.

My sincere appreciation to my supervisor, Professor Dr Yahaya Hassan (B. Pharm, Pharm D) for his valuable guidance, encouragement, assistance and providing helpful comments during the study that have made it possible to be finished.

I want to thank Madam Aziah, an outpatient pharmacist from Hospital Tengku Ampuan Rahimah (HTAR), Klang for allowing us to conduct this study.

My grateful indebted to my beloved family for their understanding and sacrifice, who offer me a lot of encouragement, strength and inspiration throughout my life and my study.

#### **ABSTRACT**

Introduction: Drug utilization study is a crucial study that assists the rational use of drugs among public.

Objective: The aim of this research was to know about prescribing trend of antihypertensive agents and to study on average target dose that usually prescribed by doctor.

#### Method:

A cross-sectional prescription analysis study was conducted at Hospital Tengku Ampuan Rahimah, Klang.

#### Results:

291 prescriptions were enrolled into this study. 53.3% of the patients were female. 86.9% of the prescriptions were written in generic name and most of the prescriptions were issued by prescriber from medical outpatient department (MOPD). 65.9% patients receive more than one single antihypertensive agent. Calcium channel blocker (CCB) (59.5%) was the most antihypertensive being prescribed.

#### Conclusion:

Adherence to guideline is good even in the presence of comorbidities.

# **Table of Contents**

APPROVAL SHEET
AUTHOR'S DECLARATIONj
ACKNOWLEGEMENTii
ABSTRACTiv
List of tablesvii
List of figures
LIST OF ABBREVIATIONSx
CHAPTER 1
INTRODUCTION
1.1 Overview
1.2 Problem statement
1.3 Research question
1.4 Hypothesis
1.5 Objective
1.6 Significance of study5
CHAPTER 26
LITERATURE REVIEW6
2.1 Overview
2.2 Risk factors for hypertension
2.2.1 Gender
2.2.2 Age
2.2.3 Smoking
2.2.4 Alcohol
2.2.5 Body weight
2.2.6 Lack of activity
2.2.7 Genetics
2.3 Treatments
2.3.1 Non-pharmacological treatment

## **CHAPTER 1**

#### INTRODUCTION

#### 1.1 Overview

Hypertension is the silent killer of human. According to World Health Organization (WHO), every year about 55 million men died and unfortunately 17 million died due to non-communicable disease like hypertension (WHO | A global brief on hypertension, 2013). Out of 17 million of it almost half people died because of cardiovascular illness and the stroke. Table 1 show that both of it are the top two causes of fatality (WHO | The top 10 causes of death, 2013). Every 17<sup>th</sup> May, World Hypertension Day will be organized in the world to urge the public about the danger of this disease ("World Hypertension Day 17<sup>th</sup> May, 2013 Theme," 2013) "Healthy Heart Beat- Healthy Blood Pressure" is the theme for the world hypertension day 2013. Next year, the theme will be "Know Your Blood Pressure.