UNIVERSITI TEKNOLOGI MARA

SUPERCRITICAL CO₂ EXTRACTION OF JACKFRUIT SEEDS

CHE SYAHIRUN NISSA' BT CHE WANG

THESIS submitted in fulfillment of the requirements for the degree of Degree of Engineering (Bachelor of Engineering (Hons) Chemical)

Faculty of Chemical Engineering

July 2019

ABSTRACT

Everybody from all races in Malaysia know the local fruits, Jackfruits. Their favourite is Tekam Yelow (Nangka Madu). Some Jackfruits fanatics willing to buy fresh Nangka Madu at Pahang from nearby fruits stall along the roads. The Jackfruits will be freshly eaten or consumed as improvised sweet desserts. Definitely, the Jackfruits seeds are consider as waste in the rubbish bin. Not noticeable, people will spend their money on the expensive grape fruits' seeds supplements since they knows the beneficial medicinal value contained inside Jackfruit seeds. Therefore, a study on the medicinal compounds contain in the Jackfruits seeds will be conducted. There are lots of research had been conducted in the determining the medicinal and other kinds of beneficial that can be obtained from Jackfruit's seeds. Various extraction technique had been used but no research on Supercritical CO₂ extraction (SC-CO₂) of Jackfruits seeds being perform. The extraction equipment used in this research is SFT-100 with vital operating variables to be examined were at temperature (50°C, 60°C) with pressure (4000psi, 5000psi, 6000psi). While the extract was tested using Gas Chromatography-Mass Spectrometry (GC-MS), Varian GCMS 450 GC 240 MS Ion Trap. The highest oil yield obtained was 0.31%. There are 6 major medicinal constituent obtained after analysed which were (1-Methoxy-pentyl)-Cyclopropane, Dodecanoic acid, n-Hexadecanoic acid, Vitamin A aldehyde, Cholestan-3-ol, 2 methylene-, (3á, 5à) and 1-Heptatriacotanol. Jackfruits seeds have the medicinal abilities namely, antimicrobial, anticancer, antioxidant, anti-inflammatory, acne treatment and others medicinal values.

ACKNOWLEDGEMENT

Firstly, I wish to thank God for giving me the opportunity to embark on my research. My gratitude and thanks go to my supervisor Dr. Norhuda Ismail for guiding me. My appreciation goes to lab technician who provided the facilities and assistance during sampling. Special thanks to my colleagues and friends for helping me with this project in sharing their knowledge with their research and my research. Finally, hoping that this will bring benefit to others in living a healthy live. Alhamdulilah.

TABLE OF CONTENT

Contents

PLAGIARISM FORM	i
AUTHOR'S DECLARATION	ii
SUPERVISOR'S CERTIFICATION	iii
HEAD OF PROGRAMME'S AND COORDINATOR'S APPROVAL	iv
ABSTRACT	v
ACKNOWLEDGEMENT	v
TABLE OF CONTENT	vi
LISTS OF FIGURE	1
LISTS OF TABLE	1
CHAPTER ONE	2
1.1 Research Background	2
1.1.1 Jackfruits	2
1.1.2 Supercritical CO2 Extraction	3
1.2 Problem Statements	5
1.3 Objectives	5
1.4 Scope of Study	5
CHAPTER TWO	6
2.1 Introduction	6
2.2 Solvent Extraction	6
2.3 Others Types of Extraction	10
2.3.1 Maceration	10
2.3.2 Microwave Assisted Extraction	11
2.3.3 Ultrasound-Assisted Extraction	12
2.3.4 Hydro Distillation	13
2.4 Supercritical CO ₂ Extraction	14
2.5 Comparison of Extraction Methods	21
CHAPTER THREE	25
3.1 Introduction	25
3.2 Experiment Procedure	26
3.2.1 Pre Extraction	26
3.2.2 SC- CO ₂ extraction	28
3.2.3 Calculation	29

3.3 Extract Analysis	30
3.3.1 GC-MS	30
CHAPTER 4	31
4.1 Introduction	31
4.2 Extraction Yields	31
4.2.1 Oil Yield (%) Calculation	31
4.2.2 Jackfruit Seeds Oil Extracted	32
4.2.3 Mass of Cloth Bags	34
4.3 Medicinal Values	35
CHAPTER 5	39
5.1 Conclusion	39
5.2 Recommendation	39
REFERENCE	40
APPENDIX	45

CHAPTER ONE

INTRODUCTION

1.1 Research Background

1.1.1 Jackfruits

Artocarpus heterophyllus commonly referred to as Jackfruits is a delicious yellowy fruit in our daily course or snack. Malaysian accepted it as 'Nangka'. In Malaya, sorts of Jackfruit existed, i.e. J32 (Mantin), J33 (Tekam Yellow) and J35 (Mastura), but most Malaysian well-liked is Tekam Yellow (Nangka Madu) as a result of its texture was less juicy however tasted sweeter than Mantin and Mastura (Marketing, 2013). Jackfruit is a nonseasonal plant. From (Table 1) in the appendix shown an average of 30,000 metric ton Jackfruit produces from 2012-2017. Indicate that Jackfruit is truly one amongst the economical plantation in Malaya. Jackfruit's pulp were consumed for many reasons likes eaten up as vegetable, preserved or canned in brine or curry, created into varied native delicacies like 'dodol' and preserved as table crackers. Whereas the Jackfruit seeds will always be treated as wastes. Actually Jackfruit seeds were found to be made in proteins, carbohydrates and minerals with moderate amount of phytochemicals and strong matter properties. It additionally a fat free diets as a result of the fat content was negligible. The results of varied in vitro inhibitor activity assays indicated that extracted seeds possessed considerable DPPH, ABTS scavenging effects and metal particle chelating activity throughout a concentration-dependent manner. Moreover, Jackfruit has numerous medicinal uses particularly antioxidant (phenolic contents), antiinflammatory, antimicrobial, anti-cancer and anti-fungal activity (Vazhacharickal & Mathew, 2015) Methanolic extracts from jackfruit seed contain flavonoids, tannins and saponins (terpenoids) and so making this because the initial study to prove that jackfruit seed potential as a candidate for future anticancer medical care. (Oktavia, Wijayanti, & Retnoaji, 2017). Moreover, the methanolic testa extract of (A. heterophyllus) showed potential in inhibitor, receptor binding activity with RBCs, in vitro medicament activities, antifungal activities and medicine activity since polyphenols and flavonoids present in the testa (Saha, Jamiruddin,