

AUTONOMOUS LAWNMOWER USING PERIPHERAL INTERFACE MICROCONTROLLER (PIC)

**Project report presented in the partial fulfillment for the award of the
Bachelor of Electrical Engineering (Hons)
UNIVERSITI TEKNOLOGI MARA**



**NURHIDAYAH BINTI YAHYA
Faculty of Electrical Engineering
UNIVERSITI TEKNOLOGI MARA
40450 SHAH ALAM, SELANGOR**

ACKNOWLEDGMENT

In the name of ALLAH, with the deepest sense gratitude of the Al-Mighty that gives strength and ability to complete this project.

Foremost, I would like to take this opportunity to express my appreciation and special gratitude to my project supervisor, Mr. Ahmad Fauzi Bin Ibrahim who devotedly his time in giving me the guidance and his willingness in sharing the knowledge towards the completion of this project report.

Hereby, I would like to express my deepest thank to my family, especially to my parent, for their kindness to understand, support and encouragement in completing this final project.

I also would like to thank all the individuals who have involved in this project either directly or indirectly, and also to all my friends for giving an encourage in making this project success.

Thank You.

ABSTRACT

This project is about an autonomous lawnmower using a peripheral interface controller. This project is using PIC16f873 to program the task regarding to the movement of the lawnmower. The autonomous lawnmower is programmed to automatically moving, which it takes two seconds after switch on. The Autonomous lawnmower will mow a field of grass. A borderline will be a layout on the surface of the field to ensure the movement of the autonomous lawnmower. The field of grass is considering having no obstacle. All hardware and software has been tested as separate modules followed by integration.

TABLE OF CONTENTS

CHAPTER		PAGE
1	INTRODUCTION	1
	1.1 INTRODUCTION OF AUTONOMOUS LAWNMOWER	2
	1.2 OBJECTIVES	3
	1.3 SCOPE OF WORK	3
	1.4 METHODOLOGY	4
	1.4.1 Software Testing	4
	1.4.2 Hardware Testing	4
	1.4.3 Integration Testing	5
	1.5 Organization of Thesis	5
2	LITERATURE REVIEW	7
	2.1 INTRODUCTION	8
	2.2 OVERVIEW OF THE SYSTEM	9
	2.3 MPLAB IDE V7.20	10
	2.3.1 Components of MPLAB IDE	11
	2.3.2 Process to start using the MPLAB IDE	13
	2.4 PIC16F873 MICROCONTROLLER	13
	2.5 REFLECTIVE OPTO-SWITCH SENSOR	15
	2.6 STEPPER MOTOR	16
	2.7 DIRECT CURRENT (DC) MOTOR	19
	2.7.1 DC Motor Principle of Operation	19
	2.8 POWER DARLINGTON TRANSISTOR	20
	2.9 PROSPECT	21

CHAPTER 1

INTRODUCTION

1.1 INTRODUCTION OF AUTONOMOUS LAWNMOWER

Every year, a lot of cost is spent in commercial lawn upkeep. Golf courses, local parks and other expensive grass areas require hundreds of man-hours to maintain. As well, those who have yard in their houses are concern on the cost of cutting the grass.

For that reason, the goal of this project is to design an autonomous lawnmower that works safely and efficiently mows an area typical of a homeowner's yard. The previous versions of autonomous lawnmower that has been designed relied on the principle of randomness to mow an area. Therefore, the autonomous lawnmower had no realization where they had mowed or did not mow. The premise was as follows: given a long period of time, eventually the vast majority of the mowing area would be cut. Obviously this process would take considerably longer than if a human had mowed the same area, but the point is the human did not have to perform the task.

The main effort of this project is to design an autonomous lawnmower that mows similar in fashion to how a human would mow. The design of autonomous lawnmower was divided into 3 testing; each one is designed to deal with a particular requirement of the overall system.