

UNIVERSITI TEKNOLOGI MARA

**THEORETICAL MODELLING AND
EXPERIMENTAL ANALYSIS OF
SINGLE AND DOUBLE LAYERED
THERMOELECTRIC GENERATOR
(TEG) MODULE FOR ENERGY
RECOVERY OF BREAD-BAKING
INDUSTRIAL WASTE HEAT**

NUR FARANINI BINTI ZAMRI

Thesis submitted in fulfilment
of the requirements for the degree of
Doctor of Philosophy
(Mechanical Engineering)

Faculty of Mechanical Engineering

March 2026

ABSTRACT

Thermoelectric generator (TEG) is a promising alternative in combined heat and power (CHP) generation for low-cost waste heat recovery (WHR) applications. The lack of effective and sustainable approaches to recover the excess heat and a method to assess the economic potential are the main research problems. The objective of the research is to develop a TEG-based WHR system to convert waste heat into useful CHP outputs which are electrical (P_{TEG}) and regenerated thermal energy (P_{RTE}). The research also aims to analyze the economic potential of the developed system for industrial implementation. The TEG module integrates TEG cells, rectangular finned heat exchangers, heat pipes, and copper block housings to enhance heat transfer and energy conversion performance. The system was evaluated through theoretical modelling for fundamental relationship analysis and lab-scale testing for physical system performance evaluation. From the theoretical results, higher waste heat temperature ($T_{WH,IN}$) and low cooling supply temperature ($T_{CS,IN}$) show greater potential in generating higher combined heat and power energy (P_{CHP}) due to larger TEG temperature difference (ΔT_{TEG}) and enhanced cooling rate. Extra heat pipes and TEG cells installation could lead to higher heating and cooling effect and boost the power generation. An energy recovery ratio (ERR) of approximately 14% is expected after critical parameters identification through parameter sweep analysis approach. In the experimental evaluation, double-layered (DL) TEG generated higher P_{TEG} compared to single-layered (SL) TEG. The maximum P_{TEG} generated under DL of 1 module is 27 mW/cm^2 (4 W) while with 2 modules, the total P_{TEG} is 26 mW/cm^2 (8 W). Higher number of TEG modules offer higher P_{RTE} due to the repetition of module cooling. The highest P_{RTE} is 60 W, obtained from the cooling of 2 TEG modules (TEM), arranged in back-to-back configuration, under optimum operating conditions with a total ERR of 7%. The optimum result from the experimental assessment is applied for the economic potential analysis. Under optimum operating parameters, 10 TEG modules TEM in back-to-back arrangement provides the shortest payback period of 8 years, which confirms the technical and economic feasibility of TEG-based CHP systems for bakery waste heat recovery. The installation of more than 8 TEMs increased the payback period due to insufficient amount of annual savings to cover the increasing investment costs. Higher CHP generation could be achieved by further improving the material selection and design optimization for higher annual savings and lower payback period.

ACKNOWLEDGEMENT

First of all, Alhamdulillah and I thank Allah for the strength and guidance He gave me to start and finish this PhD journey. I would like to express my deepest gratitude to Professor Dr. Wan Ahmad Najmi bin Wan Mohamed, my main supervisor, for his invaluable guidance, continuous support and insightful feedback throughout this research. His expertise and encouragement have been the foundation in making this research a potential future alternative. Much appreciation also to my co-supervisors, Assoc. Prof. Dr. Muhammad Fairuz bin Remeli and Assoc. Prof. Dr. Mohd Faizal bin Mohamad for their endless support and guidance throughout this journey.

I extend my sincere appreciation to the Faculty of Mechanical Engineering for providing the necessary resources, facilities and a conducive research environment. Special thanks to the laboratory staff and technical assistants (Mr. Mohd Ezzuan bin Salleh, Mr. Mohd Fadhli bin Mohamed Basir, Mr. Kamarizal bin Kamaruddin, Mr. Faizazairi bin Mohammad Riduan, Mr. Mohd Arzuan bin Kassim) for their assistance in conducting the experimental work and troubleshooting technical challenges.

My heartfelt thanks also go to my colleagues and fellow researchers for their collaboration, thought-provoking discussions and unwavering support during this journey. Not to forget the beautiful experiences during conferences and exhibitions with the knowledgeable researchers across the globe.

I am proudly grateful to my family and friends, for their patience, motivation and unconditional support. The positive words and encouragement have given me the boost to face my challenges. A special dedication to the loving memory of my very dear late father, for becoming my reason to pursue this PhD journey. His belief in me has been a constant source of strength throughout this research journey.

Finally, to my beloved husband, thank you for being the most patient individual in my PhD journey. Your presence during my hard times has taught me to get back up stronger even after my deepest fall.

This work would have not been possible without the contribution and encouragement of all those mentioned above, and I sincerely appreciate their role in the completion of this thesis.

TABLE OF CONTENTS

	Page
CONFIRMATION BY PANEL OF EXAMINERS	ii
AUTHOR'S DECLARATION	iii
ABSTRACT	iv
ACKNOWLEDGEMENT	v
TABLE OF CONTENTS	vi
LIST OF TABLES	x
LIST OF FIGURES	xi
LIST OF SYMBOLS	xvi
LIST OF ABBREVIATIONS	xviii
LIST OF NOMENCLATURES	xx
CHAPTER 1 INTRODUCTION	1
1.1 Research Background	1
1.2 Motivation for This Work	7
1.3 Problem Statement	8
1.4 Research Objectives	11
1.5 Research Questions	12
1.6 Significances of Study	12
1.7 Scopes of Study	13
1.8 Limitations of Study	15
1.9 Ethical Committee	15
CHAPTER 2 LITERATURE REVIEW	17
2.1 Introduction	17
2.2 Waste Heat	18
2.3 Waste Heat Recovery (WHR)	19
2.4 Thermoelectric Generator (TEG)	21
2.4.1 Theoretical Approach for TEG Fundamental Analysis	25
2.4.2 Experimental Approach for TEG Performance Analysis	26

CHAPTER 1

INTRODUCTION

1.1 Research Background

Energy growth is essential in fulfilling basic human needs while building a better quality of life. However, most of the energy produced today originates from non-renewable sources including petroleum, natural gas and coal. Countries including Malaysia, Indonesia and Australia generate about 80% of their energy by using these sources [1]. Apart from producing energy from sources that could not be replenished, the process also produces harmful gas emissions that leads to climate change. The atmospheric temperature is expected to rise by 11% in the next 100 years if global warming continues [2]. The challenge lies in recovering the wasted energy as it often generated at different temperatures, by various sources and at different times. Researchers are exploring deep into energy harvesting as an effective alternative to reduce the global effects of human activities. Energy harvesting, also known as energy scavenging or power harvesting, involves the process of generating useful energy through capturing or extracting wasted energy. Waste heat is an example of the by-product released as a result of energy conversion from various industries.

The fundamental principle of the second law of thermodynamics stated that no energy conversion process is 100% efficient. Therefore, increasing global energy demand leads to more energy being converted and more waste heat is released. The uncaptured amount of waste heat holds the potential in saving costs and reduce environmental impact. These waste heats can be divided based on the temperature range. Low temperature waste heat usually comes from parts of the process unit with temperatures below 100°C, while medium temperature waste heat ranges from 100°C until 400°C which covers the heat from exhausts of most combustion units. Waste heat higher than 400°C is classified as high temperature that is normally rejected from direct combustion processes [3]. In food processing industry, particularly in bread-baking, a significant portion of thermal energy is lost through the oven exhausts, typically within the range of 120-250°C. The wasted heat is a potential source for a direct and on-site energy recovery that could reduce fuel consumption and operating costs while lowering carbon emissions.



**PERPUSTAKAAN TUN ABDUL RAZAK
BAHAGIAN SUMBER RUJUKAN UNIVERSITI (BSRU)**

BORANG PENYERAHAN BAHAN HARTA INTELEK UiTM
UiTM's Intellectual Property Submission Form

Nama (Name) : NUR FARANINI BINTI ZAMRI

No. Telefon (Pejabat / Hp) : _____

Fakulti/Pusat Akademik/Bahagian : MECHANICAL ENGINEERING

Telephone No. (Office / handphone)

Faculty / Academic Centres / Department

E-mel (E-mail) : nurfaraninizamri@gmail.com

Tarikh (Date) : 1/4/2026

Pihak Fakulti / Pusat Akademik / Bahagian / Saya bersetuju bahawa dokumen dan tajuk yang disenaraikan untuk dimasukkan ke dalam Repositori Institusi UiTM.

The Faculty / Academic Centres / Department / I agree that the document and titles listed below to be placed in the UiTM Institutional Repository.

JENIS BAHAN (Sila nyatakan) : Theses

Types of Material (Please specify) :

Types of Material:

*Article / Book / Theses / Bulletin / Seminar / Image /
Entrepreneurship / Student Project / Research Report /
Industrial Training / Annual Report / Manual / Oral History /
Exam Paper / Speech / Dataset / Audio / Video / Others*

MAKLUMAT BAHAN (Information of Materials):

Bil. No.	JUDUL BAHAN Title	HARDCOPY (√)	SOFTCOPY (√)
1.	Theoretical Modelling and Experimental Analysis of Single and Double Layered Thermoelectric Generator (TEG) Module for Energy Recovery of Bread-Baking Industrial Waste Heat		✓

** Sila sediakan lampiran sekiranya ruangan yang disediakan tidak mencukupi (Please provide attachment if necessary)*

TUJUAN PENYERAHAN BAHAN (Sila tandakan √) :

Purpose (Please mark √) :

1. Bahan untuk dimuat naik ke dalam Repositori Institusi UiTM:

(Materials for uploading into the UiTM Institutional Repository (UiTM IR)):

Fakulti / Pusat Akademik / Bahagian / Saya perlu memastikan bahawa setiap dokumen telah dibuat semakan terlebih dahulu dan tidak mengandungi sebarang maklumat sulit sebelum diserahkan kepada pihak PTAR.

The Faculty / Academic Centres / Department must ensure that each document has been reviewed in advance and does not contain any confidential information before being submitted to PTAR.

2. Bahan mengandungi maklumat TERHAD yang telah ditentukan oleh organisasi / badan di mana penyelidikan dijalankan:

(Materials consisting of RESTRICTED information which has been determined by the organisation/body where the research was conducted):

Sila nyatakan tarikh tamat embargo (jika ada):

(Please indicate the embargo expiry date (if any)):

Embargo expiry date: Day: Month: Year:

Nota: Embargo Expiry Date adalah tarikh tamat tempoh yang ditetapkan oleh penulis di mana pada atau selepas tarikh ini, bahan tersebut akan dipaparkan secara langsung di Repositori Institusi UiTM dan ianya boleh diakses.

Note: Embargo Expiry Date is the date that an author or a publisher imposed embargo expires. On and after this date, this document will be accessible in UiTM Institutional Repository.

3. Bahan boleh diakses secara teks penuh dan terbuka.

(Materials can be accessed in full text via open access).

4. Bahan dipinjamkan sementara untuk tujuan pendigitalan dan akan dikembalikan semula kepada pemilik.

(Materials are on temporary loan for digitization and will be returned to the owner).

Pemberitahuan: Jika Repositori Institusi UiTM menerima bukti pelanggaran hak cipta, bahan yang berkaitan akan dikeluarkan serta-merta. *(Notification: If UiTM Institutional Repository receives proof of copyright violation, the relevant item will be removed immediately).*

PERAKUAN:

Declaration:

Saya / kami akan bertanggungjawab ke atas bahan yang diserahkan untuk pendigitalan dan muat naik ke dalam Repositori Institusi UiTM.

I / we will be responsible for the materials submitted for digitization and uploaded into UiTM Institutional Repository.

Tandatangan Pemohon

Applicant Signature

Tarikh (Date): 1/4/2026

Tandatangan dan Cap Ketua Jabatan / Bahagian / Penyelia

Head of Division / Department / Supervisor Signature and stamp

Tarikh (Date): 1/4/2026

UNTUK KEGUNAAN PEJABAT (For office use)

DITERIMA OLEH / Received By :

TANDATANGAN / Signature :

TARIKH / Date :

DISAHKAN OLEH / Certified By :

TANDATANGAN / Signature :

TARIKH / Date :