EVOLUSI DEKAD
DEWAN LATIHAN MARA ke UITM
1956-2026

UNIVERSITI TEKNOLOGI MARA®

RONA TINTA

EDISI 2026



SHIELDING THE SKIN: CHOOSING THE RIGHT SUNSCREEN BEYOND THE SPF NUMBER

Muhammad Azril Bin Roslan & Muhammad Aqib Aiman Puasa

Sun Protection Factor, commonly referred to as SPF, has become an essential term in daily skincare. However, familiarity does not necessarily lead to understanding. Numerous customers perceive SPF as a mere indicator of a sunscreen's potency or presume that a higher value absolutely ensures total protection for the entire day. Effective protection relies on understanding the significance of SPF, acknowledging the differing functions of ultraviolet A (UVA) and ultraviolet B (UVB), and choosing a formulation that aligns with specific skin attributes to ensure constant and proper application (D'Orazio et al., 2013).

Why Sunscreen Matters: Cumulative UV Harm and the Rise of SPF

UV exposure triggers long-term damage, which means sunscreen is considered preventive. Prolonged UV exposure is associated with higher skin cancer risk and can also contribute to eye problems such as cataracts. It additionally accelerates visible skin ageing by degrading collagen and elastic fibres, leading to fine wrinkles and reduced firmness, while also worsening uneven pigmentation, rough texture, and post-inflammatory hyperpigmentation marks (Pandel et al., 2013).

As medical evidence on these long-term harms became clearer, sunscreen development shifted from simply preventing sunburn to providing broader, more reliable daily protection. Yet protection depends as much on human behaviour as the product itself. This is why modern sunscreen messaging shifted towards daily habits, choosing a wearable formula, applying enough, and reapplying, rather than treating sunscreen as an occasional "beach item".

Decoding Sunscreen Labels: UVA, UVB and SPF




Figure 1: Differences Between UVA and UVB Penetration into the Skin

UVA and UVB are two forms of ultraviolet light that cause skin damage in various ways. UVB is most closely related with sunburn and is a leading cause of DNA damage associated with skin cancer. UVA penetrates deeper into the skin and is significantly associated with photoaging, which includes wrinkles, loss of firmness, and uneven pigmentation, as well as an increased risk of skin cancer. For that reason, sunburn prevention alone is not a complete indicator of protection, because UVA-driven damage can continue even when the skin does not redden (Bajgar et al., 2021).

SPF is a laboratory measure that primarily indicates UVB protection by showing how well a sunscreen reduces UVB-related redness when applied evenly and in the correct amount. In practice, real-world protection is often lower because people tend to under-apply or fail to reapply consistently, so SPF numbers should be interpreted rather than chased (Petersen & Wulf, 2014).

When used properly, both SPF 30 and SPF 50 provide high UVB protection, with SPF 30 often serving as a strong everyday baseline, while SPF 50 offers a useful added margin for prolonged outdoor exposure, high-UV conditions, or situations where under-application or reapplication lapses are more likely (Sander et al., 2020).



Figure 2: Comparison of UV Protection Provided by SPF 30 and SPF 50

Regardless of the SPF chosen, effective use still depends on generous, consistent application and selecting broad-spectrum protection, because no sunscreen provides total protection (Sander et al., 2020). Broad-spectrum means the sunscreen protects against both UVA (deeper, ageing-related damage) and UVB (sunburn-related damage).

Skin First: Choosing Sunscreen That Works for You

Although many sunscreens can protect your skin effectively, the best choice usually depends on comfort and skin tolerance. In general, sunscreens fall into three categories, which are mineral, chemical, and hybrid (Ngoc et al., 2019).

Mineral sunscreens provide a protective layer using zinc oxide or titanium dioxide and are favoured for their broad coverage and reduced likelihood of eye stinging for some users, although they may leave a visible white cast, particularly on deeper skin tones.

Chemical sunscreens use organic filters that absorb UV rays and are typically preferred for a lightweight, transparent finish that layers well under makeup. However, some sensitive users may experience irritation or eye discomfort. (Schneider & Lim, 2019).




Figure 3: Comparison of Mineral and Chemical Sunscreen Mechanisms

Hybrid sunscreens combine both filter types to balance broad protection with improved wearability and reduced white cast.

Suitability also varies by skin type and lifestyle. Lightweight fluids, gels, or fast-absorbing formulas tend to suit oily or acne-prone skin because they feel easier to wear and may reduce under-application, while creamier, more hydrating textures can be more comfortable for dry skin by avoiding tightness or flaking.

For sensitive skin, simpler formulas are usually preferable, and some people tolerate mineral or hybrid options better, particularly around the eyes. Practical factors matter too, as tinted or more transparent finishes can encourage consistent daily use, while water-resistant sunscreens are better for sweating, outdoor work, or water exposure, provided they are reapplied properly.

Final Thoughts: Consistent Protection, Lasting Benefits

In selecting sunscreen, suitability should take priority over popularity, but a small group of brands is repeatedly cited across independent consumer testing and dermatologist recommendations. Rather than focusing on brand, look for a broad-spectrum sunscreen with high UVA protection, photostable UV filters (or zinc oxide/titanium dioxide), and a formula that suits your skin type and feels comfortable enough to apply generously and reapply consistently (Sabzevari et al., 2021).

In the end, SPF should be viewed as an indicator based on evidence rather than a complete solution by itself. This is because UVA and UVB damage skin in different ways, and effective protection depends on broad coverage, correct application, and daily practice. In this situation, the choice between SPF 30 and SPF 50 is best seen as a practical one, since both can work if they are applied correctly and reapplied as necessary.

References

Bajgar, R., Moukova, A., Chalupnikova, N., & Kolarova, H. (2021). Differences in the Effects of Broad-Band UVA and Narrow-Band UVB on Epidermal Keratinocytes. International Journal of Environmental Research and Public Health, 18(23), 12480. https://doi.org/10.3390/ijerph182312480

D'Orazio, J., Jarrett, S., Amaro-Ortiz, A., & Scott, T. (2013). UV radiation and the skin. International Journal of Molecular Sciences, 14(6), 12222–12248. https://doi.org/10.3390/ijms140612222

Ngoc, L. T. N., Tran, V. V., Moon, J.-Y., Chae, M., Park, D., & Lee, Y.-C. (2019). Recent Trends of Sunscreen Cosmetic: An Update Review. Cosmetics, 6(4), 64. https://doi.org/10.3390/cosmetics6040064

Pandel, R., Poljšak, B., Godic, A., & Dahmane, R. (2013). Skin photoaging and the role of antioxidants in its prevention. ISRN dermatology, 2013, 930164. https://doi.org/10.1155/2013/930164

Petersen, B., & Wulf, H. C. (2014). Application of sunscreen—Theory and reality. Photodermatology, Photoimmunology & Photomedicine, 30(2–3), 96–101. https://doi.org/10.1111/phpp.12099

Sabzevari, N., Qiblawi, S., Norton, S. A., & Fivenson, D. (2021). Sunscreens: UV filters to protect us: Part 1: Changing regulations and choices for optimal sun protection. International Journal of Women's Dermatology, 7(1), 28–44. https://doi.org/10.1016/j.ijwd.2020.05.017

Sander, M., Sander, M., Burbidge, T., & Beecker, J. (2020). The efficacy and safety of sunscreen use for the prevention of skin cancer. CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne, 192(50), E1802–E1808. https://doi.org/10.1503/cmaj.201085

Schneider SL, Lim HW. A review of inorganic UV filters zinc oxide and titanium dioxide. Photodermatol Photoimmunol Photomed. 2019 Nov;35(6):442-446. doi: 10.1111/phpp.12439. Epub 2018 Dec 10. PMID: 30444533.