

UNIVERSITI TEKNOLOGI MARA

**LONGITUDINAL FLIGHT
DYNAMICS AND STABILITY OF
BLENDED WING-BODY
UNMANNED AERIAL VEHICLE
WITH CANARD AS CONTROL
SURFACE**

RIZAL EFFENDY BIN MOHD NASIR

Thesis submitted in fulfillment
of the requirements for the degree of
Doctor of Philosophy

Faculty of Mechanical Engineering

December 2013

ABSTRACT

Blended wing-body (BWB) aircraft concept has its body 'blended' with the wing in smooth transition. Unlike conventional aircraft design, BWB aircraft's body produces lift force and this causes large impact on the flight dynamics and stability. This thesis focuses on flight dynamics of a small unmanned aerial vehicle (UAV) with BWB configuration incorporating a set of canard as longitudinal control surface. The objective is to predict the flight dynamics and stability behaviour of UiTM's Blended Wing-Body (BWB) unmanned aerial vehicle (UAV) with canard as control surface, known as Baseline-II E-2, in longitudinal mode with classical-approach stability augmentation to achieve level 1 phugoid and short-period modes flying qualities (restricted to damping ratios) as stated in MIL-F-8785C standard. This study proposes simple scheduled feedback gains to the canard. Wind tunnel experiments, computational simulations and empirical estimations were conducted to characterize its aerodynamics and to come up with its aerodynamic mathematical model for flight dynamics derivatives calculation. The flight dynamics model was derived to become Model-N state-space representation and compared to established models. Transient response to a unit step canard input was simulated using these models for flight conditions inside the airplane operating flight envelope (OFE) within its allowed angle of attacks. It was found that the BWB airplane without SAS, despite being statically and dynamically stable, has poor flying qualities for both short-period and phugoid modes. The change of short-period and phugoid modes' natural frequencies and damping ratios with respect to airspeed, dynamic pressure and altitude were studied to establish mathematical relationships that were used to design a suitable scheduled gains to be fed to the canard control surface. Classical method was used to come up with feedback gains relationships with respect to dynamic pressure. By setting the required damping ratios for both modes to a demanded value couples with simplifications to these equations, the magnitude of feedback gains could be determined. The relationship between feedback gains and dynamic pressure was used to construct a representative block diagram of the complete aircraft control system with stability augmentation using canard control surface in Matlab SIMULINK. The resulting transient response were analyzed to compute values of short-period and phugoid modes' damping ratios. The results of these damping ratios show that the aircraft with SAS has good flying qualities (Level 1) while maintaining short-period and phugoid modes' damping ratios to around 0.7. This study has shown that it is possible to provide adequate stability and good flying quality for a flight limited to its operational flight envelope to a small BWB aircraft with canard as its control surface via simple feedback gains governed by dynamic pressure.

ACKNOWLEDGEMENT

Author would like to express gratitude to supervisors of this research, Prof. Ir. Dr. Wahyu Kuntjoro, Prof. Dr. Wirachman Wisnoe and Prof. Madya Dr. Go Tiow Hiong (NTU) for their wealth of knowledge and guidance during the period of Ph.D. study. The gratitude is also extended to the rest of Flight Technology and Test Centre (FTTC) Blended Wing-Body Group members (Zurriati Ali, Firdaus Mohamed, Nor Fazira Redzuan, Aman Mohd Ihsan Mamat and Ramzyzan Ramly) and the Faculty of Mechanical Engineering, Universiti Teknologi MARA.

Author's deepest appreciation is dedicated to the lovely wife, Dr. Noor Irzawaty Ismail and our son Harith Ibrahim for their caring understanding of author's work and commitment to the research. They had been author's loyal listener (although they might not understand what had been said at all!). Great appreciation is also dedicated to author's parents, _____ for their endless support and love. Author would also like to say thanks to all friends and TT-sessions buddies who had been giving ideas and insight to the research work.

Above all, author's greatest praise is to Allah, The Greatest of All.

TABLE OF CONTENT

	Page
AUTHOR'S DECLARATION	ii
ABSTRACT	iii
ACKNOWLEDGEMENT	iv
TABLE OF CONTENT	v
LIST OF TABLES	x
LIST OF FIGURES	xii
LIST OF ABBREVIATIONS	xx
CHAPTER ONE: INTRODUCTION	1
1.1 Governing Standard, Class and Flight Category	8
1.2 Issues and Problems Identification	9
1.3 Research Questions	12
1.4 Research Objectives	13
1.5 Scope and Limitations of the Study	14
1.6 Research Methodology	17
1.7 Significance of Study - Novelty	23
CHAPTER TWO: LITERATURE REVIEW	25
2.1 Aerodynamics and Stability of Blended Wing-Body Aircrafts	25
2.2 Means of Stabilizing BWB Aircraft	29
2.3 The Effect of Canard to Aircraft's Aerodynamics and Stability	32
2.4 Flight Dynamics – Models and Predictions	36
2.5 Flight Stability Augmentation and Control Law – Classical Approach	39
2.6 Concluding Remarks	46
CHAPTER THREE: AERODYNAMICS AND STATIC STABILITY	48
3.1 Initial Works	49
3.2 Computational Simulations	51

3.3	Wind Tunnel Experiment	55
3.4	Comparisons between Computational Simulation and Wind Tunnel Experiment Results	59
3.5	Lift-Angle of Attack Relationship: General Observation	63
3.5.1	Linear Lift Region	63
3.5.2	Effect of Canard to Lift Slope, Maximum Lift, and Lift at Zero Angle of Attack	64
3.5.3	Existence Of Lift ‘Dip’ And Canard Effect To Lift ‘Dip’	65
3.6	Drag Polar	67
3.6.1	The Effect Of Lift ‘Dip’ To The Existence Of ‘Kink’ In Drag Polar	69
3.6.2	Effect Of Canard To Lift-To-Drag Ratio	69
3.7	Pitching Moment and Stick-fixed Static Stability	71
3.7.1	Effect Of Canard To Pitch Moment Slope And Static Margin	72
3.7.2	Effect Of Canard To Pitch Moment At Zero Lift And Trim Angle Of Attack	73
3.7.3	Effect Of Canard To Aerodynamic Neutral Point Location	75
3.8	Effect of Canard to Lift and Drag Characteristics at Low Angles of Attack in Detail: Mathematical Expression	78
3.9	Effect of Canard to Pitch Moment Characteristics at Low Angles of Attack: Linearizations and Mathematical Expressions	81
3.10	Details on Trim Flight Condition: Establishing Aerodynamic and Static Stability Mathematical Model	85
3.11	The Effect of Centre of Gravity to Stick-Fixed Static Stability	88
3.11.1	Effect Of C.G. Location To Canard Angle-To-Trim	89
3.11.2	Effect Of Canard Angle To Trim Angle Of Attack For Various C.G. Locations	90
3.12	Concluding Remarks	91
	CHAPTER FOUR: LONGITUDINAL FLIGHT STABILITY	92
	DERIVATIVES AND ESTABLISHMENT OF FLIGHT DYNAMICS	
	MATHEMATICAL MODEL	
4.1	Fundamentals Of Flight Dynamics	92