

UNIVERSITI TEKNOLOGI MARA

**DETERMINATION OF THE SKY
CONDITIONS IN SHAH ALAM,
MALAYSIA AND MODELLING THE
ZENITH LUMINANCE**

NOORHASIMAH BINTI YEOP

Thesis submitted in fulfillment
of the requirement for the degree of
Master of Science

Faculty of Applied Sciences

October 2014

AUTHOR'S DECLARATION

I declare that the work in this thesis was carried out in accordance with the regulations of Universiti Teknologi MARA. It is original and is the result of my own work, unless otherwise indicated or acknowledged as referenced work. This thesis has not been submitted to any other academic institution or non-academic institution for any other degree or qualification.

I, hereby, acknowledge that I have been supplied with the Academic Rules and Regulations for Post Graduate, Universiti Teknologi MARA, regulating the conduct of my study and research.


Name of Student : Noorhasimah binti Yeop

Student I.D. No. : 2009208014

Programme : Master of Science (AS780)

Faculty : Faculty of Applied Sciences

Thesis Title : Determination of the sky conditions in Shah Alam, Malaysia and modelling the zenith luminance.

Signature of Student : 

Date : October 2014

ABSTRACT

This study aims at classifying the sky at Shah Alam, Malaysia (3° 3.82'N, 101° 29.50' E). Measurements of sky luminance and sky radiance were made at a chosen location in Shah Alam. The measurements were done by using a sky scanner. This equipment tracked 145 points of the sky hemisphere. The daily measurements were done from 07.30 am to 06.30 pm every day. Field measurements were made during the periods of October to December 2010 and between January, July and August 2011. The luminance and radiance data were converted to illuminance and irradiance. It was also found that the illuminance is proportional to irradiance. The sky ratio and Perez clearness index were then calculated. The sky ratio (SR) was found to be more than 0.6 and the clearness index was between 1.23 and 4.50. Between sky ratio and Perez clearness index method of sky, the value of Perez clearness index is more accurate for sky classification. It was confirmed that the sky at Shah Alam is mostly of the partly cloudy or intermediate type. From the Perez clearness index it was found that most of the sky is 51.38% intermediate (or partly cloudy) sky, 9.72% clear sky and 38.89% cloudy (or overcast) sky. During the measurement period, the maximum mean monthly hourly irradiation was 497 W/m² and the maximum mean monthly hourly illuminance exceeded 55klux. The minimum value of illuminance was in the early morning and through evening which is below than 9000 lux while the value of minimum irradiance is below 80 W/m². The zenith luminance was plotted by using Kittler's equation. From this plot, it showed that the zenith luminance increased when the solar altitude increased at noon time. Zenith luminance values are important in terms of light source efficacy and when integrated with electric lightning in commercial building that could reduce energy and power consumption (Junsiri et al.2012). From the graph of zenith luminance, the polynomial equation was produced by using a curve fitting toolbox from origin where $L_z = 0.02 \alpha^2 - 0.038\alpha + 1.005$ and the coefficient of determination (R^2) is 0.969. This is the best fit because the value is almost near to 1. The result of this research is useful for studies on solar energy, particularly on daylight availability. The knowledge obtained should be utilized in a useful manner for the country of Malaysia towards energy in sustainable development.

ACKNOWLEDGEMENTS

Assalamualaikum w.b.t.

First, I would like to thank The Almighty God, for giving me strength to finish my research with the title: “Modeling the Sky Conditions in Shah Alam, Malaysia Using Sky Scanning Technique”.

Alhamdulillah, this report is successfully done with the help of many people who have contributed their ideas, opinions, advice and information during the preparation of this report.

I would like to express my gratitude and appreciation to my supervisor, Prof Azni Zain Ahmed - Deputy Vice Chancellor (Academic & International), Dr Salmah Ahmed and Faculty of Science for giving the support in order to help me complete the study.

Special thanks to my husband, Ahmad Fadil Mustafa and also to my parents, Yeop bin Itam and Zainab binti Ahmad Isa, to my parents in law, Mustafa bin Othman and Faridah binti Mat Hassan, to my siblings, Azilawati, Zailina, Azrul and also to my friend Freda Morris and Noor Hafizah bt Halim for giving the moral support until I completed my study with successful.

For all the guidance, support, encouragement, advice and sharing their opinion or ideas with me while completing this research. Lastly, I hope this thesis will satisfy everyone. Thank you for being so supportive.

TABLE OF CONTENTS

	Page
AUTHOR'S DECLARATION	ii
ABSTRACT	iii
ACKNOWLEDGEMENTS	iv
TABLE OF CONTENTS	v
LIST OF TABLES	viii
LIST OF FIGURES	ix
LIST OF ABBREVIATIONS	xii
CHAPTER ONE: INTRODUCTION	
1.1 Background of Study	1
1.1.1 What is Energy?	1
1.1.2 Sky Conditions	2
1.1.3 Zenith Luminance	3
1.1.4 Daylighting	3
1.2 Problem Statement	5
1.3 Significance of Study	5
1.4 Objectives	5
1.5 Scope of Study	6
CHAPTER TWO: LITERATURE REVIEW	
2.1 Sky types	7
2.2 Solar Radiation, Luminance and Illuminance	9
2.3 Solar Altitude and Solar Azimuth	10
2.4 Measurements	11
2.4.1 Illuminance	11
2.4.2 Sky Classification	12
2.4.3 Perez's Brightness Index	14
2.4.4 Linke Turbidity factor	15
2.4.5 Zenith luminance	16