

UNIVERSITI TEKNOLOGI MARA

**CHEMICAL CONSTITUENTS FROM THE
HEXANE FRACTION OF *GONIOTHALAMUS*
MACROPHYLLUS ROOTS**

NORKAMILAH BINTI MOHAMMED @ ABDULLAH

Thesis submitted in fulfillment
of the requirements for the degree of
Master of Science

Faculty of Pharmacy

August 2013

AUTHOR'S DECLARATION

I declare that the work in this thesis was carried out in accordance with the regulations of Universiti Teknologi MARA. It is original and is the result of my own work, unless otherwise indicated or acknowledged as referenced work. This thesis has not been submitted to any other academic institution or non – academic institution for any degree or qualification.

I, hereby, acknowledge that I have been supplied with the Academic Rules and Regulations for Post Graduate, Universiti Teknologi MARA, regulating the conduct of my study and research.

Name of Student : Norkamilah Binti Mohammed @ Abdullah
Student I.D. No : 2008732203
Programme : Master of Science
Faculty : Faculty of Pharmacy
Title : Chemical Constituents from the Hexane Fraction of
Goniothalamus Macrophyllus Roots.
Signature of Student :
Date : August 2013

ABSTRACT

Goniothalamus is one of the species from the Annonaceae family consisting of 115 species distributed throughout the tropics and subtropics. *Goniothalamus macrophyllus* is a medicinal plant used widely in Peninsular Malaysia and known by the local name “pokok gajah beranak”. Phytochemical studies on *Goniothalamus* species have led to the isolation and characterization of large number of styryl lactones, acetogenins, alkaloids and flavanoids. Besides, investigation on the biological activities of *Goniothalamus* species showed the potential usage as an anticancer, antimalarial, antiplasmodial and antimicrobial. The objectives of the study are to isolate compounds from the hexane fraction from the roots of *G. macrophyllus* and test against brine shrimp assay. Dried roots of *G. macrophyllus* were ground into fine powder using a cutter mill. The ground roots were soaked in 80 % aqueous methanol at room temperature, filtered and the solvent were removed under reduced pressure to give crude methanolic extract. The crude extract was further suspended in aqueous methanol and sequentially partitioned with *n*-hexane, chloroform and *n*-butanol. Two known compounds, goniothalamine (**13**) and linderatone (**147**) with two new compounds, goniolandrene A (**148**) and B (**149**) were isolated and purified from the hexane fraction by using analytical HPLC, preparative HPLC and TLC preparative. The structures were discussed and confirmed by using one (1D) and two - dimensional (2D) NMR, MS-TOF, IR, UV-Vis spectroscopy and comparison with the known compounds. The isolated compounds were tested against Brine Shrimp Lethality assay (BSL).

TABLE OF CONTENTS

	Page
AUTHOR'S DECLARATION	ii
ABSTRACT	iii
ACKNOWLEDGEMENT	iv
TABLE OF CONTENTS	v
LIST OF TABLES	viii
LIST OF FIGURES	ix
LIST OF SCHEMES	xii
LIST OF ABBREVIATIONS	xiii
CHAPTER ONE : INTRODUCTION	1
1.1 Background of Study	1
1.2 Problem Statement	2
1.3 Objectives of Study	2
1.4 Significance of Study	2
1.5 Outline of Study	3
CHAPTER TWO : LITERATURE REVIEW	4
2.1 Chemical Constituents from <i>Goniothalamus</i> Species	4
2.1.1 Styryl Lactones	6
2.1.1.1 Five Membered Ring Styryl Lactones	6
2.1.1.2 Six Membered Ring Styryl Lactones	7
2.1.1.3 Eight Membered Ring Styryl Lactones	14
2.1.1.4 Bis – styryl Lactones	15
2.1.1.5 Unusual Ring Styryl Lactones	15
2.1.2 Acetogenins	16
2.1.2.1 Non-tetrahydrofuran (THF) Ring	16
2.1.2.2 Mono-tetrahydrofuran (THF) Ring	18
2.1.2.3 Bis-tetrahydrofuran (THF) Ring	22
2.1.2.4 Tri-tetrahydrofuran (THF) Ring	22

2.1.2.5	Tetrahydropyran (THP) Ring	23
2.1.3	Alkaloids	23
2.1.3.1	1- Azaanthraquinone Alkaloids	23
2.1.3.2	Aporphine Alkaloids	25
2.1.3.3	Indole Alkaloids	27
2.1.3.4	Phenanthrene Lactam Alkaloids	27
2.1.3.5	Unusual Group Alkaloids	29
2.1.4	Flavanoids	29
2.1.4.1	Flavones	29
2.1.4.2	Flavanols	30
2.1.4.3	Chalcones	30
2.1.4.4	Flavanones	31
2.1.4.5	Unusual Skeleton Flavanoids	32
2.2	Chemical Constituents from <i>Goniothalamus Macrophyllus</i>	33
2.3	Biosynthesis Pathway	33
2.3.1	Biosynthesis Pathway of Goniothalamin(13)	33
2.3.2	Biosynthesis Pathway of α -Phellandrene	35
2.4	Biological Activities of <i>Goniothalamus</i> Species	37
2.4.1	Cytotoxicity Activity	37
2.4.2	Antilarvicidal and Antimalarial Activity	38
2.4.3	Antibacterial and Antimicrobial Activity	39
CHAPTER THREE : RESEARCH METHODOLOGY		40
3.1	Instrumentation and Chemicals	40
3.2	Plant Identification	40
3.3	Extraction and Partition	41
3.4	Isolation and Purification	41
3.5	Confirmation of Goniothalamin (13)	45
3.6	Structural Elucidation	45
3.7	Biological Activity	45
3.7.1	Brine Shrimp Lethality Assay	45
3.7.2	P388 Bioassay	46