

SLOW CRACK GROWTH OF POLYMER MIXED CONCRETE UNDER CONSTANT LOAD

NORZARINA BINTI HARONI 2000127745

BACHELOR ENGINEERING (HONS) MECHANICAL UNIVERSITI TEKNOLOGI MARA OCTOBER 2004 "I/We declared that this thesis is the result of my/our own work except the ideas and summaries which I/We have clarified their sources. The thesis has not been accepted for any degree and is not concurrently submitted in candidature of any degree"

Signed :	
Date :	27/10/2004

Ikhairul Hamin bin Mat Ghani UiTM No : 2001193988 **Norzarina binti Haroni** UiTM No : 2000127745

ABSTRACT

This thesis explains how cracking are influenced by dimensions (size effect) and material properties such as tensile strength; fracture toughness. This is done with the help of models of fracture mechanics. Problems that affect those models are discovered. They are, slow (but stable) crack growth before failure and complex state of stress at crack tip.

From elastic plastic fracture mechanics EPFM, the three point bending test was considered in this thesis. Moreover, the fracture mechanics parameters obtained from both EPFM stress approach was considered for the analysis and discussion.

Nevertheless, all this can be achieve by designing, fabricates a test fixture for slow crack growth under constant load .From that we can study the behavior of polymer mixed concrete under constant stress, and relates crack growth rates with fracture parameters.

TABLE OF CONTENTS

CONTENTS PAGE

ACKNOWLEDGEMENT	i
ABSTRACT	iv
NOMENCLATURE	v
TABLE OF CONTENTS	vi
LIST OF TABLES	X
LIST OF FIGURES	xi

CHAPTER 1 ABOUT THE PROJECT

1.0	Introduction	1
1.1	Objective	2
1.2	Significance of Project	2
1.3	Scope of Study	3
1.4	Methodology	4
	1.4.1 Literature Review and Background Study	4
	1.4.2 Design Process	4
	1.4.3 In House fabricating Works	4
	1.4.4 Testing and Commissioning Test Fixture	5
	1.4.5 Experimental Set-up	5

CHAPTER 2 BACKGROUND STUDY

6
7
8
9
10
10
11
g 12
14
16
16
17
18
19
20

CHAPTER 3 FRACTURE TOUGHNESS

3.0	Background	21
3.1	Modes of Failure	23
3.2	Difference between Fracture Toughness	26
3.3	Fracture Toughness Parameter	28
3.4	Stress Intensity Factor	29
	3.4.1 Stress Intensity Factor in Practice	30
	3.4.2 Stress Intensity Factor & Fracture Toughness	31
3.4	Crack Tip Opening Displacement	31
	3.4.1 CTOD in Specimen	32
3.5	J-Integral	34