

Universiti Teknologi MARA

**Minimizing Cost in Order to Achieve Nutrition
Needs Using Goal Programming: A Case Study
in UiTM Perlis**

Nurul Asyiqin binti Supardi

**Report submitted in fulfilment of the requirements for
Bachelor of Science (Hons.) Management Mathematics
Faculty of Computer and Mathematical Sciences**

November 2018

STUDENT'S DECLARATION

I certify that this report and the research to which it refers are the product of my own work and that any ideas or quotation from the work of other people, published or otherwise are fully acknowledged in accordance with the standard referring practices of the discipline.

.....

NURUL ASYIQIN BINTI SUPARDI

2016635876

NOVEMBER 30, 2018

ABSTRACT

Humans need to eat a good and balanced nutritious diet that provides calories for energy requirements and nutrients for proper growth, repair and maintenance of the body tissues. Today, busy lifestyle habits drastically changed the pattern of eating times where students are more likely to have irregular eating times and the cost for sufficient nutrient may be expensive to the students. Therefore, this study is conducted to find the minimum cost in order to obtain the daily nutrient requirements. Linear programming model is developed to get the minimum cost. To compare the model, goal programming model is presented. The cost of food is defined as the objective function for both optimization model. The data of price were collected from selected café in UiTM Perlis and the data of recommended daily nutrient intakes for 19-29 years old male and female were obtained from the Ministry of Health Malaysia. The sample used in this research consists of ten most frequently used food items as decision variables. To solve the model, QM for Windows V5 was used. Results are obtained in the form of a minimal cost that satisfy all the requirement of nutrients. Linear programming results, the minimum cost for male students is RM9.88 and for female students is RM9.10. Goal programming results, the cost is RM9.00 for both male and female students. Based on the findings of the study, goal programming model achieved the minimum cost and the food basket for male students consists of 410g of rice, 140g of chicken, 42.9g of broccoli and 252.7g of mushroom. Meanwhile, the food basket for female students consists of 429g of rice, 113.4g of chicken, 37.44g of broccoli and 321.3g of mushroom.

TABLE OF CONTENTS

CONTENTS	PAGE
SUPERVISOR'S APPROVAL	ii
DECLARATION	iii
ACKNOWLEDGEMENTS	iv
ABSTRACT	v
TABLE OF CONTENTS	vi
LIST OF FIGURES	viii
LIST OF TABLES	ix
 CHAPTER ONE: INTRODUCTION	
1.1 Background of the Study	1
1.2 Problem Statement	2
1.3 Objective of the Study	3
1.4 Scope of the Study	3
1.5 Significance of the Study	3
 CHAPTER TWO: LITERATURE REVIEW	
2.1 Application of Linear Programming	4
2.2 Application of Goal Programming	6
2.3 Comparison between Linear Programming and Goal Programming	8
2.4 Mathematical approach in nutrition	8
2.5 Summary	9

CHAPTER THREE: RESEARCH METHODOLOGY

3.1	Method of Data Collection	10
3.2	Method of Data Analysis	10
3.3	Linear Programming Model	10
3.3.1	Simplex Method	12
3.3.2	Model Development	13
3.4	Goal Programming Model	18
3.4.1	Model Development	18
3.5	Summary	23

CHAPTER FOUR: RESULTS AND DISCUSSIONS

4.1	Analysis of Results	24
4.2	Linear Programming Result	25
4.3	Goal Programming Result	29

CHAPTER FIVE: CONCLUSIONS AND RECOMMENDATIONS

5.1	Conclusions	33
5.2	Recommendations	33

REFERENCES 35

APPENDICES

APPENDIX A: A RAW DATA FOR SAMPLE FOODS TOGETHER WITH THEIR NUTRIENT COMPOSITION, WEIGHT AND COST FOR A SERVING SIZE	38
APPENDIX B: OPTIMAL SOLUTION FOR LINEAR PROGRAMMING APPROACH	39
APPENDIX C: OPTIMAL SOLUTION FOR LINEAR PROGRAMMING APPROACH	40