MICROBIAL DEGRADATION OF TEXTILE DYE BY BACILLUS

KHAIRUN 'AQILAH HANIS BINTI KHAMIS

Final Year Project Submitted in
Partial Fulfilment of the Requirements for the
Degree of Bachelor of Science (Hons) Chemistry
in the Faculty of Applied Sciences
Universiti Teknologi MARA

JANUARY 2019

ABSTRACT

MICROBIAL DEGRADATION OF TEXTILE DYE BY BACILLUS

Dyes are discharged as colored effluent to the environment from dyeing process and finishing treatment and they are regarded as a pollutant. They may be can give negative impact to human health and a toxic to aquatic life. The physic and chemical method of industrial effluent treatment are have many drawbacks which will lead to secondary pollution. Hence, the ability of microorganisms to degrade the dye has been identified as an alternative method because of eco-friendly and inexpensive nature under certain conditions. Furthermore, bacteria capable growth and degrade the dye by both aerobic and anaerobic metabolism. In current research work, an azo dye, Congo red, was used as a model textile effluent for treatment by the bacteria, Bacillus under aerobic conditions. Bacillus was able to degrade Congo red dye with the efficiency of 83.12% at a concentration of 25 ppm within 5 days. The temperature and pH were reported as pH 7.55 and temperature 30 ℃ considered to be the optimum degradation conditions because in these conditions only the maximum degraded was found. The metabolic product of Congo red degradation by this bacteria was identified by UV-Vis Spectrophotometer. The percentage of degradation was measured using Spectrophotometer at 497 nm. The above results show the degradation potential suggests the applicability of this bacteria, Bacillus to be used as the biological treatment in the effluent from textile industries.

TABLE OF CONTENTS

| ACKNOWLEDGMENTS TABLES OF CONTENTS LIST OF TABLES LIST OF FIGURES LIST OF ABBREVIATIONS ABSTRACT ABSTRAK | | Page ii iii v vi vii viii ix |
|--|--|------------------------------|
| CHA | APTER1 INTRODUCTION | |
| 1.1 | Background of study | 1 |
| | Problem statement | 3 |
| | Significant study | 5 |
| 1.4 | Objectives of study | 6 |
| CHA | APTER 2 LITERATURE REVIEW | |
| 2.1 | Dyes | 7 |
| 2.2 | | 9 |
| 2.3 | Effect of wastewater from textile industry | 10 |
| | 2.3.1 Effect of environment | 10 |
| | 2.3.2 Effect of human | 11 |
| 2.4 | Different method of textile wastewater treatment | 12 |
| | 2.4.1 Physical and chemical treatment | 12 |
| | 2.4.2 Biological treatment | 13 |
| 2.5 | Mechanism of microbial color removal | 14 |
| 2.6 | Factors affecting bacterial degradation | 16 |
| | 2.6.1 Effect of temperature | 16 |
| | 2.6.2 Effect of pH | 17 |
| | 2.6.3 Effect of dye concentration | 17 |
| CHA | PTER 3 METHODOLOGY | |
| 3.1 | Materials | 18 |
| | 3.1.1 Chemical and Reagents | 18 |
| | 3.1.2 Instruments | 19 |
| | 3.1.3 Preparation of culture bacteria | 19 |
| | 3.1.4 Gram Staining Process | 20 |
| | 3.1.5 Preparation of azo dyes, Congo red | 21 |
| | 3.1.6 Preparation of Nutrient Broth contain Bacteria, Bacillus | 22 |
| 3.2 | Method | 22 |

| CHA | APTER 4 RESULTS AND DISCUSSION | |
|------------------|---|----|
| 4.1 | Calibration curve of Congo red | 24 |
| 4.2 | Effect of pH of Congo red dye in different concentration | 26 |
| 4.3 | Effect of temperature of Congo red dye in different concentration | 31 |
| 4.4 | Degradation of Congo red | 36 |
| | APTER 5 CONCLUSION AND RECOMMENDATION | 72 |
| 5.1 | Conclusion | 41 |
| 5.2 | Recommendations | 42 |
| CIT | ED REFERENCE | 43 |
| APPENDICES | | |
| CURRICULUM VITAE | | |

LIST OF TABLES

| Table | Caption | Page |
|-------|---|------|
| 4.1 | The pH reading of Congo red dye in different concentration within days interval | 31 |
| 4.2 | The temperature reading of Congo red dye in different concentration within days interval. | 36 |
| 4.3 | The blank absorbance of Congo red dye in absence of bacteria. | 38 |
| 4.4 | The absorbance of Congo red dye in presence of bacteria in 1 days, 2 days, 3 days, 4 days and 5 days. | 39 |