

UNIVERSITI TEKNOLOGI MARA

**PROFILE OF BANK EROSION AT
RIVER BEND WITH DIFFERENT
SOIL STRATIFICATION**

MUHAMMAD AZRAIE BIN ABDUL KADIR

Thesis submitted in fulfillment
of the requirements for the degree of
Master of Science


Faculty of Civil Engineering

August 2014

AUTHOR'S DECLARATION

I declare that the work in this thesis was carried out in accordance with regulations of Universiti Teknologi MARA. It is original and is the result of my own work, unless otherwise indicated or acknowledged as referenced work. This thesis has not been submitted to any other academic institution or non-academic institution for any degree or qualification.

I, hereby, acknowledge that I have been supplied with the Academic Rules and Regulations for Post Graduate, Universiti Teknologi MARA, regulating the conduct of my study and research.

Name of Student	:	Muhammad Azraie b. Abdul Kadir
Student ID No.	:	2009905039
Programme	:	Master of Science (EC780)
Faculty	:	Faculty of Civil Engineering
Thesis Title	:	Profile of Bank Erosion at River Bend With Different Soil Stratification
Signature of Student	:	
Date	:	August 2014

ABSTRACT

River bank erosion is an important process of river channel system. This is because of its contribution to the river sedimentation, the damage of floodplain land and also to the change of river width and adjustment in river system. Bank erosion can be categorized as mass failure and fluvial erosion. Previous studies on bank erosion were mainly focusing on homogenous material either cohesive or non-cohesive material but there have been limited study on stratified material. In view of the above, there is a need to increase the understanding of stratified river bank with respect to hydrodynamic force. This study aims to investigate the behaviour of bank erosion process at river bend of stratified soils with different sediment characteristics. Large scale of flume was designed with a total area of 6 m width x 7 m length and with fix bend R/W ratio 2.5 together with relocatable profiler equipment to measure the erosion profile. Nine (9) laboratory experiment simulations were conducted. Six of them required the installation of 2 layers of bank material. The upper layer contained cohesive material and the lower layer contained non-cohesive material. The other experiment was contained homogeneous cohesive material and was used to validate stratified cases. The results exhibited stratified bank erosion location which could be separated into two quadrants with dead zone at the middle part of bend. This phenomenon resulted from the magnitude of the reflection flows in bend channel. The other parameters that has significantly influenced the bank erosion were bank angle, flow velocity and also flow rate. Thus, the experiment proved that stratified bank material mechanism had followed slump block phenomenon which was found by previous researcher. This experiment result was compared to BSTEM analysis and showed disagreement between both methods. This is due to different concepts of channel geometry of BSTEM. However, BSTEM can be used as a crude result with this specific condition.

TABLE OF CONTENTS

	Page
AUTHOR'S DECLARATION	ii
ABSTRACT	iii
ACKNOWLEDGEMENTS	iv
TABLE OF CONTENTS	v
LIST OF TABLES	x
LIST OF FIGURES	xii
LIST OF ABBREVIATIONS	xvi
LIST OF SYMBOLS	xvii
CHAPTER ONE : INTRODUCTION	1
1.1 Background	1
1.2 Problem Statement	2
1.3 Objective	3
1.4 Scope of Work	3
1.5 Limitation and Assumption	4
1.6 Significance of the Study	4
CHAPTER TWO : LITERATURE REVIEW	5
2.1 Introduction	5
2.2 Bank Erosion	5

2.3	Advance in Bank Erosion Studies	5
2.3.1	Bank Erosion Simulation	6
2.3.2	Bank Erosion Simulation using Numerical Approach	6
2.3.3	Bank Erosion Simulation using Physical Models	8
2.3.4	Bank Erosion Profile Prediction	11
2.4	Research Gap	14
2.5	Meandering Channel	15
2.5.1	Review on Studies Involving Meandering on Stratified Bank Profile	17
2.5.2	The Evolution of Bend Geometry-Established Facts	18
2.5.3	Critical Position of Bend Geometry	19
2.6	Factors Governing Bank Erosion	22
2.6.1	Studies on Flow around River Bends.	23
2.6.2	Mathematical Model of Hydrodynamic in Open Channel	27
2.6.3	Failure Mechanism	31
2.6.4	Cantilever Failure	33
2.6.5	Slump Block Phenomenon	34
2.7	Bank Erosion Studies Using Flume	34
2.8	Bank Stability and Toe Erosion Model (BSTEM) Prediction	38
2.8.1	Bank Stability Model Algorithm	38
2.8.2	Toe Erosion Model Algorithm	40
2.8.3	Input BSTEM 5.2	40
2.8.4	Modification of Channel Slope Value in BSTEM Analysis	41