

**UNIVERSITI TEKNOLOGI MARA
CAWANGAN PULAU PINANG**

**DESIGN OF PIEZOELECTRIC BASED
ACOUSTIC TRANSDUCER FOR SONAR
APPLICATION**

IMMA NAJIEEHA BINTI MOHAMAD IBRAHIM

**BACHELOR OF ENGINEERING (HONS)
ELECTRICAL AND ELECTRONIC
ENGINEERING**

July 2018

**UNIVERSITI TEKNOLOGI MARA
CAWANGAN PULAU PINANG**

**DESIGN OF PIEZOELECTRIC BASED
ACOUSTIC TRANSDUCER FOR SONAR
APPLICATION**

IMMA NAJIEEHA BINTI MOHAMAD IBRAHIM

Faculty of Electrical Engineering

July 2018

AUTHOR'S DECLARATION

I declare that the work in this thesis was carried out in accordance with the regulations of Universiti Teknologi MARA. It is original and is the results of my own work, unless otherwise indicated or acknowledged as referenced work.

I, hereby, acknowledge that I have been supplied with the Academic Rules and Regulations, Universiti Teknologi MARA, regulating the conduct of my study and research.

Name of Student	:	Imma Najieeha Binti Mohamad Ibrahim
Student I.D. No.	:	2015217902
Programme	:	Bachelor of Engineering (Hons) Electrical & Electronic –EE200
Faculty	:	Faculty of Electrical Engineering
Thesis	:	Design of Piezoelectric Based Acoustic Transducer for Sonar Application
Signature of Student	:
Date	:	July 2018

ABSTRACT

The acoustic technologies are widely used in the underwater survey especially for sonar system. Sound Navigation and Ranging (SONAR) is a technique that used sound propagation to navigate, communicate with or detect object on or under the surface of water. The methods that can be used in underwater environment to measure the distance of object are acoustic transducer, and ultrasonic transducer (UT). In this project, piezoelectric concept is used to detect an ultrasonic waves and it is more advantages than capacitive (CUT). The aim for this project is to measure the distance from the object to the transducer in underwater. The acoustic transducer is designed with low frequency. Low frequency is applied to get the longer distance measurement. The acoustic transducer with low frequency is designed to measure the distance of the object in underwater environment and it is useful for the sonar application. The design of the acoustic transducer has been simulated and done by Comsol software. The sensitivity for different material has been shown to obtain the highest sensitivity of the different piezoelectric materials. The best piezoelectric material that can provide the highest sensitivity is PZT-5H. For the hardware part, the acoustic transducer is designed with different diameter which are from 5mm to 8mm. The acoustic transducer will be tested in 3 tests which are load test, speaker test and underwater test. For the underwater test, the sensitivity of the transducer are obtained for all the diameter of the transducer. The higher sensitivity of the transducer is occurred at the higher output voltage in underwater test.

ACKNOWLEDGEMENT

Alhamdulillah. First of all, grateful to Allah S.W.T for giving me the time, strength and ideas for me to be able to complete this project successfully. Without His blessings, none of this is possible. Special appreciation to my parent, Mohamad Ibrahim Bin Md Ghani and Paridah Binti Syed Omar for their love, understanding and unconditional support throughout this long and tough journey.

I would like to express my special gratitude and thanks to my supervisor, En Khairul Azman for his valuable advice, supports, ideas and guidance throughout this study. He gives me more knowledge and comments to accomplish for this research and for the preparation to complete the thesis.

I would like to acknowledge the assistance from the technician and staff at Universiti Teknologi MARA for their continuous help and support during the lab work.

I extend my sincere gratitude to all my friends who have been with me for the time that I need most and they give encouragement, idea and suggestion to help me through this study.

Finally, I also place on record my sense of gratitude to one and all who directly or indirectly have lent their helping hand in this venture.