

UNIVERSITI TEKNOLOGI MARA

**COMPUTATIONAL MODELLING OF
MASS TRANSPORT AND DYNAMIC
SIMULATION OF A HIGH PRESSURE
POLYMER ELECTROLYTE
MEMBRANE ELECTROLYSER**

ABDUL HADI BIN ABDOL RAHIM @ IBRAHIM

Thesis submitted in fulfilment
of the requirements for the degree of
Doctor of Philosophy

Faculty of Mechanical Engineering

November 2017

AUTHOR'S DECLARATION

I declare that the work in this thesis was carried out in accordance with the regulations of Universiti Teknologi MARA. It is original and is the result of my own work, unless otherwise indicated or acknowledged as referenced work. This thesis has not been submitted to any other academic institution or non-academic institution for any degree or qualification.

I, hereby, acknowledge that I have been supplied with the Academic Rules and Regulations for Post Graduates, Universiti Teknologi MARA, regulating the conduct of my study and research.

Name of Student : Abdul Hadi Bin Abdol Rahim @ Ibrahim
Student I.D. No. : 2012476294
Programme : Doctor of Philosophy – EM990
Faculty : Mechanical Engineering
Thesis Title : Computational Modelling of Mass Transport and
Dynamic Simulation of a High Pressure Polymer
Electrolyte Membrane Electrolyser
Signature of Student : 
Date : November 2017

ABSTRACT

Hydrogen as a fuel source is acclaimed as a new energy carrier of the future. It is one of the potential solutions to the current energy and environmental pollution crises due to its carbon-free and environmentally friendly characteristics. Hydrogen is primarily used in the chemical industry, but in the future, hydrogen will become a significant fuel for a fuel cell system and combustion cycles that produce fewer greenhouse gases than competing fossil systems. The Polymer Electrolyte Membrane Electrolyser (PEME) is essentially inverted Polymer Electrolyte Membrane Fuel Cells (PEMFC), where, instead of generating electricity by harnessing the reaction potential of hydrogen and oxygen to form water, it instead consumes energy to split water into hydrogen and oxygen. One of the benefits of the PEME over many other forms of hydrogen generation is that it is simpler and generates no harmful by-products other than pure oxygen. In addition, it is also capable of producing hydrogen gas at high pressure, thus facilitating storage. In the PEME, gases and water permeate the membrane, leading to the presence of hydrogen on the oxygen side and vice versa, referred to as gas cross-over. Extensive mixing of the product gases could produce explosive conditions. The research presented in this thesis contributes to the modelling and understanding of the steady state and dynamic behaviour of the PEME. The focus of this research is to provide a numerical model of a single cell PEME that can assist in improving the current level of understanding of this system. Parametric analysis of a PEME cell was performed to understand the effect of the operating parameters of this system on its performance. This study includes the development of numerical models of electrochemical and mass transport phenomenon of gas cross-over on the PEME. Mass transfer using Fickian diffusion is implemented in the model. In addition to solving a phenomenological transport equation for the gas cross-over membrane, the model takes into consideration the dynamics in the polymer electrolyte membrane. It uses the mathematical model to simulate the effects of membrane thickness, current density and operating pressure of the anode and cathode chambers on the mass transport phenomenon and operating voltage. The simulations show that higher membrane thickness increases the operating voltage of the PEME. A Simulink model was developed as a dynamic model of a PEME, based on an analytical and mechanistic approach to computing the dynamic voltage-current characteristics. A time-dependent, isothermal model of the PEME was developed and implemented using an electrochemical and thermodynamic model. The dynamic model of the PEME system can be used as a tool to improve the design for large-scale PEME systems, especially when integrated with renewable energy system models, such as, solar, wind energy etc, to estimate operating parameters and optimize the sustainable energy system. The main conclusion of this work is that the simulation method of the PEME cell study, under various conditions, could be used to successfully create correlations and perceptions between those topologies for the overall performance of the PEME cell. The operational performance of the PEME cell does not only depend on component efficiency but also on the system design and consumption behaviour.

ACKNOWLEDGEMENT

All praises be to Allah S.W.T, The Most Gracious, The Most Merciful for His Guidance and Blessings. May the peace and blessings of Allah be on our beloved prophet Mohammad (SAW).

I would like to express my deepest gratitude to Dr. Ing. Alhassan Salami Tijani, my academic supervisor, for giving me the opportunity to carry out my Ph.D. under his supervision. He has guided and inspired me with his patience, experience, knowledge and invaluable advice on both academic matters and life philosophy. Without his supervision, continuous support and encouragement, this thesis would not have come to completion. May Allah bless him and his family for his patience and sincerity.

I would also like to express my profound gratitude to my co-supervisors, Prof. Siti Kartom Kamruddin and Assoc. Prof. Ramlan Zailani for their active supervision through very valuable feedback and suggestions and patient guidance during research and paper works. Only Allah can repay their efforts.

I convey my thanks to all the lecturers and staff at the Alternative Energy Research Centre. They helped me in so many ways that I cannot possibly state here all the assistance I got from them.

I would like to gratefully acknowledge the Ministry of Higher Education and Faculty of Mechanical Engineering University Teknologi Mara for offering me the Skim Latihan Akademik IPTA (SLAI) for full funding of my three-year scholarship. This research was supported by the Ministry of Higher Education (MOHE) Malaysia under Grant No. FRGS/1/2015/TK07/UITM/02/1. Without these financial supports these studies would not have been possible.

Finally, I would also like to thank my parents for their unconditional love and affection. I cannot possibly state how much they mean to me. I must admit that this thesis would not have been possible without the love and support of my wife Suhadiyahana Hanapi, and without the moral support and encouragement of my brothers, sisters and other family members during the hard days it would have been difficult to arrive at this stage. Alhamdulillah.

***'Kerana Allah jualah yang menguasai segala urusan akhirat dan urusan dunia'
[Surat An-Najm 25]***

I dedicate this thesis to my lovely sons, Adam Ibn Sina and Muhammad Al Khwarizmi, who serve as an inspiration for me to move on against all odds on my journey.

TABLE OF CONTENTS

	Page
CONFIRMATION BY PANEL OF EXAMINERS	ii
AUTHOR'S DECLARATION	iii
ABSTRACT	iv
ACKNOWLEDGEMENT	v
TABLE OF CONTENTS	vi
LIST OF TABLES	x
LIST OF FIGURES	xi
LIST OF SYMBOLS	xv
LIST OF ABBREVIATIONS	xviii
CHAPTER ONE: INTRODUCTION	1
1.1 Research Background	1
1.2 Problem Statement	4
1.3 Hypothesis	5
1.4 Research Questions	5
1.5 Objective of the Research	6
1.6 Scope and Limitations	6
1.7 Significance of Research and Opportunities for PEME cells	7
1.8 Thesis Outline	8
CHAPTER TWO: LITERATURE REVIEW	12
2.1 Introduction	12
2.2 Various Hydrogen production technologies	12
2.2.1 Hydrogen Production from Conventional Energy Sources	14
2.2.2 Hydrogen Production from Renewable Energy Sources	16
2.3 History of water electrolysis	20
2.3.1 Different Types of Electrolysis of Water	21
2.3.2 Alkaline Electrolyser	21
2.3.3 Polymer Electrolyte Membrane Electrolyser	23