## **UNIVERSITI TEKNOLOGI MARA**

# PREPARATION AND CHARACTERIZATION OF COMPOSITE REVERSE OSMOSIS MEMBRANE IN TREATING OILY WASTEWATER FROM OIL REFINERY

### **MUNAWAR ZAMAN BIN SHAHRUDDIN**

Thesis submitted in fulfilment of the requirements for the degree of Masters of Science

**Faculty of Chemical Engineering** 

December 2011

### Candidate's Declaration

I declare that the work in this thesis was carried out in accordance with the regulations of Universiti Teknologi MARA. It is original and is the result of my own work, unless otherwise indicated or acknowledged as referenced work. This thesis has not been submitted to any other academic institution or non-academic institution for any other degree or qualification.

I, hereby, acknowledge that I have been supplied with the Academic Rules and Regulations for Post Graduate, Universiti Teknologi MARA, regulating the conduct of my study and research.

Name of candidate	:	Munawar Zaman Bin Shahruddin
Candidate's ID No.	:	2009210622
Programme	a 3 <b>6</b> 18	Master of Science (Chemical Engineering)
Faculty	*	Chemical Engineering
Thesis Title	уй Ф	Preparation and Characterization of Composite
		Reverse Osmosis Membrane in Treating
		Oily Wastewater from Oil Refinery
Signature of Candidate	:	
Date	t	29 December 2011

#### Abstract

Oily wastewater management became a critical consideration in recent years particularly in the oil and gas industry. This is due to the fact that oily wastewater contains harmful compounds such as oil and grease, and heavy metals that may harm the environment. Therefore, the aim of this study is to develop the composite reverse osmosis membrane in treating the oily wastewater from the specific oil refinery. The membrane consists of Polysulfone (PSF) as the main polymer, while Polyvinyl pyrrolidone (PVP) and bentonite acted as an additive and inorganic material. The solvent and non-solvent used are N-methyl pyrrolidone (NMP) and water. The reverse osmosis membrane was casted manually via phase inversion method. The oily wastewater sample was characterized in terms of conductivity, total dissolved solid (TDS), salinity, pH and temperature. Meanwhile, membrane performance studies were carried out in terms of permeate flux and solute rejection at the operating pressure of 1.5 to 4.0 bar. The effect of the operating pressure and composition of PVP and bentonite towards membrane performances has been observed. The findings were supported by the membrane characterizations which consist of Fourier Transform Infrared (FTIR) analysis, contact angle measurement, Thermogravimetric (TGA) analysis, X-ray Diffraction (XRD) analysis and Field Emission Scanning Electron Microscopy (FESEM) analysis to investigate the change of the membrane properties with the presence of those two materials. Then, modeling was computed using Design Expert 6.0.10 software. From the experiments, it can be concluded that the addition of PVP and bentonite enhanced the membrane performance in terms of membrane permeate flux and solute rejection, and also membrane properties such as hydrophilicity, thermal behaviour, crystallinity and membrane structure thereby suggested that the PSF-PVP-bentonite membrane is viable to treat the oily wastewater from the specific oil refinery. The best membrane candidate is M23 membrane sample (10 wt% of PVP and 5 wt% of bentonite) that recorded excellent value of permeate flux and solute rejection at 0.00183  $\text{m}^3/\text{m}^2$ .s and 99.05%. Meanwhile, at the optimum value of 4 bar (operating pressure) and, 9.86 wt% and 4.56 wt% for the composition of PVP and bentonite, the membrane was able to achieve the permeate flux value of  $0.00171 \text{ m}^3/\text{m}^2$ .s and the solute rejection of 97.01%.

#### Acknowledgements

In the Name of Allah, the Most Gracious, the Most Merciful. Blessings and peace upon Muhammad (p.b.u.h) and his companions (r.a). Lots of love for my family and relatives for being my biggest supporters all the time. I would like to dedicate my deepest gratitude to my research supervisor, my mentor, Prof. Dr. Sharifah Aishah Binti Syed Abdul Kadir for her firmly guidance towards the completion of my research.

I would also like to thank ExxonMobil Malaysia Sdn. Bhd. for sponsoring the research via 2008 ExxonMobil Research Grant.

Special thanks to Mrs. Nur Hidayati Binti Othman for her patience in facilitating my study alongside with Mrs. Siti Rafidah Binti Abd. Rashid.

Next is the postgraduate coordinator, Dr. Kamariah Noor Binti Ismail, my supportive and sporting lecturers, Dr. Junaidah Binti Jai, Assc. Prof. Dr. Norazah Binti Abdul Rahman, Mrs. Fauziah Binti Marpani and Miss Norin Zamiah Binti Kassim Shaari. A big credit to all the Assistant Science Officers, Mrs. Rohaida Binti Zainordin and Mrs. Roswati Binti Hasim for the analysis matters. Not to forget, Mr. Rizuan Bin Hamzah, Mr. Mustaffa Bin Mokhtar, Mrs. Rusni Binti Salleh, Mrs. Azizan Binti Din and Mr. Mohd Aziz Bin Saleh in helping me running the experiments.

A million appreciations to Mr. Hisham Bin Mustapa from Petronas Terengganu Refinery Sdn. Bhd. (PPTSB) in sharing an industrial knowledge and providing the water samples. My special thanks to my lab mates, Miss Nor Fazila Binti Khairudin, Miss Nazlina Binti Zulbadli and Mr. Amali Bin Aziz for their moral supports. Not to forget all my postgraduates' friends in Universiti Teknologi MARA especially in Faculty of Chemical Engineering who helped in sharing, discussing and exchanging the idea, it has surely ease my feeling and raise-up motivation to complete my master degree.

### **TABLE OF CONTENTS**

Abstract	iii
Acknowledgements	iv
Table of Contents	v
List of Tables	ix
List of Figures	xii
List of Plates	xiv
List of Symbols	xv
List of Abbreviations	xvi

## **CHAPTER 1: INTRODUCTION**

1.1	Research Background	1
1.2	Problem Statement	3
1.3	Research Objectives	5
1.4	Research Scopes	5
1.5	Significance of Research	6
1.6	Thesis Outline	6

## CHAPTER 2: LITERATURE REVIEW

2.1	Oily Wastewater			
	2.1.1	Oily Wastewater Characteristics	7	
	2.1.2	The Effect of Oily Wastewater	9	
	2.1.3	Oily Wastewater Management	10	
	2.1.4	Oily Wastewater Treatment	11	