

BLUETOOTH MESSANGER

NUR AMANINA BINTI SHAMSUDIN

NURUL FADHILAH BINTI AZADDIN

A project report submitted to the Faculty of Electrical Engineering,
Universiti Teknologi MARA in partial fulfillment of the requirements for the award
of Diploma of Electrical Engineering.

FACULTY OF ELECTRICAL ENGINEERING
UNIVERSITI TEKNOLOGI MARA
MALAYSIA

SEPTEMBER 2015

ACKNOWLEDGEMENT

We would like to express our gratitude and appreciation to all those who gave us the possibility to complete this report. A special thanks to our final year project coordinator, Mr Rozi bin Rifin, whose help, stimulating suggestions and encouragement, helped us to coordinate my project especially in writing this report.

We would also like to acknowledge with much appreciation the crucial role of our supervisor, Ms Farah Yasmin Binti Abdul Rahman whose have given his full effort in guiding us in achieving the goal as well as her encouragement to maintain our progress in track.

We would to appreciate the guidance given by other supervisor as well as the panels especially in our project presentation that has improved our presentation skills by their comment and tips.

Last but not least, many thanks go to our parents, whom without their blessings and supports, we would not be able to finish this project.

ABSTRACT

Bluetooth is wireless technology for transferring data between two devices that are in close proximity with each other. The name of Bluetooth reflects the Scandinavian origins of the technology. It is named after a 10th century Danish Viking. There are many example of short distance wireless such as infrared and WLAN. Now days, y generation use their own internet or WIFI to send chat with others. This requires expensive costs compare with Bluetooth.

Main objective from are to develop such an application which enables users to communicate with each other. That because Bluetooth messenger is made because it not require cost and easy to chat each other and use within specific range. Bluetooth messenger don't have to connect with any wires or cable. It just need to on Bluetooth and pair it.

Although it only enables for specific range (100 meter) but it reduce the electromagnetic interference. When using WIFI, sometimes it lost connection and must to connect back with the connection. This project will increase number of users who are using the Bluetooth or who are going for wireless technology. It not old fashioned style for this days, if the uses of Bluetooth is improved.

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	APPROVAL SHEET	iii
	DECLARATION OF ORIGINAL WORK	iv
	ACKNOWLEDGEMENT	v
	ABSTRACT	vi
	TABLE OF CONTENTS	vii
	LIST OF FIGURES	ix
1	INTRODUCTION 1.1 Introduction 1.2 Background Study 1.3 Problem Statement 1.4 Objectives 1.5 Scope of Study 1.6 Project Contribution	1
2	LITERATURE REVIEW 2.1 Literature Review	5
3	METHODOLOGY 3.1 Descriptions of Project 3.2 Methods 3.2.1 Researching 3.2.2 Simulation 3.2.3 Circuit Design 3.2.4 Circuit Assembly 3.2.5 Circuit Test 3.2.6 Finalize the Project 3.3 Block Diagram 3.4 Flow Diagram 3.5 Schematic Diagram 3.6 Hardware and Materials 3.6.1 Arduino Uno 3.6.2 Bluetooth JY-MCU HC-06 3.6.3 LCD Display 3.6.4 LED 3.6.5 Resistors 3.6.6 Jumping wire 3.6.7 USB cable 3.6.8 Strip Board 3.6.9 Multimeter 3.6.10 Solder Pen 3.6.11 Solder Tin 3.7 Software 3.7.1 Proteus 8	10

	3.7.2 Arduino Software	
4	RESULTS AND DISCUSSION	
	4.1 Results	31
	4.1.1 Software results	
	4.1.2 Prototype results	
	4.2 Discussion	
5	CONCLUSION	37
6	PROJECT PLANNING	38
7	REFERENCES	40
8	APPENDIX	41