

GARDEN PROTECTION

ARIF BIN MOHAMAD JOHARI

MUHAMMAD RASHID BIN KHAIRUDDIN

ZAID HARIZ BIN ZAINUDDIN

A project report submitted in partial fulfilment of the requirements for the award of the degree of Diploma of Electrical Engineering (Electronics / Telecommunications / Instrumentation / Computer)

Faculty of Electrical Engineering

Universiti Teknologi MARA

MARCH 2013

“I declare that this report entitle GARDEN PROTECTION is the result of my own group research except as cited in the references. The report has not been accepted for any degree and is not concurrently submitted in candidature of any other degree.”

Signature :



Name : ZAID HARIZ BIN ZAINUDDIN

Date : 7 / 31 / 13

Signature :



Name : MUHAMMAD RASHID BIN KHAIRUDDIN

Date : 7 / 8 / 2013

Signature :



Name : ARIF BIN MOHAMAD JOHARI

Date : 7 / 4 / 2013

ACKNOWLEDGEMENT

In the name of ALLAH

MOST GRACIOUS AND MOST MERCIFUL

First and foremost, we would like to thank our supervisor, PuanNorizanbte Ahmed for all her valuable guidance, assistance and support throughout our studies at University Technology MARA especially her effort and contribution in finishing this project successfully.

Secondly, we also wish to thank you to our entire friend that is the same batch like us for the commitment in giving ideas for our project. We appreciate all the help.

Finally, we also extend our gratitude for all the help from our parents during finishing the project in morale support, sharing their knowledge and their corporation.

ABSTRACT

Garden protection is design to provide protection for small garden. It also design for an energy saving and low cost instruction. This project consists of three different sensors which are LDR, Vibration and Infrared sensor. Each sensor has their owned functionality and act as the security for the garden. Firstly, LED will turn ON as there are no light sensed by the LDR. We use two layer sensor which is Infrared and Piezo element. Infrared is use to detect the motion of animal that pass through the sensor. Piezo is used to detect the vibration of anything that step on it. Both of the sensors will turn on the buzzer to chase away the animals. As when the night comes, the LED that represent bulb will light up the front gate as LDR will only activate when no light is detected.

We have some difficulty while doing the project, as we are using ISIS PROTEUS software, there is some component that is not found in the software, but some way, we overcome the problem.

TABLE OF CONTENTS

CHAPTER	CONTENTS	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGEMENTS	iv
	ABSTRACT	v
	ABSTRAK	vi-vii
	TABLE OF CONTENTS	xi
	LIST OF TABLES	xii
	LIST OF FIGURES	ix
	LIST OF SYMBOLS	x
	LIST OF ABBREVIATIONS	xi
1	INTRODUCTION	
	1.1 INTRODUCTION	1
	1.2 OBJECTIVES	2
	1.3 SCOPE	2-3