

**UNIVERSITI TEKNOLOGI MARA**

**STREAMBANK EROSION  
PREDICTION USING EMPIRICAL  
MODEL FOR NATURAL RIVER  
CHANNELS**

**AZLINDA BINTI SAADON**

Thesis submitted in fulfillment  
of the requirements for the degree of  
**Doctor of Philosophy**

**Faculty of Civil Engineering**

August 2017

## ABSTRACT

Streambank erosion is commonly associated with river meandering initiation and development, through width adjustment and planform evolution. It consists of two types of erosion mechanism; basal erosion due to fluvial hydraulic force and bank failure under the influence of gravity. These processes require an intergration between soil-water interactions to properly understand the factors constitutes to streambank erosion and its impact to major scouring. A study was undertaken to explore the rates of streambank erosion and the factors of streambank erosion. Fieldwork investigation technique was conducted in the quantification of streambank erosion rates. Field data has been extracted from two streams which have been identified as the area susceptible to streambank erosion, namely, Sg. Bernam and Sg. Lui, both located in states of Selangor, Malaysia. Measurement of streambank erosion rates has been conducted using short-time scale field technique. Conventional erosion pin arrays, repeated cross-profiling and vertical streambank profiling were employed in order to obtain the streambank erosion rates. The fieldwork data obtained from fieldwork erosion monitoring served as a pilot inventory streambank erosion data for both site areas. Dimensional analysis is performed to establish the factors governing streambank erosion. Two functional relationships addressing streambank erosion rates incorporating factors of hydraulic characteristics, resistance to the soil, streambank gemotery, grain and sediment resistance were established using Buckingham PI theorem using two sets of repeating variables. Selection of the most significant parameters constitutes to streambank erosion rates is obtained from the analysis. Results from the analysis concluded eleven dimensionless parameters as factors governing streambank erosion rates. Further objective focused on the development of newly streambank erosion expression using empirical approach. A total of 318 data were used in the model development. Three methods have been employed in the model development, namely, (i) Statistical approach using multiple linear, nonlinear regressions, and logartithmic transformation function; (ii) Linear Least Squares (LLS) solution for Nonlinear Autoregressive Exogenous (NARX) using QR factorization parameter estimator; and, (iii) Artificial Neural Network (ANN) method. The established models were validated to assess their performaces in predicting the rates of streambank erosion. 176 data were used in the model validation. The performance of the developed equations was assessed using three criteria, namely, (i) discrepancy ratio (ratio of predicted values to the measured values); (ii) statistical test analysis; and, (iii) graphical analysis. Validation of the developed equations confirmed that ANN model gave very good prediction where all data lie within the line of perfect agreement of the discrepancy ratio limit of 0.5 to 2.0, for both Model no. 1 and 2. Other models (statistical and NARX model) predicted equally good performance ranging from 70% - 90% accuracy. Further analysis is required to test the developed model specifically for different river characteristics. However, the availability of data is a hindrance and to draw these findings, further recommendations are summarized for the validity of the derived equations.

## ACKNOWLEDGEMENT

*In the loving memory of my late mother, Hajah Jalilah binti Mahdan for her patience and endurance. May Allah swt grant her Jannah.*

I extend my sincere gratitude and appreciation to my supervisor, Professor Hajah Dr. Ir. Junaidah binti Ariffin, for the perseverance and her invaluable guidance and financial support throughout this study. The completion of this study would not have been possible without her generous support. Besides being a mentor, Professor Dr. Ir. Junaidah is also my role model of being a good person and helping other people.

I would like to thank Dr. Jazuri bin Abdullah for his constant support and encouragements as the co-supervisor. His constant sustenance has been my pillar of motivation.

My appreciation goes to dedicated colleagues, Saerahany Legori, Duratul Ain Tholibon, Zamsalwani Zamri and Nadiatul Aqilah for their continuous support and consistent encouragement. I would to acknowledge data support team for this study, Syed Shah Hassan, Zaid Alqaraghuli, Abdulaziz Hamdan, and Mohammed Shakir for assisting me during the fieldwork monitoring. May Allah swt grant you with endurance success.

Finally, this thesis is dedicated to my supportive father, Hj Saadon Mohd Dros for being my pillar of strength and all family members for the unconditional supports.

This piece of victory is dedicated to all of you.

Alhamdulillah, all praises to Allah for the knowledge, strength and blessings He had bestowed upon me.

# TABLE OF CONTENTS

	<b>Page</b>
<b>CONFIRMATION BY PANEL OF EXAMINERS</b>	ii
<b>AUTHOR'S DECLARATION</b>	iii
<b>ABSTRACT</b>	iv
<b>ACKNOWLEDGEMENT</b>	v
<b>TABLE OF CONTENTS</b>	vi
<b>LIST OF TABLES</b>	xi
<b>LIST OF FIGURES</b>	xv
<b>LIST OF PLATES</b>	xxi
<b>LIST OF SYMBOLS</b>	xxi
<b>LIST OF ABBREVIATIONS</b>	xxiii
<b>CHAPTER ONE: INTRODUCTION</b>	
1.1 Background of Study	1
1.2 Streambank Erosion: Impact of Urbanization	3
1.3 Latest Development	4
1.4 Objectives	5
1.5 Scope of Research	6
1.6 Limitation and Assumption	6
1.7 Significance of Study	7
1.8 Thesis Layout	8
<b>CHAPTER TWO: LITERATURE REVIEW</b>	
2.1 Introduction	9
2.2 Streambank Erosion Process by Hydraulic Action	10

2.3	Streambank Erosion Process due to Mass Failure	12
2.4	Streambank Erosion Prediction	14
2.4.1	Streambank Erosion Prediction: Field Investigation Approach	16
2.4.2	Streambank Erosion Prediction: Physical Model in Laboratory	21
2.4.3	Streambank Erosion Prediction: Analytical Approach	24
2.5	Existing Equations for Streambank Erosion Prediction	30
2.6	Review of Model Development using Statistical Approach	40
2.7	Review of Model Development using Artificial Neural Network (ANN) and other Approaches	46
2.7.1	ANN Models Application by Previous Investigators	47
2.7.2	Other Models Applications by Previous Investigators	49
2.8	Conclusion	50

**CHAPTER THREE: RESEARCH METHODOLOGY**

3.1	Introduction	52
3.2	Study Area	52
3.2.1	Site Selection Criteria	53
3.2.2	Geographic, Climatic and Hydrologic Characteristics of the Catchment	53
3.2.3	Bernam River Basin	56
3.2.4	Langat River Basin	60
3.3	Assessment of Streambank Erosion Rates	65
3.3.1	Streambank Erosion Rates	79
3.3.1.1	Intermediate Timescale Field Techniques	80
3.3.1.2	Short Timescale Field Technique	83
3.3.3	Discharge and Velocity Measurements	85
3.3.4	Bed Load Measurement	85
3.3.5	Suspended Load Measurement	86
3.3.6	Material Grain Measurement	86
3.3.7	Streambank Height and Angle	88
3.4	Laboratory Analysis	89
3.4.1	Bedload Weighting	89
3.4.2	Suspended Load Filtration Test	89
3.4.3	Grain Size Distribution Analysis	91