CALL PROCEDURE OF ISDN SIGNALLING

This thesis is presented in partial fulfillment for award of the Bachelor of Electrical Engineering (Honors) (Communication) UNIVERSITITEKNOLOGI MARA



MOHD SHUHARI BIN ZAKARIYA @ ZAKARIA FACULTY OF ELECTRICAL ENGINEERING UNIVERSITI TEKNOLOGI MARA 40450 SHAH ALAM SELANGOR

ACKNOWLEDGEMENT

With the name of **ALLAH S.W.T** the most gracious and merciful. Thankful to **ALLAH S.WT** for giving opportunity to complete this project with successful. Thank you to all personnel's, which were willing to spend their value time in helping me to complete this project. I also, would like to express my deep sense of gratitude and appreciation to my supervisor, Pn.Norasimah Khadri for her consistent help, guidance, inspiration and giving me spirit as well as prevision of her valuable time encourage and patience during the period of completing this project. I am very grateful to my supervisor and will never forget everything she had done for me. And I appreciate it a lot.

I am also greatly indebted to all my panels, Ir. Muhammad Bin Ibrahim and En. Mohd Khairul Salleh for their time and effort for their valuable suggestion and criticism. I am also would like to thanks to Mad Siam B. Mansor, Pn. Harishon Bt. Saad and all the staff from switching operation maintenance center (SOMC) of Telekom Malaysia Sdn. Bhd. Shah Alam.

THANK YOU VERY MUCH TO ALL OF YOU

Finally, I would like express deepest gratitude to my parents, who always give courage and support to me. And also to all of my friends, the moment that we shared together is unforgettable. They have all been a constant source of strength and inspiration. I hope the knowledge that I gathered and the experience; I gained from this project will help me to face the real challenge in working environment.

MOHD SHUHARI BIN ZAKARIYA @ ZAKARIA UNTVERSITITEKNOLOGI MARA SHAH ALAM

ABSTRACT

This project describes the Digital Subscriber Signalling No.1 (DSSI) signalling in Integrated Services digital Network (ISDN). The simulation was done using Visual Basic 6.0 software and it involves the DSSI layers (layer 1 through layer 2). From this simulation, the ISDN signalling activities can be viewed easier when a call connection is made compare to an ordinary way such as figures and tables. User will then be able to understand the signalling activities from the starting call connection to the end of conversation.

TABLE OF CONTENTS

CHAPTER

PAGE

1.1	Concept of ISDN		1
	1.1.1	ISDN Overview	1-3
	1.1.2	ISDN Interface and Function	4
		1.1.2.1 User Network Accesses	4 - 5
		1.1.2.2 User Access Channels	5-6
	1.1.3	Subscriber Equipment	6
		1.1.3.1 Main Functional Groups	7-8
		1.1.3.2 Reference Configurations	8-9
1.2	Signalling System		9
	1.2.1	Digital Subscriber Signalling System	
		Number 1 (DSS1)	10-11
	1.2.2	Signalling System Number 7 (SS7)	11-12
1.3	Open	12	
	1.3.1	Physical Layer (Layer 1)	12
	1.3.2	Data Link Layer (Layer 2)	12
	1.3.3	Network Layer (Layer 3)	12
	1.3.4	Transport Layer (layer 4)	13
	1.3.5	Session Layer (Layer 5)	13
	1.3.6	Presentation Layer (Layer 6)	13
	1.3.7	Application Layer (Layer 7)	13
1.4	Scope	13	

PHYSICAL LAYER

2.1	Physical Layer Protocol	14
2.2	Line Coding	15
2.3	Pseudo-Ternary Code	15
2.4	Two Binary One Quaternary Code (2B1Q)	16
2.5	Frame Structure	17

DATA LINK LAYER

3.1	Frame Format		
3.2	Flag Field		
3.3	Control Field		
	3.3.1	Information Transfer Frame (I-frame)	24
	3.3.2	Supervisory Frame (S-frame)	24
	3.3.3	Unnumbered Frame (U-frame)	25
	3.3.4	Poll/Final (P/F)	25
3.4	Address Field		
	3.4.1	Terminal Endpoint Identifier (TEI)	26
		3.4.1.1 Non-automatic TEI assignment	
		user equipment	27
		3.4.1.2 Automatic TEI assignment	
		user equipment	27
		3.4.1.3 Group Address (broadcast)	27
	3.4.2	Services Access Point Identifier (SAPI)	27
	3.4.3	Command/Response (C/R)	28
3.5	Frame	Check Sequence (FCS)	30