

## UNIVERSITY OF TECHNOLOGY MARA FACULTY OF MECHANICAL ENGREERING

ANALYSIS OF PISTON HEAD

METALLURGY

IZAHAM B. 19MAR. 90408870 MOHD. RAMMAT B. 480. 1411

> 98478288 1421 3. 198321 98493838

DPLOMA OF MECHANISAL

EM 112

FPRI 2002

SIM ALM STANCE

## **CONTENTS**

CHAPTER 1		PAGE
1.1	Introduction	1
1.2	Scope of project	2
1.3	Objective	3
CHAPTER 2		
2.0	Piston in Automotive	4
2.1	Introduction	4
2.2	Manufacturing of Piston	5
2.3	Piston Metallurgy	7
2.4	Introduction of Friction	9
2.5	Wear General	9
2.6	Mechanical Properties	11
2.7	Piston Failure	15
2.8	11 tips for rebuilding a 2-stroke top end	22
CHAPTER 3-MET	THODOLOGY	
3.1	Introduction	24
3.2		24
3.3	Hardness test	25
3.4	Sample preparation;	26
3.4.1	Introduction	26
3.4.2	Sectioning	26
3.4.3	Mounting	27
3.4.4	Grinding	28
3.4.5	Polishing	29
3.4.6	Etching	29

3	3.4.7	Metallurgical microscope	30
CHAPTER 4	-RESU	ULT & DISCUSSION	
4	1.1	Introduction	31
4	1.2	Surface roughness	31
4	1.3	Hardness test	33
4	1.4	Microstructure observation	35
4	1.4.1	Piston head	36
4	1.4.2	Piston middle	37
4	1.4.3	Piston skirt	38
CHAPTER 5-CONCLUSSION & RECOMMENDATION		39	
REFERENCI	ES		40
CHAPTER 6	-APPI	ENDIX & REFERENCES	

## **ACKNOWLEDGEMENTS**

First of all, we would to thank Mr. Hussein, our project adviser for his support, encouragement and guidance given throughout the duration of this project. We are also greatly indebted to the assistance laboratory, En. Hayub and En. Syawal. They give me the instruction how to use the machine and some of advices.

Finally, we would wish to extend our sincere and heartiest thanks to each individual who has given assistance in term of materials, effort and idea, directly or indirectly. We are also grateful to our family and colleagues for their support and understanding during the preparation of this project.

Thanks. Wassalam. UiTM Shah Alam, Selangor Darul Ehsan.

## **ABSTRACT**

In this project paper, we try to understand and investigate about wear mechanism. As an Automotive student, we prefer pistons as an experiment sample. We comparing the result of surface roughness to define whether there is a wear in each part of piston; top, middle and skirt. Maybe there no slightly change in microstructure and hardness value due to time running for samples are not quite longer. For that reason, we took the used piston from workshop to see result of surface roughness, hardness and their microstructure.

We hope at the end of our project, we should know what is wear mechanism and how it occurs due to operation of 2 stroke internal combustion engine.