

**TACK BEHAVIOUR OF UNVULCANIZED AND
VULCANIZED NATURAL RUBBER LATEX FILMS**



**ASIAH ABDULLAH
AZEMI SAMSURI**

**INSTITUT PENYELIDIKAN, PEMBANGUNAN DAN PENGKOMERSILAN
UNIVERSITI TEKNOLOGI MARA, SHAH ALAM
SELANGOR, MALAYSIA**

SEPTEMBER 2005

PENGHARGAAN

Setinggi-tinggi penghargaan saya ucapan kepada Y. Bhg. Datuk Seri Prof. Dr. Ibrahim Abu Shah, Naib Canselor, Universiti Teknologi MARA yang telah memberi peluang menjalankan projek ini.

Ribuan terima kasih juga diucapkan kerpada Y. Bhg. Dato' Abdul Hamid Sawal, Ketua Pengarah, Lembaga Getah Malaysia dan Dr. Wan Rahman Wan Yaacob, Timbalan Ketua Pengarah, LGM yang sudi menerima kami menjalankan penyelidikan bersama ini.

Ribuan terima kasih diucapkan khas kepada Dr. Amir- Hashim Md. Yatim, Ketua Unit Barangang Lateks, di atas segala kerjasama, tunjuk ajar, nasihat dan sokongan beliau dalam menjayakan projek ini.

Akhir sekali, kepada semua yang telah memberikan kerjasama secara langsung atau tidak langsung kepada kami terutamanya, Y. Bhg Dato' Prof. Ir Dr. Sahol Hamid Abu Bakar, Timbalan Naib Canselor (Akademik), Prof. Dr. Azni Zain Ahmad, PNC (Penyelidikan), Prof. Madya Dr. Mansur Ahmad, Koordinator Sains dan Teknologi, IRDC, Prof. Madya Dr. Mohamad Kamal Harun, Dekan FSG, Prof. Madya Dr. Halimahton Zahrah Mohamed Som, Timb. Dekan (J.Kualiti & Penyelidikan), Prof. Madya Dr. Jamil Hj. Salleh, Timb. Dekan (Sumber & Pelajar), pihak pengurusan fakulti yang lepas, Prof. Dr. Ahmad Sazali Hamzah dan Prof. Madya Dr. Samirah Abdul Rahman, Prof. Madya Muhammad Muhiddin Ahmad, Ketua Program Teknologi Polimer, En. Ismail Ramli, Penolong Pensyarah, En. Anuar Ibrahim, En. Ahmad Kambali, semua staf FSG, staf IRDC, Staf LGM: Dr. Abu Amu, Pengarah, Bahagian Teknologi dan Kejuruteraan, Pn. Ruhaidah Abd. Rahim, Pn. Zahrah Hannif dan En. Joseph.

Akhir sekali, ribuan terima kasih kepada mereka yang banyak memberi bantuan terutama sekali En. Anizan Aziz, Cik Azuwa Samsuddin dan Cik Hafiza Wakiran selaku pembantu penyelidik projek ini.

TABLE OF CONTENTS

PENGHARGAAN	vi
TABLE OF CONTENTS	vii
LIST OF TABLES	viii
LIST OF FIGURES	ix
LIST OF ABBREVIATIONS	x
ABSTRACT	xi
CHAPTER 1	1
INTRODUCTION	1
1.1 Background.....	1
1.2 Problem Statement.....	2
1.3 Objectives	3
CHAPTER 2	4
MATERIALS AND METHODS	4
2.1 Materials	4
2.1.1 NR Latex	4
2.1.2 Chemicals	5
2.2 Preparation of the Aqueous Dispersion of Vulcanizing Ingredients	5
2.3 Formulations Used in the Study	6
2.4 Preparation of Prevulcanized Latex.....	8
2.5 Preparation of Latex Films by Casting Method	9
2.6 Leaching Procedure	10
2.7 Determination of Optimum Vulcanization Time	10
2.8 Estimation of Crosslink Concentration by Equilibrium Swelling Method	10
2.9 Measurement of Tack Strength	11
2.10 Measurement of Stress/strain Properties	12
CHAPTER 3	13
RESULTS AND DISCUSSION.....	13
3.2 Effect Pulling Speed on Tack Strength	14
3.3 Effect of Leaching on Tack Strength.....	14
3.4 Dependence of Tack Strength on Crosslink Concentration	15
3.5 Effect of Crosslink Concentration on Tensile Properties	16
3.6 Effect of Maturation Period on Tack Strength	18
3.7 Comparison of Tack Strength of NR Latex Films and NR Dry Rubber Films .	19
CHAPTER 4	20
CONCLUSION	20
REFERENCES	21

LIST OF TABLES

Table 2.1:	Properties of the NR latex concentrate	4
Table 2.2:	The formulation of dispersions for the compounding ingredients	5
Table 2.3.1:	Formulation of the latex compounds.....	6
Table 2.3.2:	Formulation of the latex compounds for maturation study	7
Table 2.3.3:	Formulation of the dry rubber compounds- CV system.....	7
Table 2.3.4:	Formulation of the dry rubber compounds- EV system	8

LIST OF FIGURES

Figure 2.4:	Apparatus for the preparation of prevulcanized latex.....	9
Figure 2.5:	Diagram of a glass plate used for casting latex films	9
Figure 2.9:	Tack test-piece	11
Figure 3.1:	Effect of test-piece thickness on tack strength.....	13
Figure 3.2:	Effect of tack strength on pulling speed	14
Figure 3.3:	Leaching plays an important role in tack strength.....	15
Figure 3.4a:	Dependence of tack strength on crosslink concentration.....	16
Figure 3.4b:	Illustrating the chain length between crosslinks.	16
Figure 3.5a:	Effect of crosslink concentration on tensile strength.	17
Figure 3.5b:	Effect of crosslink concentration on elongation at break.....	18
Figure 3.5c:	Effect of crosslink concentration on M100 and M300.....	18
Figure 3.6:	Effect of maturation period on tack strength	18
Figure 3.7.1:	Comparison of tack strength of NR dry rubber with NR latex films.	19
Figure 3.7.2:	Comparison of tack strength of dry rubber- EV and CV system.....	20