UNIVERSITI TEKNOLOGI MARA

THREE-PHASE FIELD EXPERIMENT TO ASSESS THE EFFECT OF NITROGEN DEPOSITION AND SELECTED ABIOTIC FACTORS ON EPIPHYTIC TERRESTRIAL ALGAE

IHSAN BIN ALWI

Thesis submitted in fulfillment of the requirements for the degree of **Master of Science**

Faculty of Applied Sciences

April 2019

ABSTRACT

Nitrogen (N) concentration on the atmosphere has risen steadily over the years in Asian countries including Malaysia which leads to the significant changes in the structure and landscape of the terrestrial ecosystems. The epiphytic terrestrial algae are ideal to assess the effect of nitrogen enrichment to lower plants due to their high sensitivity to atmospheric pollutants. A three-phase study was carried out to determine species diversity and the effect of some relevant abiotic factors on algal density. Ouadrat sampling method, algal collection, algal quantification, algal identification, acid rain simulation method and field experiment involving huge poultry farms are among the methods used in this study. The study revealed a total of 4 main algal species were found namely Apatococcus sp., Trebouxia sp., Trentepohlia sp. and Printzina sp. Abiotic factors such as the bark acidity, aspect/shading and bark roughness was significantly related to algal density (p<0.05) while the inclination of the trees does not affect algal density (r-value nearest to 0). In addition to that, the algal density is higher in density upon reaching the source of nitrogen (p = 0.005) and becomes very low in area polluted with sulphur dioxide (p = 0.008). The present study shows that the increasing N provides an encouraging condition for the epiphytic terrestrial algae particularly of nitrophytic species (Apatococcus sp.) to grow in abundance. Contrastingly, the existence of S causes algal density to reduce due to its toxicity effect to algae.

ACKNOWLEDGMENT

I am extremely thankful to the Almighty Allah who has given me the golden opportunity, strength, health and wisdom to complete in due course of time.

I feel great honor to express my sincere gratitude to my great supervisors Dr. Asmida Ismail and Prof. Dr. Mohd Talib Latif for their continuous guidance, critical suggestion and encouragement throughout this study and special thanks also goes to laboratory assistances in UiTM Shah Alam who directly and indirectly involved and cooperated during sample preparation and samples analysis in the labs. In this great moment I also would like to thank to all the postgraduate group members for their continuous cooperation and friendship given.

My warmest thanks also go to my beloved parents; Mr. Alwi Muda and **Second** and last but not least my beloved wife, Nur Qamilah Mohamad and my daughter Aufa Humaira Ihsan for their best love and support. Special thank also goes to them for those who are not mentioned above who also indirectly contributed some supports in helping me to accomplish this study. May bless of Allah are always on your side.

TABLE OF CONTENTS

| | Page |
|---|------|
| CONFIRMATION BY PANEL EXAMINERS | ii |
| AUTHOR'S DECLARATION | |
| ABSTRACT | |
| ACKNOWLEDGMENT | |
| TABLE OF CONTENTS | |
| LIST OF TABLES | Х |
| LIST OF FIGURES | xi |
| LIST OF ABBREVIATIONS | |
| | |
| CHAPTER ONE: INTRODUCTION | 1 |
| 1.1 Background of Study | 1 |
| 1.2 Problem Statement | |
| 1.3 Significance of Study | |
| 1.4 Objectives | 5 |
| CHAPTER TWO: LITERATURE REVIEW | |
| 2.1 Terrestrial Algae | 6 |
| 2.1.1 Introduction | 6 |
| 2.1.2 Terrestrial Green Algae (Chlorophyta, Chlorococcales) | 6 |
| 2.1.3 Morphological Structure | 8 |
| 2.1.4 Ecological Role Of Terrestrial Algae | 9 |
| 2.2 Abiotic Factors Affecting Terrestrial Algae | 10 |
| 2.2.1 Bark Acidity | 10 |
| 2.2.2 Bark Roughness | 11 |
| 2.2.3 Aspect And Tree Inclination | 11 |
| 2.3 Epiphytic Terrestrial Algae As Bioindicator | |
| 2.3.1 Nitrogen Oxides (Nox) | 14 |

| 2.3.2 | Sulphur Dioxide (SO ₂) | 15 |
|----------------|---|----|
| 2.3.3 | Ammonia (NH ₃) | 16 |
| 2.3.4 | Acid Rain Deposition | 19 |
| | | |
| CHAPTER | THREE: RESEARCH METHODOLOGY | 22 |
| 3.1 General | Methods | 22 |
| 3.1.1 | Algal Sample Collection | 23 |
| 3.1.2 | Algal Identification | 25 |
| 3.1.3 | Algal Quantification | 25 |
| 3.2 Environi | nental Factors Methods | 27 |
| 3.2.1 | Site Description | 27 |
| 3.2.2 | Bark Acidity Determination | 28 |
| 3.2.3 | Bark Roughness Measurement | 28 |
| 3.2.4 | Tree Inclination | 29 |
| 3.3 Nitrogen | Pollutant Sources From Poultry Farm | 30 |
| 3.3.1 | Site Description | 30 |
| 3.3.2 | Algal Collection | 34 |
| 3.3.3 | Nitrogen Reading | 34 |
| 3.4 Short-Ter | rm Exposure Of Selected Air Pollutant Via Simulation Method | 35 |
| 3.4.1 | Site Description | 35 |
| 3.4.2 | Treatment Solution Application | 35 |
| 3.4.3 | Simulated Acid Rain Preparation | 37 |
| 3.4.4 | Algal Collection And Quantification | 38 |
| 3.5 Statistica | al Analysis | 38 |
| 3.6 Air Qual | ity Data | 39 |
| | | |
| CHAPTER | FOUR: RESULTS | 40 |
| 4.1 Algal Sp | ecies Description | 40 |
| 4.1.1 | Apatococcus Sp. | 40 |
| 4.1.2 | Trebouxia Sp. | 41 |
| 4.1.3 | Trentepohlia Sp. | 42 |
| 4.1.4 | Printzina Sp. | 43 |