UNIVERSITI TEKNOLOGI MARA

ANTI CANCER ACTIVITY OF METHANOL EXTRACT OF DICRANOPTERIS LINEARIS

SARIKI NAZRI BIN SALLEH

Thesis Submitted to the Faculty of Pharmacy, Universiti Teknologi Mara, Kampus Puncak Alam, in Partial Fulfilment of the Requirement for the Degree of Bachelor of Pharmacy (Hons)

Faculty of Pharmacy

September 2009

ACKNOWLEDGEMENT

In the name of Allah S.W.T.

First and foremost, thank you to God Almighty for the guidance and assistance in giving me the strength to complete this thesis. I also would like to take this opportunity to express my utmost gratitude to my supervisor Prof. Madya Dr. Zainul Amiruddin Zakaria for her valuable guidance and advice throughout this thesis study.

A word of thanks also goes to all personnel in Organic Laboratory, Universiti Teknologi Mara, Shah Alam and Herbarium Institute Bioscience, UPM Serdang for their assistance during the various laboratory tasks.

I also would like to thank the all lectures of Faculty Pharmacy, Uitm Shah Alam, my team work and my roommates for their support and encouragement. My deepest gratitude also goes to all final year students.

Finally, I also forever indebted my sincere appreciation and gratitude to my parent, Encik Salleh bin Mat Daud and for their continuous advice and support to me during completing this thesis. Thank you.

ABSTRACT

The *in vitro* antiproliferative and methanol extracts *Dicranopteris linearis*, it partitions and fractions leaves were determined in the present study assessed using the 3,(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide) (MTT) assay. Interestingly, the methanol extract of *D. linearis* (DLME), it partitions (DLMEMp, DLMEHp and DLMECp) and fraction 4 exhibit cytotoxic effect against HL-60. Their respective IC₅₀ were 25.5 μg/ml (DLME), 16.5 ug/mL (DLMEMp), 38.5ug/mL (DLMECp) and 37.5 ug/mL (DLMEHp) and F4 (19ug/mL). In addition, they also not show cytotoxic effect against 3T3 normal cell line, which indicate their safety. DLME, all partitions except DLMEHp (IC₅₀ = 36ug/mL) and all fractions did not exhibit cytotoxic activity against A-549 cell line. Besides, all fractions except F5 (IC₅₀ = 19ug/mL) shows no cytotoxic activity against 3T3 normal cell line. In conclusion, methanol extracts *D.linearis*, it partition and fraction 4 posses potential anticancer properties against HL-60 (human acute promyelocytic leukemia) and DLMEHp show potential anticancer activity against A-549 (carcinomic human alveolar basal epithelial cells). Thus, further thorough studies in term of phytochemical screening are important.

Keywords: Dicranopteris linearis; in vitro antiproliferative; anticancer; IC₅₀

TABLE OF CONTENTS

		Page
тіті	LE PAGE	I
1111	LE I AGE	
APPROVAL		II
ACKNOWLEGEMENT		III
ABSTRACT		IV
TABLE OF CONTENT		V
LIST OF TABLES		VII
LIST OF FIGURES		VIII
LIST	Γ OF ABBREVIATIONS	X
	APTER ONE (INTRODUCTION)	
1.1	Introduction	1
1.2	Objectives of the present study	4
1.3	Hypothesis of the present study	4 5
1.4	Statement of problem	
1.5	Significance of the study	6
1.6	Scope of research/ limitations	7
СНА	APTER TWO (LITERATURE REVIEW)	
2.1	Cancer	8
2.2	Mechanism of Cancer	9
2.3	Cause of Cancer	12
2.3.1		13

CHAPTER 1

INTRODUCTION

1.1 Introduction

The term cancer, from the Latin word for crab, refers to malignant tumors. Specifically, cancer is a class of disease of any malignant neoplasm that arises from the abnormal and uncontrolled division of cells that can invade and destroy surrounding tissue. WHO (2003) define cancer as rapid creation of abnormal cells that grow beyond their usual boundaries, and which can then invade adjoining parts of the body and spread to other organs. There are different types of cancers includes cancer of breast, colon, rectum, leukemia, prostate, liver, lung, bladder, kidney (renal cells), bone and soft tissue, Hodgkin lymphoma, non- Hodgkin lymphoma, melanoma of the skin, urinary tract, male genital tract, brain, cancer of the esophagus, thyroid and other endocrine gland, cervix uteri and vagina.