CHEMICAL PROPERTIES OF KELEMPAYAN WOOD SPECIES

(Anthocephalus chinensis)

By

NOZIRA BINTI SHAARI

Project Paper Submitted in Fulfillment of the Requirement for the Diploma in Wood Industry in the Faculty of Applied Science Universiti Teknologi MARA

APRIL 2003

ACKNOWLEDGEMENTS

Assalamualikumwbt.

First of all, I wish to express my gratitude to The Almighty Allah. Without Him I would have completed this study.

I would like to express my deepest appreciation and sincere gratitude to my supervisor, Mr. Amran Shafie and laboratory assistance Mr Ruzdiani for their unfailing help, support and guidance throughout the study.

I also wish to thank all my friends who in one way or another contributed invaluable support and encouragement towards the completion of this study.

Finally, my deepest and special appreciation goes to my beloved parents for their moral and financial support throughout the years of my study. May Allah S.W.T bless us all.

v

TABLE OF CONTENTS

	PAGE
APPROVAL SHEET	iii
DEDICATION	iv
ACKNOWLEDGEMENTS	v
LIST OF TABLES.	viii
LIST OF FIGURE	ix
LIST OF PLATES	x
LIST OF ABBREVIATIONS	xi
ABSTRACT	
ABSTRAK	xiii

CHAPTER

I	INTRODUCTION	
	1.1 General	1
	1.2 Justification.	2
	1.3 Objective.	3
п	LITERATURE REVIEW	
	2.1 Fields Characters of Kelempayan	4
	(Anthocephalus chinensis Rubiacae)	
	2.2 Uses of Kelempayan	4
	2.3 Chemical Properties	5
ш	MATERIALS AND METHODS	
	3.1 Preparation of Raw Material	6
	3.2 Determination of MC	8
	3.3 Determination of CW Solubility of Wood	9
	3.4 Determination of HW Solubility of Wood	12
	3.5 Determination of AB Solubility of Wood	13
	3.6 Determination of 1% NaOH Solubility of Wood	15
	3.7 Determination of Lignin in Wood	17
	3.8 Determination of Ash in Wood	19
IV	RESULTS AND DISCUSSION	
	4.1 MC	21
	4.2 CW	22
	4.3 HW	23
	4.4 AB	24

	4.5 1% NaOH	25
	4.6 Lignin	26
	4.7 Ash	27
v	CONCLUSION AND RECOMMENDATION	28
BIBLIOGRAPHY		30
APPENDIX		
Α	Calculation for MC	32
В	Calculation for CW	34
С	Calculation for HW	36
D	Calculation for AB	38
Ε	Calculation for 1% NaOH	40
F	Calculation for Lignin	42
G	Calculation for Ash	44
VITA		46

•

Abstract of project paper presented to the Senate of Universiti Technologi MARA in

fulfillment of the requirements for the Diploma in Wood Industry

CHEMICAL PROPERTIES OF KELEMPAYAN WOOD SPECIES

By

NOZIRA BINTI SHAARI

APRIL 2003

The research was carried out to study the chemical properties of Kelempayan. Sample for the research were taken at Diameter Breast Height (DBH) of Kelempayan tree species found at UiTM Pahang Forest Reserve. It is from Rubiaceae family which is ranging from 720 kg/m³ (451b/ka³) densities and categorized as light hardwood. Among the experiments that have been completed were MC, determination of cold water, hot water, alcohol-benzene, 1% NaOH solubility, the content of lignin and ash. With this experiment, the different properties percentage of amount within the Kelempayan specimens such as tannins, gums, sugars, starch, coloring matter, content of lignin and ash could be determine. If the criteria met the end use of wood, then the use of Kelempayan as an alternative raw material is worth given due consideration.