THE STRENGTH PROPERTIES OF CEMENT BOARD FROM PAYUNG INDONESIA (HUIRA CRITEFANS) AT 1000 KG/M³ AND 1200 KG/M³

MOHD AZMI BIN HUSSAIN

DIPLOMA IN WOOD INDUSTRY UNIVERSITI TEKNOLOGI MARA

2004

ACKNOWLEDGEMENT

Firstly, I want grateful to god because with that his blessing can able to complete my final project entitle "The strength Properties of Cement Board from Payung Indonesia (*Hura Critefans*) at 1000 kgm³ and 1200 kgm³.

Second the highest appreciation, my project advisor, Mr. Ahmad Fauzi Bin Othman for guide and effort in teaching and helping me to finish this final project. He is generous in landing me helping hands and showing me the correct ways of forming my tasks. So, I would like to express my most sincere thanks to him.

Also would like to thank for all my beloved friends for support and helping me to finish this project paper. They are my group project Mohd. Hilmi B. Ismail, Hafizudin B. Mohd, Ahamd Nurul Aswad B. Abdullah, Mohd. Safri B. Youb and Nor Hery Hazani B. Harun.

Lastly, thank to staff at Forest Research Institute Malaysia (FRIM), Mr. Jalani and Mr. Saimin. They help to preparation in cement board produce. Thank to all.

TABLE OF CONTENTS

APPROVAL SHEET i	
DEDICATION	
ACKNOWLEDGEMENT	
LIST OF TABLESiv	
LIST OF FIGURESv	
LIST OF PLATES	
ABSTRACT	
ABSTRAK	i

CHAPTER

1.0	INTRODUCTION					
	1.1 C	1 Cement Bonded Particle Board				
	1.2 Objectives					
2.0	LITERATURE REVIEW					
	2.1	Distribution of Payung Indonesia				
	2.2	Physical Properties of Payung Indonesia				
	2.3	Working qualities and Uses Payung Indonesia5				

	2.4	2.4 PROPERTIES OF CEMENT BOARD			
		2.4.1	Fire resistant6		
		2.4.2	Weather resistant		
		2.4.3	Workability7		
		2.4.4	Sound insulation7		
		2.4.5	Durability		
		2.4.6	Fungal Resistant		
		2.4.7	Smooth Surface		
	2.5	USE OF CEMENTBOARD			
		2.5.1	Permanent shuttering		
		2.5.2	Roof insulation		
		2.5.3	Ceilings		
		2.5.4	Decorative		
3.0	MAT	MATERIAL AND METHOD11			
		3.1.1	Wood11		
		3.1.2	Chipping11		
		3.1.3	Flaking		
		3.1.4	Lodger mixer		
		3.1.5	Forming		
		3.1.6	Hydraulic pressure		
		3.1.7	Hardening chamber		
		3.1.8	Curing		
		3.1.9	Sampling		

ABSTRACT

THE STRENGTH PROPERTIES OF CEMENT BOARD FROM PAYUNG INDONESIA <u>(HURA CRITEFANS</u>) AT 1000 KGM³ AND 1200 KGM³

By MOHD AZMI BIN HUSSAIN

MARCH 2004

This project was carried out to knowledge about the strength properties of Cement board from Payung Indonesia. The samples of experimental board were test to determine the strength properties of the sample. The testing was performing with thickness swelling and water absorption. This testing is important to determine water absorption in cement board from Payung Indonesia. Bending strength testing has been done to measurement the strength at cement board. The result value is affected by density of the sample. The result from testing shown the cement has a density 1000 kg/m³ not achieved the standard value, but the cement board at 1200 kg/m³ achieved the standard value required. So, the high density gives the maximum result rather than the low-density give the maximum result.

vii