

FIBER MORPHOLOGY OF KETAPANG
(*TERMINALIA CATAPPA*)
FROM DIFFERENCE HEIGHT LEVEL

BY

NOR ARFAH BTE BASTANI

**Final Project Submitted in Partial Fulfillment for the Diploma in Wood Technology,
Faculty of Applied Science, Universiti Teknologi MARA, Pahang Branch
October 2004**

ACKNOWLEDGEMENT

First of all, I would like to thank Almighty Allah for His blessing and favor in guiding me toward the completion of this final project and to my beloved family who give me the strength to keep up with the study and encourage me leading towards the success of this final project.

I would like to appreciate my special thanks for my advisor En. Amran Shafie and Cik Junaiza for their guidance helps while I'm completing this final year paper. Without their help it's hard for me to do it on time.

Thank you also to all my friends for their continuous support, to another lecturer and staffs of Diploma in Wood Industry laboratory for their priceless help in preparing the materials needed in this research work.

Lastly, my appreciation to those who are involved either directly or indirectly in completing this project. Without help from them accomplishing this paper is impossible for me. Thank you very much.

TABLE OF CONTENT

	PAGES
APPROVAL SHEET	i
DEDICATION	ii
ACKNOWLEDGEMENT	iii
LIST OF TABLE	vi
LIST OF FIGURE	vii
LIST OF ABBREVIATIONS	viii
ABSTRACT	ix
ABSTRAK	x
 CHAPTER	
1 INTRODUCTION	
1.1 Introduction	1-2
1.2 Objectives	3
2 LITERATURE REVIEW	
2.1 General characteristic of Ketapang	4
2.1.1 Physiognomy	4-5
2.2 Anatomical properties of Ketapang	5
2.3 Physical and mechanical properties	5
2.4 Uses	6
2.5 Important of fiber properties	6
2.5.1 Fiber length	6
2.5.2 Cell wall thickness	6-7
2.5.3 Felting power	7
2.5.4 Runkle ratio	7
2.5.5 Coefficient of suppleness	7

3	MATERIALS AND METHODS	
	3.1 Material preparation	9
	3.2 Fiber maceration	9-10
	3.3 Microscopic observation	10
4	RESULT AND DISCUSSION	
	4.1 Fiber Morphology of <i>Terminalia catappa</i>	13
	4.2 Fiber length	14
	4.3 Felting power	15-16
	4.4 Runkle Ratio	17-18
	4.5 Coefficient of suppleness	19-20
5	CONCLUSION RECOMMENDATIONS	21-22
	REFERENCE	23-24
	APPENDICES	25-27
	VITA	28

**FIBER MORPHOLOGY OF KETAPANG (*Terminalia catappa*) FROM
DIFFERENCE HEIGHT LEVEL**

By

Nor Arfah Bastani

October 2004

ABSTRACT

The studies of fiber morphology to the *Terminalia catappa* are based on the TAPPI standard. The objectives of this study are to find the difference height level tree from near bark and near pith. So, from the research of fiber morphology using *Terminalia catappa* its fiber characteristic can be identified. From the result of the study we will know whether this species can be produce a good paper or not and estimate the strength properties of paper.