

FIBER MORFOLOGICAL PROPERTIES OF KENAF (*Hibiscus cannabinus*)

By

ABDULRAHMAN BIN SULTANG

**Final Project Paper Submitted In Partial Fulfillment For The Diploma In Wood
Industry, Faculty Of Applied Sciences,
Universiti Teknologi MARA**

MARCH 2005

ACKNOWLEDGEMENT

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

To begin with, we would like to thank to the Almighty ALLAH S.W.T for His Blessing and Strength rendered to us to complete our final project. As I expected, I'm pleased that I was able to complete this project on time, as developments are taking place incessantly, which adds my interest in this project and help me to make it such as a fascinating one.

Initially, I would like to state my special appreciation to my advisor Professor Dr. Suhaimi Mohammad his encouragement, guidance and assisting. Not fail to remember to Assoc. Prof. Dr. Jamaludin Kasim, Mr. Wan Mohd. Nazri Abdul Rahman, Mr. Amran Syafie and the others lecturer to help out and supporting to finish my research as final was essential to get my diploma.

Similar thanks are devoted to all my friends who proffer help whilst I need most. Inclusively my Father and all family who provide me force to carry on with the study and give confidence to me foremost towards the achievement of this final project.

Lastly, to everyone who was concerned directly and indirectly in the completion of my final project, I inclination success their life and thanks a lot.

TABLE OF CONTENT

	Page
APPROVAL SHEET.....	i
DEDICATION.....	ii
ACKNOWLEDGEMENT.....	iii
LIST OF TABLES.....	iv
LIST OF FIGURES.....	v
LIST OF PLATES.....	vi
LIST OF ABBREVIATIONS.....	vii
ABSTRACT.....	viii
ABSTRAK.....	ix
 CHAPTER	
1 INTRODUCTION.....	1
1.1 General.....	1
1.2 Problem Statement.....	2
1.3 Objectives.....	3
 2 REVIEW OF LITERATURE.....	 4
2.1 Field Characteristic Of Kenaf (<i>Hibiscus Cannabinus</i>).....	4
2.2 Botanical Properties Of Kenaf.....	5
2.3 Physical Characteristic.....	8
2.4 Uses.....	13
2.5 Important Of Fiber Properties.....	14
2.5.1 Fiber Length.....	14
2.5.2 Cell Wall Thickness.....	14
2.5.3 Runkle Ratio.....	15
2.5.4 Coefficient Of Suppleness.....	15
 3 MATERIAL AND MATHODS.....	 16
3.1 Material Preparation.....	16
3.2 Fiber Maceration.....	19
3.3 Determination Of Fiber Morphology.....	20
 4 RESULT AND DISCUSSION.....	 26
 CONCLUSION AND RECOMMENDATION.....	 34
 REFERENCESS.....	 35
 APPENDICES.....	 37
 VITA.....	 41

LIST OF TABLE

Table		Page
1	Measurements of Fiber Morfological For Kenaf Stem.....	37
2	Measurements of Fiber Morfological For Kenaf Branches.....	39

FIBER MORFOLOGICAL PROPERTIES OF KENAF (*Hibiscus cannabinus*)

By

ABDULRAHMAN BIN SULTANG

MARCH 2005

ABSTRACT

The fiber morfological properties of Kenaf (*Hibiscus cannabinus*) were studied to compare between stem portions and branch portion. The properties of concerned as fiber fiber length, fiber diameter and cell wall thickness. Parameters leading to paper properties were also as certain such as runkle ratio, felting power and coefficient of suppleness. The result indicated that most properties are higher in stem than branch. Thus, stem possess better morfological properties than branch and can lead to better potential for paper making.