FIBER MORPHOLOGY OF SEPETIR (Sindora spp)

FROM DIFFERENCE HEIGHT LEVEL

BY

MOHAMAD AZWAN BIN SHAMSURI ASYRAF AMINUDDIN BIN BANI AMIN

Final Project Submitted in Partial Fulfillment for the Diploma in Wood Industry, Faculty of Applied Science, Universiti Teknologi MARA, Pahang Branch April 2009

ACKNOWLEDGEMENT BISMILLAHIRRAHMANIRRAHIM

First of all, I would like to be thankful to the Almighty Allah for His blessing and favor in guiding towards completing this final project and to my beloved family that keep giving me the spirit to keep up with the study and encourage leading towards the success of this final project.

I would like to appreciate my special thanks for my advisor, Prof Dr Suhaimi Bin Mohamed for his guidance helping me completing this final year paper. Without his help it's hard to us to do it on time.

Thanks also to all my fellow friends for their continuous support. Also to other lecturers and staff of Diploma in Wood Industry for their priceless help in preparing the materials needed in this research work.

Lastly, my appreciation is to those who are involved either directly or not in completing this project. Without their help, it is impossible to us to complete the paper project. Thank you.

TABLE OF CONTENT

APPROVAL SHEET	ii
DEDICATION	iii
ACKNOWLEDGEMENT	iv
LIST OF TABLES	vii
LIST OF FIGURES	viii
LIST OF PLATES	ix
LIST OF ABRECIATION	x
ABSTRAK	xi
ABSTRACT	xii

CHAPTER ONE

1.0 INTRO	DUCTION	
1.1	General	1
1.2	Justification	2
1.3	Objectives	4

CHAPTER TWO

2.0 REVIEW OF LITERATURE

2.1	Field of characteristic of Sindora spp	5
2.2	Properties of Sindora spp	9
2.3	Uses of Sindora spp	10
2.4	Importances of Fiber Properties	11

CHAPTER THREE

3.0 MATERIALS AND METHODS

3.1	Raw Material Preparation	15
3.2	Fiber Maceration	16
3.3	Slide Preparation and Microscopic Observations	16

CHAPTER FOUR

4.0	Results and Discussion	19
-----	------------------------	----

CHAPTER FIVE

5.0	Conclusion	35
5.1	Recommendation	37

REFERRENCES

APPENDICES

VITA

FIBER MORPHOLOGY OF SEPETIR (Sindora spp)

FROM DIFFERENCE HEIGHT OF LEVEL

By

Mohamad Azwan Bin Shamsuri

Asyraf Aminuddin Bin Bani Amin

April 2009

ABSTRACT

The studies of fiber morphology to the *Sindora spp* are based on **TAPPI** standard. The objectives are to find the diferrence height level of the tree from near bark until near pith. So, from the research of fiber morphology using *Sindora spp* its fiber characteristic can be identified. From the results of the study, we will know whether this species can be produce a good paper or not and also can estimate the strength properties of paper.