UNIVERSITI TEKNOLOGI MARA

THE ASSESSMENT OF LEPTOSPIROSIS FOR KNOWLEDGE, ATTITUDES & PRACTICE (KAP) AMONG HIGH RISK COMMUNITY AT RURAL AND URBAN AREA IN SIBU

NUR SHAZWANI OTHMAN

Project submitted in fulfilment of the requirements for the degree of

Bachelor in Environmental Health and Safety (Hons.)

Faculty of Health Science

Version NSO20(v2) dated 09 Disember 2020

August 2020

ACKNOWLEDGEMENTS

In the name of Allah, The Most Gracious, The Most Merciful

Assalamualaikum and Alhamdulillah, all praise to Allah S.W.T The Supreme Lord of the Universe. Peace and blessing to Nabi Muhammad S.A.W., all prophets and their families. I praise Allah S.W.T. for the strength and His blessings in completing my study.

Thousands of thanks and love to my parents Mr. Othman Bin Rawas and Mrs.

for their support and encouragement through thick and thin of my study. My deepest gratitude and appreciation to my dearest supervisor, Ts. Dr. Nadiatul Syima Bt Mohd Shahid who spent her time and efforts in guiding and advising from the beginning till the end of my research journey. Not to forget, I would like to thank all the lecturers in Department of Environmental Health and Safety, Faculty of Health Sciences who always share their thoughts, knowledge and advice throughout my study in UiTM Puncak Alam. Only God can reward all of you with goodness.

A special thanks to my friends from HS243 who always give me support and motivation while completing my study. May our friendship lasts forever. Lastly, I would like to thank everyone who involved directly and indirectly in this study. Thank You.

TABLE OF CONTENTS

| TITL | E PAGE | | | | |
|--|--|-----------------------------|---------------------|------------|------------|
| DECLARATION BY STUDENT | | iv | | | |
| INTELLECTUAL PROPERTIES APPROVAL BY SUPERVISOR ACKNOWLEDGEMENT TABLE OF CONTENTS | | v-vii viii ix x-xi | | | |
| | | | LIST | OF TABLES | |
| | | | LIST | OF FIGURES | |
| | | | ABSTRACT ABSTRAK | | xii xii |
| | | | | | |
| | | | | | |
| CHAI | PTER 1: | | | | |
| 1.1 | Background Study | 1-2 | | | |
| 1.2 | Problem Statement | 3-4 | | | |
| 1.3 | Objectives | 4 | | | |
| | 1.3.1 Specific Objective | 4 | | | |
| 1.4 | Significance of Study | 4-5 | | | |
| 1.5 | Scope of Study | 5 | | | |
| 1.6 | Conceptual of Framework | 5-6 | | | |
| СНАН | PTER 2: | | | | |
| 2.1 | Global Leptospirosis Infections | 7 | | | |
| 2.2 | Past Cases of Leptospirosis In Malaysia | 7 | | | |
| 2.3 | Knowledge, Attitudes and Practices among Rural and Urban | | | | |
| | Community | 8-9 | | | |
| СНАІ | PTER 3 | | | | |
| 3.1 | Background | 10 | | | |

ABSTRACT

Leptospirosis is an important zoonotic disease globally and is endemic in Malaysia and there are still lack of studies about leptospirosis at Sibu. A study was conducted at Sibu Sarawak from September 2020 until December 2020 to determine The Assessment of Leptospirosis for Knowledge, Attitudes & Practices (KAP) Among High Risk People at Rural and Urban Area in Sibu. This study determined the knowledge, attitude and preventive practice (KAP) of leptospirosis, and identified the significant predictors influencing KAP among urban community in Sibu, Sarawak.

Keywords

Leptospirosis, Knowledge, Attitude, Practice, Rural and Urban community

CHAPTER 1

INTRODUCTION

1.1 Background Study

Leptospirosis, is known as zoonotic disease caused by spirochetes called *Leptospira interrogans*, and it has been affecting the diversity of environment including the community setting including developing and underdeveloped area worldwide (Costa et al., 2015). In addition, these variables also have been highlighted as a causes for high morbidity and mortality rates in these areas such as the socioeconomic status, economy, occupation, recreational activities, association with animals, climate, and rainfall are significantly interrelated with the occurrence of leptospirosis infection (Lau et al., 2010, p. 37). The trend of leptospirosis can be increasing especially at high risk area that consist of topographical area with frequent visit precipitation and floods, environmental change, high number of creature stores, human exercises and other socio-epidemiological impacts (Amilasan et al., 2012, p. 92).

According to World Health Organization (2011), leptospirosis incidence worldwide are reported that 0.1 to 1 per 100,000 population and 10 to 100 per 100,00 could increase especially during seasonal week and among high-risk populations. Though not listed as a Southeast Asia (SEA) country that critically affected from leptospirosis disease, Malaysia Ministry of Health stated that from 2004 until 2009 the number of leptospirosis cases has been dramatically increased, including the number of deaths to 47 and 62 on 2008 and 2009. Perak marked the highest number of cases for leptospirosis from year 2005, 2006, 2008 an 2009 with 71, 93, 289 and 280 cases. They also reported that states of Sarawak, Selangor dan Terengganu shows increasing trend over the period until 2009 (Suut et al., 2016, p. 452).

Leptospirosis is a notifiable disease after 2010 and becoming endemic in Malaysia (Tan et al., 2016, p. 437). As a largest state in Malaysia, Sarawak also reported that the number of total leptospirosis case has been increased during 2010-2014 with total case 49 in 2010 and 616 case in 2014 and 53 death during that time (Sarawak Health Department, 2014, pp. 1–3).