

Proceeding Book



GO GREEN2015 INTERNATIONAL POSTGRADUATE CONFERENCE ON GLOBAL GREEN ISSUES

"Incorporating Green Approaches for Resilient Future"

7 - 8 OCTOBER 2015 | Dewan Kuliah Al-Khawarizmi

Universiti Teknologi MARA, Cawangan Perak
Kampus Seri Iskandar
32610 Seri Iskandar
Perak, Darul Ridzuan, MALAYSIA
Website: www.perak.uitm.edu.my/gogreen2015/
Email: gogreen2015@perak.uitm.edu.my



9789675741357

INTERNATIONAL POSTGRADUATE CONFERENCE ON
GLOBAL GREEN ISSUES

GO GREEN2015

‘Incorporating Green Approaches for Resilient Future’

7-8 OCTOBER 2015
Dewan Kuliah Al-Khwarizmi
Universiti Teknologi MARA Cawangan Perak

ISBN 978 – 967 -5741-35-7
eISBN 978 – 967 -5741-36-4

copyright
Fakulti Senibina, Perancangan & Ukur,
Universiti Teknologi MARA Cawangan Perak,
2015

ORGANISED BY
Fakulti Senibina, Perancangan & Ukur
Universiti Teknologi MARA Cawangan Perak
Kampus Seri Iskandar
32610 Seri Iskandar,
Perak Darul Ridzuan, MALAYSIA
Tel: +605 374 2000
Fax: +605 374 2244

INDEX

		Page No.
Keynote Paper		
	<i>Ken Yeang Practice Report</i> Key Yeang	i
SECTION I: GREEN DESIGN CONCEPT		
Paper ID	Title of the Paper and Authors	
GR1001	<i>The Composition Of Usability Evaluation In Assessing Quality of the Display Case Lighting</i> Siti Norsazlina Haron, Norashikin Abdul Karim, Afzanizam Muhammad, Anuar Talib , Md Yusof Hamid	1
GR1002	<i>Usability Evaluation for Hospital Building Quality In-Use</i> Siti Norsazlina Haron, Md Yusof Hamid , Yuhainis Abdul Talib	7
GR1003	<i>The Green Adaptive Reuse of Historical Buildings</i> Kartina Alauddin, Mohd Fisal Ishak, Noorzalifah Mohamed	14
GR1004	<i>Industrial Building System; Does it good for sustainable building?</i> S.Roshanfekar, N.M Tawil, N.A. Goh	19
GR1011	<i>Book Transit Shelter : A Method in Developing a Zero-Waste Environment and Healthy Campus Community</i> Muhammad Naim Mahyuddin, Hafizah Mohd Latif, Muhammad Redza Rosman, Nor Sahidah Samsudin, Rafizah Mohamed Nordin	22
GR1015	<i>Green Concepts Through Shape-Grammar – The Language Of Intermediate Spaces In Traditional Malay Houses</i> Suzana Said, M. Sabrizaa Abdul Rashid, Rosmawati Mohamed, Neta Suredah Baharum, Izatul Asyikin Nordin	27
GR1017	<i>Characterization of Lime Plaster of Ipoh Royal Club for Conservation Purpose</i> Farah Reeza Abdul Razak, Siti Norlizaiha Harun	32
GR1018	<i>An Overview On The Typology Of Shophouses' Façade At The Heritage Area in Ipoh City</i> Wan Nordiana Wan Ali, Nurul Huda Abdul Hadi, Noor Rizallinda Ishak	38
GR1019	<i>Sustainability Of Building Elements In Bidayuh Traditional Longhouse Construction</i> Janet Victoria, Siti Akhtar Mahayuddin, Wan Akmal Zahri Wan Zaharuddin, Siti Norlizaiha Harun, Balkhiz Ismail, Noorsaidi Mahat	45

GR1021	<i>Ephemeral Architecture: In Between Permanence and Impermanence towards Sustainable Architecture.</i>	51
	Sayed Muhammad Aiman Sayed Abul Khair, Ismail Samsuddin	
GR1022	<i>In Search of Malay Landscape Design: Characteristic and Identification of Traditional Landscape at Sungai Perak</i>	58
	Mohd Khazli Aswad Khalid, Mohd Sabrizaa Abd Rashid ,Ahmad Zamil Zakaria	

SECTION II: GREEN TECHNOLOGY

Paper ID	Title of the Paper and Authors	Page No.
GR2001	<i>New Environmentally Lightweight Building Materials from Hybrid Inorganic Polymer-Wood Particles</i>	66
	Siti Noorbaini Sarmin	
GR2004	<i>Hybrid Technology for the use of Solar Energy: The Challenge towards Green Energy</i>	72
	S. I. Hossain, M. R. Al-Mamun, S. Sikdar, M. Al-Amin, S. C. Majumder, M. R. Hasan, M. Z. H. Khan	
GR2006	<i>Waste Management Practices and Recycling Intention among Undergraduates Students in Higher Learning Institution</i>	79
	Siti Fahazarina Hazudin, Anis Barieyah Mat Bahari, Alia Ezrie Ashiqin Jamaludin	
GR2007	<i>Thioflavin Dye Degradation by Using Magnetic Nanoparticles Augmented Polyvinylidene Fluoride (PVDF) Microcapsules</i>	83
	Mohamed Syazwan Osman, KaMan Kong, Boon Seng Ooi, Bassim H. Hameed, Jit Kang Lim	
GR2013	<i>Concrete Compressive Strength Development when Polyethylene Terephthalate Partially Replaces Sand</i>	87
	Muhammad Redza Rosman, Norishahaini Mohamed Ishak	
GR2015	<i>Evaluation of Laser-Printed Paper Deinking Quality Facilitate By Lipase and Esterase Enzymes</i>	95
	Nurul Shafika Azmi, Nik Raikhan Nik Him	
GR2016	<i>Green Approach in Road Construction</i>	102
	Suhaila Ali, Nurul Fatihah Yahaya , Norbaizura Abu Bakar, Mohd Hafiz Saberi, Norhafizah Yusop, Farhan Md Dahlan	

GR2017	<i>Establishing a Strategic Framework of Green Procurement for the Malaysian Construction Industry</i> MohdSallehuddin Mat Noor , Fadzil Hassan	108
GR2019	<i>Environmental Psychology: An Analysis on Lighting Efficiency of the Architecture Studio in UiTM Perak</i> Fazidah Hanim Husain, Zafuan Husri ,Farhah Amani	113
GR2020	<i>Effect of Kenaf Fibre and Rice Husk Incorporation on Melt Flow and Mechanical Properties of Calcium Carbonate/Polypropylene Hybrid Composite</i> Mohd Muizz Fahimi Mohamed, Rahmah Mohamed	119
GR2027	<i>Surfacing Effects on Thermal Condition in Urban Open Space</i> Liyana Ahmad Bazuli, Azhan Abdul Aziz	124
GR2028	<i>Impact Of Urban Block Configuration And Direction On Urban Temperature Increase In Hot, Humid Regions</i> Lin Yola, Ho Chin Siong	131
GR2029	<i>Modular Construction System in Malaysia: Issues for Research in Sustaining an Affordable Home Projects</i> Salmiah Aziz, Mohd Rofdzi Abdullah	140
GR2030	<i>Review on Indoor Environment Quality Parameters Towards Healthier Green Buildings in Malaysia</i> Fadhilah Che Aziz, Md Yusof Hamid	153
GR2032	<i>Green Solar Dehydrator</i> A. N. Alias, M. H. Khalid, N. F. M. Sahapini, Z. Mahfodz, F. Abdullah, R. Julius, M. A. Yahya, F. Fariesha	161
GR2035	<i>Solar Energy: Dilemma and the Way Forward</i> Norhafizah Yusop, Norbaizura Abu Bakar, Suhaila Ali, Mohd Hafiz Saberi, Mohamad Akmal Mohamad Najib, Noor Zawani Yusop	166
GR2037	<i>An Overall Thermal Transfer Value (OTTV) – Based Approach in Analysing the Energy Efficiency of Buildings: A Review</i> Afiqah Ahamad, Wan Abdullah Wan Alwi, Azman Zainoabidin	172
GR2040	<i>Natural Fibre as Fibrous Reinforced in Polymer Modified Mortar: A Review</i> Azamuddin Husin, Mahyuddin Ramli, Cheah Chee Ban	177
GR2042	<i>Flame Retardancy Study Of Recycled Polymeric Foam Filled Composite Building Material.</i> Syed Anas Syed Mustafa, Rahmah Mohamed, Lily Soraya Amerudin	184

GR2044	<i>Improving Overall Thermal Transfer Value of Office Tower Building in Malaysia. Case Study : Ministry of Women Family and Community Development, Lot 4G11, Putrajaya</i> Azman Zainoabidin, Amirul Amin Ismail	191
GR2045	<i>Towards Green Roads in Malaysia: Review of Road Characteristics Effects On Road Surrounding Microclimates with Respect to Roadside Trees</i> Nasibeh FaghihMirzaei, Sharifah Fairuz Syed Fadzil, Aldrin Abdullah, Nooriati Binti Taib, Reza Esmaeilifar	200
GR2049	<i>Carbon Footprint Calculator for Children</i> Romiza Md Nor, Haleeda Azwa Abdul Hadi	208

SECTION III: GREEN MANAGEMENT

Paper ID	Title of the Paper and Authors	Page No.
GR3001	<i>Project Manager Success Factors In Managing Green Buildings In Malaysia : Knowledge and Skills</i> Asniza Hamimi Abdul Tharim, Aifa Syazwani Zainudin, Nur'Ain Ismail, Thuraiya Mohd, Noor Aileen Ibrahim	213
GR3002	<i>Role of Real Estate Valuation Surveyors in the Malaysian National Taxation</i> Mohd Hasrol Haffiz Aliasak , Mohd Farid Bin Sa'ad	221
GR3003	<i>An Overview of the Challenges in Malaysian Green Construction</i> Asniza Hamimi Abdul Tharim, Aifa Syazwani Zainudin, Noraidawati Jaffar	228
GR3004	<i>Overview of Lean Issues in Managing the Green Construction Project</i> Wan Nur Syazwani Wan Mohammad, Mohd Rofdzi Abdullah	235
GR3005	<i>Identifying the Challenges in Obtaining Green Building Index (GBI) Certification In Construction Industry</i> Izatul Farrita Mohd Kamar, Lilawati Ab Wahab, Nor Suzila Lop, Noor Aishah Mohammad Hamdan	241
GR3006	<i>Stakeholder's Pressures on the Firm's Environmental Strategy in Malaysia</i> Rohati Shafie, Loke Siew Phaik	247
GR3007	<i>Key Success Factors of Green Building Implementation in Malaysia Construction Industry</i> Nor Suzila Lop, Asmalia Che Ahmad, Nik Aqlima Diyana Nik Zulkipli	254

GR3008	<i>The Effectiveness of the Implementation of QE/5S towards Quality Environment at Workplace</i> Norhaslina Jumadi, Nurul Sahida Fauzi, Lizawati Abdullah, Wan Nur Syazwani Wan Mohammad, Johana Yusof	363
GR3009	<i>Outsourcing Property Management Perspective: Universities in the District of Perak Tengah</i> Nurul Sahida Fauzi, Noratikah Kamarudin, Siti Nadiah Mohd Ali, Nor Aini Salleh, Noraini Johari	268
GR3010	<i>The Facilities Management Standard Service Category</i> Zuraihana Ahmad Zawawi, Wan Samsul Zamani Wan Hamdan, Nur Azfahani Ahmad, Nurul Fadzila Zahari	273
GR3011	<i>The Enhancement Criteria of Green Building Implementation For Property Development in Perak, Malaysia – Valuers’ Perspective</i> Roshdi Sabu, Hayroman Ahmad, Lizawati Abdullah	279
GR3014	<i>Preliminary Study on Waste Management for Implementation of Green Highway</i> Asmalia Che Ahmad, Nur Illiana Husin, Abdul Muhaimin Ab Wahid, Syahrul Nizam Kamaruzzaman	286
GR3016	<i>Critical Motivation Factors among Project Managers to Achieve Successful Project in Malaysian Construction Industry</i> Farhan Md Dahlan, Muhammad Amirul Fahme Ahmad, Siti Nadiah Mohd Ali, Siti Sarah Mat Isa, Norbaizura Abu Bakar	293
GR3018	<i>The Contractor’s Attributes For The Construction Project Success</i> Mohd Hafiz Saberi, Norbaizura Abu Bakar, Norhafizah Yusop, Suhaila Ali, Mohd Fisal Ishak, Farhan Md Dahlan, Noraini Abdul Rani	300
GR3020	<i>Review on Malaysia’s GreenRE in Comparison with Singapore’s GreenMark and UK’s BREEAM</i> Halmi Zainol, Fadhilah Che Aziz, Suharto Teriman, Haryati Mohd Isa, Muhamad Asri Abdullah Kamar	305
GR3021	<i>Risk Management Plan (RMP); Implementation and Challenges towards Sustainability and Green Concept for Public Projects in Terengganu</i> Yuhainis Abdul Talib, Siti Nirwana Mat Usof, Kharizam Ismail	311
GR3023	<i>Imperfection Of Tender Document: A Solution Towards Sustainable Construction Practice In Malaysia</i> Mohd Esham Mamat, Shahela Mamter, Mohammad Sani Mat Hussein, Norazlin Mat Salleh	318

GR3024	<i>Benefits of Green Building from Client's Perspective</i> Norazlin Mat Salleh, Nik Noor Hazleeda Baharuddin, Shahela Mamter, Mohd Esham Mamat	322
GR3025	<i>Green Material Procurement Implementation Towards The Green Buildings</i> Shahela Mamter, Siti Rohayu Jusoh, Mohd Esham Mamat, Norazlin Mat Salleh	328
GR3026	<i>A Review Of Ex-Mining Land Reclamation as Construction Project Activities: Focusing In City Of Ipoh</i> Mohd Najib Abd Rashid, Hayroman Ahmad, Siti Jamiah Tun Jamil, Noor Azam Yahaya, Mohamad Hamdan Othman	333
GR3027	<i>Repair and Maintenance Works For Low Cost Housing; Issues And Solution</i> Yuhainis Abdul Talib, Amirul Helmi Abdul Malik , Siti Norsazlina Haron	340
GR3028	<i>An Overview of Time and Cost in Arbitration for Construction Projects</i> Azira Ibrahim, Zulhabri Ismail, Thuraiya Mohd, Ida Nianti Mohd Zin	347

SECTION IV: GREEN CULTURE

Paper ID	Title of the Paper and Authors	Page No.
GR4002	<i>An Assessment of Carbon Footprint at UiTM Seri Iskandar Perak, Malaysia</i> Nor Izana Mohd Shobri, Wan Noor Anira Wan Ali @ Yaacob, Norizan Mt Akhir, Siti Rasidah Md Sakip	352
GR4005	<i>Eco-Friendly Food Packaging: Young Consumer 's Perception & Practice</i> Norsyamira Shahrin , Rabiatal Adawiyah Abd Rahman, Noorliza Zainol, Noor Saliza Salmi, Mohd Faisal Abdul Wahab	357
GR4006	<i>Ethico-Legal Issues In The Medical Profession: A Case Study Of Nursing Profession In The World</i> Lateef Wale Adeyemo, Syahirah Abdul Sukor, Amalina Ahmad Tajudin, Ali H Ali Beltamer	364
GR4008	<i>Green Perception and Behavior among Students at UiTM Melaka</i> Siti Norashikin Bashirun, Nurldayu Badrolhisham, Farah Shazlin Johari, Nurhafizah Mohd Zolkapli, Nor Maslia Rasli Samudin, NurFaithzah Jamian	373

GR4009	<i>Geographical Information Systems (GIS) Approach For Mapping The Aboriginal Children Malnutrition Growth : A Case In Kemar, Perak</i> Haslina Hashim, Izrahayu Che Hashim, Suzanah Abdullah, Fadhilah Md Isa, Noorfatekah Talib	378
GR4010	<i>A Preliminary Study of Cinemagraph as A Tool In Enhancing Public Service Announcement (PSA) On Smoking Habit Issue</i> Fahmi Samsudin, Rosita Mohd Tajuddin, Nik Ridzuan NikYusoff	388
GR4011	<i>Green Branding: The Effect of Green Trust towards Brand Loyalty of the Five-Star Hotel Guest</i> Muhd Nabil Hanif Hassim , Mohd Raziff Jamaluddin	394
GR4014	<i>Students' Knowledge in the Waqf Land Concept</i> Siti Nadiyah Mohd Ali, Rashidah Paujah Ismail , Abd. Halim Mohd Noor, Nurul Sahida Fauzi, Nor Nazihah bt Chuweni, Farhan Md Dahlan	400
GR4016	<i>The Awareness of Generation 'Y' on Green Building Development in Malaysia</i> Syarifah Nur Nazihah Syed Jamalulil, Haryati Mohd Isa, Nurul Huda Ahmad	405

SECTION V: GREEN ENVIRONMENT

Paper ID	Title of the Paper and Authors	Page No.
GR5001	<i>A Conceptual Study of Connectivity Elements Towards Successful Green Network</i> Nor Hamizah Abdul Hamid, Muhamad Ezran Zainal Abdullah, Nik Hanita Nik Mohamad	411
GR5006	<i>Sustainable Indicator for Feature Attributes Assessment of Urban Green Space</i> Rabi'ah Ahmad , Abdul Nassir Matori	417
GR5012	<i>Exploring the Relationship between Community Happiness and Environmental Setting</i> Siti Rasidah Md Sakip, Khalilah Hassan, Azran Mansor	425
GR5013	<i>The Potential of Lake in Generating the Urban Community Development. Case Study: Putrajaya Lake, Federal of Putrajaya.</i> Wan Noor Anira Wan Ali @ Yaacob, Norhafizah Abdul Rahman, Marina Abdullah, Nor Izana Mohd Shobri	433

GR5019	<i>Gis-Based Land Suitability Analysis Using AHP For Public Parks Planning In Kota Bharu, Kelantan</i> Khalilah Hassan, Izrahayu Che Hashim, Siti Syamimi Omar	439
GR5021	<i>Generating of Cotidal Dataset by Spatial Interpolation Techniques</i> Khadijah Sahdan, Syed Ahmad Qusoiri Syed Abdul Karim, Othman Mohd Yusof	446
GR5023	<i>Multiple Regeneration of Clinacanthusnutans Nodal Explants by using 6-Benzylaminopurine (BAP) Hormone</i> Siti Zulaiha Ghazali, Saiyidah Nafisah Hashim	451
GR5026	<i>Biodegradation of Petroleum Oil by using Isolated Penicillium sp.</i> Nabilah Razak, Saiyidah Nafisah Hashim, Chia Chay Tay	455
GR5030	<i>Students Awareness on Environmental Quality in Term of Daily Life Routine</i> Noorlida Daud, Wan Noor Anira Wan Ali @ Yaacob, Anwar Fikri Abdullah	460

EDITORIAL BOARD

Chief Editor

Dr. Atikah Fukaihah Amir

Language Editors:

Jeyamahla Veeravagu

NoorAileen Ibrahim

Nur Fatima Wahida Mohd Nasir

Noraini Johari

Nurul Ain Hasni

Mohamad Syafiq Ya Shak

Wan Faridatul Akma Wan Mohd Rashdi

Zarlina Mohd Zamari

BOARD OF REVIEWER

Head:

Assoc. Prof. Dr. Mohd Sabrizaa Abd Rashid

Research Area:

Green Design Concept	Assoc. Prof. Dr. Mohd Sabrizaa Abd Rashid
Green Technology	Dr. Azhan Abdul Aziz
Green Management	Dr. Ida Nianti Mohd Zain
	Dr. Sr. Hajah Nor Aini Salleh
Green Culture	Dr. Lilawati Ab Wahab
Green Environment	Dr. Suharto Teriman

Reviewers:

Assoc. Prof. Dr. Ahmad Faisal Alias, UiTM Cawangan Perak
Assoc. Prof. Dr. Halmi Zainol, UiTM Cawangan Perak
Assoc. Prof. Dr. Ismail Samsuddin, UiTM Cawangan Perak
Dr. Anis Sazira Bakri, UiTM Cawangan Shah Alam
Dr. Asmat Ismail, UiTM Cawangan Perak
Dr. Asmalia Che Ahmad, UiTM Cawangan Perak
Dr. Hj Ashrof Zainuddin, UiTM Cawangan Perak
Dr. Atikah Fukaihah Amir, UiTM Cawangan Perak
Dr. Fadzil Mat Yassin, UiTM Cawangan Perak
Dr. Haryati Mat Isa, UiTM Cawangan Perak
Dr. Hayroman Ahmad, UiTM Cawangan Perak
Dr. Kharizam Ismail, UiTM Cawangan Perak
Dr. Kartina Alauddin, UiTM Cawangan Perak
Dr. Kushairi Rashid, UiTM Cawangan Perak
Dr. Mahanim Hanid, University of Malaya, Kuala Lumpur
Dr. Muhamad Asri Abdullah Kamar, UiTM Cawangan Perak
Dr. Mohd Fadzil Abdul Rashid, UiTM Cawangan Perak
Dr. Mohd Hasrol Haffiz Aliasak, UiTM Cawangan Perak
Dr. Mohamad Mohd Derus, UiTM Cawangan Perak
Dr. Norhasandi Mat, UiTM Cawangan Perak
Dr. Norhafizah Abdul Rahman, UiTM Cawangan Perak
Dr. Nooriha Mansoor, UiTM Cawangan Perak
Dr. Sallehan Ismail, UiTM Cawangan Perak
Dr. Suzana Said, UiTM Cawangan Perak
Dr. Siti Rasidah Md Sakip, UiTM Cawangan Perak
Dr. Thuraiya Mohd, UiTM Cawangan Perak
Dr. Yuhainis Abdul Talib, UiTM Cawangan Perak

Surfacing Effects on Thermal Condition in Urban Open Space

Liyana Ahmad Bazuli¹, Azhan Abdul Aziz²,

^{1,2}Faculty of Architecture, Planning and Surveying, UniversitiTeknologi MARA (Perak), Malaysia,
Email: lynnabaz@gmail.com

Abstract

Urban density has significant impacts in shaping the microclimatic condition of urban milieu. Studies related to global warming and environmental hazard effecting climate condition particularly in urban open space indicates constructive outcomes of escalating temperature caused by poor design strategies and adaptation. Hence, the aim of this study is to identify and assess the elements and prospects of existing open space towards outdoor thermal condition and discomfort of urban environments while preserving the ideal state of quality of life. Measures involve physical microclimatic parameters (radiant temperature, air velocity and relative humidity) and calculations of natural and manmade topographies in two identical open spaces. Meteorological assessments was conducted at designated zones for three (3) days in June at 1.1meter above ground level with five (5) and ten (10) minutes time interval.The preliminary findings revealed that the morphological characteristicsand total area of natural and manmadeelements affect the thermal condition of urban open spaces. However, further empirical research is required to include other associated parameters i.e. types of vegetation and materials promoting ideal thermal environments.

Keywords: morphological characteristics, open space, thermal condition

1.0 Introduction

By the end of 21st. century it is estimated that the global average temperature will increase by 2.6 to 4.8°C due to greenhouse gases emission and global warming (The Royal Society and the US National Academy of Sciences, 2014). Intergovernmental Panel on Climate Change (Stocker et al., 2013)reported robust evidence of increased in global average temperature from 1951 to 2010 is actually caused by anthropogenic forces.Energy consumptions and carbon emissions is identified as the most influential factors to initiate carbon footprints and global warming (Stocker et al., 2013).A study of rapid thermal progression and alteration of surface energy balance and microclimates revealed human activity and development as major factors(Elnabawi, Hamza, & Dudek, 2014). Moreover, excessive industrial growth and urban population's expansion for the last five (5) decades has imprinted imbalance nature-manmade development due to limited renewable and non-renewable energy resources and abundant transportation movements (World Urbanization Prospects: The 2014 Revision).

United Nations Economic and Social Commission for Asia and the Pacific (Yearbook, n.d.)reported in 2014, Asia Pacific region represent 55% of urbanized world population. Malaysia is ranked first with the highest urban population for five (5) years projection between 2005 and 2010 (Urbanization Policy in Malaysia and its Impact, December 2012). Most of the research and observation concerning environmental hazard, human development and economic enhancement is circling around urban realms and developing countries.This is very common and indeed essential as rural-urban and urban-urban migration occurred. Consequently, these circumstances increased the demand of new settlements, transportations, sustenance, amenities and socio-economic prospectsalong with energy consumption and production.Thus, the effect of global warming and climate change is inevitable.

However, earlier study proven green infrastructure (Mansor, M. and Said, I., undated) and natural elements for instance a control mechanism to preserve urban space livability through microclimatic restraint and thermal discomfort mitigation(de Abreu-Harbach, Labaki, & Matzarakis, 2015; Nasir, Ahmad, Zain-Ahmed, & Ibrahim, 2015)Generally, the issue of thermal discomfort assessment is associated with the type of surrounding: outdoor, semi-outdoor or indoor enclosure (Rupp, Vásquez, & Lamberts, 2015)constrained by the local microclimatic conditions. This study bound the classification of outdoor environment on green infrastructure namely open space, hemmed in by building blocks around a city center of Ipoh, Perak. The aim of this paper is to explore the potential of morphological characteristics defining open space to improve heat stress and reduce thermal discomfort risk. Furthermore, preliminary findings in slightly different settings will assist on finding standardizationof methods and instruments assessments particularly for hot-humid climate. Thus, possibilities to develop and adapt regenerative design approach of open space will be obtainable once the understanding of urban outdoor microclimatic characteristics and thermal conditions is visible.

2.0 Study Area and Methodology

A comparative study of two identical open spaces obtains from the physiological elements of urban surfacing namely permeable surface and impermeable surface. It is limited to the density of vegetation and hardscape features with considerations of morphological aspects of site orientation, total areas and proportions of adjacent buildings. Preferred microclimatic parameters are Air temperature (T_A), Relative Humidity (Rh) and Air Velocity (V_A) to determine thermal discomfort level based on PET index. A psychological aspect (behavioral, experience, perception and expectations) is eliminated. Other related independent variables contributed to the microclimate condition, geographical aspects, shaded constituent and user density will not be evaluated due to unpredictable weather and instrument constraints which will be lack of the real time data for solar radiation. However, to support the available data of selected microclimatic parameters, supplementary data is accumulated from Malaysia Meteorological Department for three (3) selected days in June for both sites. During the inspections of selected days, the sky was clear from clouds with no rainfall. This circumstance is important because it can manipulate the meteorological reading.

Outdoor thermal assessment has various diversified characteristics to put in consideration compared to indoor or controlled environment (E. Johansson et al., 2014). Instruments and method recommendation need to distinctively define urban morphological characteristics (physical and spatial components), microclimate condition and human physiological and psychological aspects (R.F. Rupp et al., 2015; E. Johansson et al., 2014; K. Villadiego & M.A. Velay-Dabat, 2014) even though several studies debated the effects of physiological approach alone towards outdoor thermal comfort (W. Yang et al., 2013). Urban morphology is characterized by location and orientation, manmade and green surface stratum, and height-to-width ratio of built-up area (E. Andreou, 2013; E. Johansson et al., 2014). Furthermore, microclimatic parameters involved instruments setup and time frame need to be carefully structured as it will determine recommended micrometeorological instruments model and influenced the end results.

2.1 Site Study

The study was carried out in Ipoh ($4^{\circ}35'02''$ N, $101^{\circ}04'58''$ E) the capital city of Perak, Malaysia. Identified open spaces is located within the commercial zones of Ipoh city center dominated by rows of shop-houses in two (2) storeys height and more with the frontage facing the main road. Both sites employed designers' imprint embroidered by a mixture of vegetation and man-made surface. Site 'A' is at par with road level with several amounts of punctured concrete walls and a playground. Trees are fully grown providing natural shades scattered around. While site 'B' is 500mm higher from road level without playground or concrete walls. Trees are still immature and mostly conquered by shrubs. It experiences a hot-humid climate with prolific solar radiation. In addition, the microclimatic conditions are constantly high in temperatures and relative humidity, light and irregular wind flow, long hours of sunshine, heavy rainfall and overcast cloud all year long. However, the highest temperature and hot weather is experienced between the months of March until June annually. Hence, site investigation was conducted on three (3) selected days in June whereby there is no obliteration from rain. Experimental study was performed at two identical open spaces with similar variables of vegetation and manmade elements as described in Figure 1.



Site 'A': Taman Kanak-kanak. Image Copyright, Wikimapia 2015



Site 'B': Birch Memorial Clock Tower. Image Copyright, Wikimapia 2015

Figure 1: Site Location and Characteristics.



Figure 2: Physical Characteristics



Figure 3: Physical Characteristics

Site 'A' (Figure 2) is notably recognized by locals as Taman Kanak-Kanak (TKK) Food Court with the total estimated area of 3888m². The site is located at 4°35'46.5" N, 101°5'5.1" E enclosed by a block of ten (10) storey building on the left, a block of seven (7) storey building on the right, row of one (1) storey shop at the rear and facing rows of two (2) storey shop lots in front. Site 'B' (Figure 3) with the total estimated area of 1624m² is well-known as Birch Memorial Clock Tower two times smaller than site 'A'. The site is located at 4°35'48.6" N, 101°4'34.1" E surrounded by blocks of three (3) storey buildings. Site 'A' has more naturally shaded area compared to site 'B'. Both sites have clock tower as focal point, applied different leveling and mostly covered with combinations of irregular hard surfaces and green cover. The distance between Site 'A' and 'B' is approximately five (5) minutes driving range without traffic congestion. Both sites are located at the city center with the frontal façade facing the main road.

2.2 Instruments and Measurements

Three (3) main aspects to consider before mapping thermal environment are buildings geometry (ground/façade and vegetation), meteorological parameters and time parameter (Lutz Katzschner). Preferred microclimatic parameters to analyze thermal condition are Air Temperature (Ta), Wind Velocity (v) and Relative Humidity (RH) respectively (RabiatulAdawiyahNasir et al., 2015; E. Johansson et al., 2014; N. Makaremi et al., 2012). The instrument (Figure 3) used to record related data is Air Velocity Meter Model 9555 Series TSI 9555-P 0747025. The sensor is set at the height of 1.1m from ground (Table 2) as recommended by the international standard ISO 7726:1998 with time interval of five (5) and ten (10) minutes depending on site location. Instruments specification is as stated in Table 3. Data was collected for seven (7) hours constantly from 10.00am to 5.00pm.



Figure 4: Air Velocity Meter Model 9555 Series TSI 9555. Image Copyright, Brandt Instruments 2002-2014



Site 'A'



Site 'B'

Figure 5: Instruments setup on site

Table 3: Instruments Specification. Source from Operation and Service Manual, TSI Incorporated 2011-2012.

Parameter	Response Time	Accuracy
Velocity	200 msec	± 3% of reading
Temperature	2 minutes (to 66% of final value)	± 0.3°C
Pressure	0.1 msec	± 2% of reading
Humidity	<1 minute (to 66% of final value)	± 3% RH

2.3 Constraints and Modifications

Numerous earlier study on outdoor thermal comfort agreed that meteorological parameters (physical data) to evaluate thermal conditions are Air Temperature (Ta), Wind Velocity (v), Relative Humidity (RH) and Solar Radiation (W. Klemm et al., 2015; S. Watanabe et al., 2014; K. Villadiego& M.A. Velay-Dabat, 2014; E. Andreou, 2013; N. Makaremi et al., 2012). However, since the instrument to record actual time of solar radiation on sites is unavailable, the data was retrieved from the nearest weather station (Malaysia Meteorological Department) in Ipoh located at 4°34' N, 101°06' E. In terms of wind speed (air velocity) readings, since the instruments used is restricted to one direction wind flow (horizontal) which is preferably measured by three dimensional (3D) measurements (horizontal and vertical) due to irregular wind direction (E. Johansson et al., 2014).

Another constraint was the amount of instruments located at each designated points. With one instruments in hand, data was separately collected for each sites. The first study was conducted at Site 'A' for three (3) days in June followed by Site 'B'. To ensure a reliable reading, the height/width ratios need to be carefully justified to eliminate bias factor. In general, Site 'A' is almost two times larger than Site 'B'. Hence, both were divided into segments as shown in Table 4. The approximate total area division is determine by a regular practice time frame factors from previous studies with a time interval between 10 – 15 minutes per reading (RabiatulAdawiyahNasir et al., 2015; S. Watanabe et al., 2014) preferred for Site 'B' which was fixed at 10 minutes time intervals between each portions and for Site 'A' a five (5) minutes time intervals (K. Villadiego& M.A. Velay-Dabat, 2014) applied. Each segment was measured using portable laser rangefinder Fluke Model 414D.




Image: Adapted from JabatanPerancang, MajlisBandaraya Ipoh (MBI)
 Site 'A' Divided into six (6) segments
 Time intervals: 5 minutes
 Total area per segment: 740.97m²



Image: Adapted from JabatanPerancang, MajlisBandaraya Ipoh (MBI)
 Site 'B' Divided into three (3) segments
 Time intervals: 10 minutes
 Total area per segment: 541.33m²

Figure 6: Site Justification

3.0 Result and Discussion

Findings provided a better understanding of physical elements of both sites especially on the ratio of vegetation and non-vegetative (manmade) stretch. As shown in Table 5, site A has higher amount of non-vegetative surface (75.23%) compared to vegetative (24.77%) which covered three quarter of total area. In particular, zone A6 has the highest vegetative elements (67.42%) compared to other five (5) segments (Refer to Table 6a). Mostly, the speed of wind is low, with the lowest value of 0.01m/s but could reach up to 2.49m/s. Of temperature, the hottest is about 32.6°C and lowest at 27.8°C. Meanwhile, the percentage of relative humidity (RH) is between 65.2% (minimum) and 79.4% the most. Even though zone A6 has the largest amount of green surface, but the minimal point of heat was experienced at zone A2 (27.8°C). This signify that other related factors such as canopy and wind speed can very much alter the amount of heat gain and release around the site. Moreover, if last night was raining, any spots on ground with higher probability to absorb water will affect the condition of thermal sensation of the day after.

Correlation between thermal condition and morphological aspect is as shown in Table 5, 6a and 6b. Climatic parameters of ambience temperature and relative humidity show discrete evidence towards thermal comfort level. In general, it is proven that area with more vegetation (grass and trees) and shaded (trees canopy and buildings) provided less thermal stress. Site ‘A’ offer nominal level of heat stress compared to site ‘B’ as the amount of shaded area is higher. In addition, site ‘A’ is flanked by ten (10) and seven (7) storey buildings on both sides promoted higher comfort level. Temporarily, site B has significantly balance segregation of surfacing component, 51.32% vegetative and 48.68% non-vegetative. However, astonishingly the level of temperature is quite high (35.5°C) and in average between the range of 31.6 – 34.5°C with higher amount of green surfacing compared to site A. This circumstance was affected by the physical and natural factors of building height and natural canopies available. Site B is very open towards heat penetration and lack of shield factor even though it is surrounded by three (3) storey buildings. Mainly, trees with larger canopies and nearer and higher adjacent buildings existed have significant impact on thermal level and local microclimatic condition.

Table 5: Total area of vegetative and non-vegetative composition (%)

Zone	Site A		Site B	
	Vegetative	Non-vegetative	Vegetative	Non-vegetative
A1	21.17	78.83	N/A*	N/A
A2	15.86	84.14	N/A	N/A
A3	11.06	88.94	N/A	N/A
A4	12.15	87.85	N/A	N/A
A5	20.94	79.06	N/A	N/A
A6	67.42	32.58	N/A	N/A
B1	N/A	N/A	20.57	79.43
B2	N/A	N/A	61.30	38.70
B3	N/A	N/A	72.09	27.91
Total Area (%)	24.77	75.23	51.32	48.68

*N/A: Non-applicable

Table 6a: Meteorological Data in Summary – Site A

Parameter	Velocity (m/s)			Temperature (°C)			Relative Humidity, RH (%)		
	Ave	Min	Max	Ave	Min	Max	Ave	Min	Max
A1	.65	.11	1.87	29.4	28.0	31.2	72.7	65.2	78.3
A2	.62	.17	1.69	29.4	27.8	31.1	73.3	67.4	79.3
A3	.35	.08	1.31	29.7	28.1	32.6	74.6	62.3	79.4
A4	.53	.06	2.49	29.4	28.0	30.6	73.4	68.8	79.0
A5	.42	.01	1.38	29.3	29.0	29.9	74.3	71.8	75.9
A6	.24	.06	.41	28.4	28.4	28.5	77.5	76.9	78.1

Table 6b: Meteorological Data in Summary – Site B

Parameter	Velocity (m/s)			Temperature (°C)			Relative Humidity, RH (%)		
	Ave	Min	Max	Ave	Min	Max	Ave	Min	Max
B1	.54	.17	1.74	31.6	29.4	33.8	66.5	57.7	75.1
B2	.72	.29	1.50	34.5	33.7	35.5	50.9	48.7	54.0
B3	.45	.14	.90	33.7	31.5	35.1	66.5	57.7	75.1

4.0 Conclusion

Although the findings support that higher composition of vegetation elevate the possibility to maximize the reduction of heat stress and thermal condition, uncontrollable climatic factors such as rain, haze, sky factors adding up with heat released within the neighborhood together with drastic development, certain strategy such as regenerative design approach needed local microclimatic input to guide the implementation and improvement. In the future, the actual result on site and the data obtained from the nearest weather station should be compared to examine the diversion. It is compulsory to evaluate the readings because the spatial context of surroundings has potent influence on data retrieved. To optimize the positive effects of thermal condition in short term in constant is quite impossible. Thus, we should not merely implement sustainability approach by providing open concept landscape design without acknowledging short and long term effects on the thermal conditions (Hwang, Lin, & Matzarakis, 2011). Critical evaluation on types of vegetation, buildable surfaces and existing structure has to be the main concern when designing urban open space as it transmits higher threat towards thermal condition. This

study is only a preliminary for further understanding of urban thermal microclimatic conditions. Method of evaluation and time allocation for each test conducted need to specifically justified. Longer duration of assessment equipped with flexible and up to date instruments will indisputably facilitate higher accuracy and reliability of end result.

5.0 References:

- Duflot L. (December 2012). *Urbanization Policy in Malaysia and its Impacts*.McGill University.Graphite Publications.
- Andreou, E (2013). Thermal comfort in outdoor spaces and urban canyon microclimate.*Journal of Renewable Energy*, 55(2013), 182-188.
- Halawa E&J. van Hoof (2012). The adaptive approach to thermal comfort: A critical overview. *Journal of Energy and Buildings*, 51(2012), 101-110.
- Johansson E, Sofia Thorsson, Rohinton Emmanuel, & Eduardo Kruger (2014). Instruments and methods in outdoor thermal comfort studies- The need for standardization. *Journal of Urban Climate*, 10(2014), 346-366.
- Elnabawi, M.H., Navee H. & Steven D. (2014).Numerical modeling evaluation for the microclimate of an outdoor urban form in Cairo, Egypt.*Journal of Housing and Building National Research Center (HBRC Journal)*, 11 (2015), 246-251.
- Fouad A-O. & Andre P., (2007).*Microclimates and thermal comfort in outdoor pedestrian spaces.A Dynamic Approach Assessing Thermal Transients and Adaptability of the Users*.Conference Proceedings of the American Solar Energy Society (ASES), SOLAR 2007, 7-12 July, Cleveland, Ohio.
- Gianni S. & Arch. Valentina D., (2006). *Thermal comfort in urban space renewal*.23rd.International Conference on Passive and Low Energy Architecture, 6-8 September, Geneva, Switzerland.
- Human Development Report 2014.Sustaining Human Progress: Reducing Vulnerabilities and Building Resilience. United Nations Development Programme (UNDP), Communications Development Incorporated, Washington DC, USA. ISBN 978-92-1-126368-8.
- ISO 7726, 1998. Ergonomics of the Thermal Environment – Instruments for Measuring Physical Quantities. International Organization for Standardization, Geneva.
- JabatanMeteorologi Malaysia (MetMalaysia).Cuaca Bandar danPusatPerancangan&Pencerapan.www.met.gov.my
- JabatanPerancang, MajlisBandaraya Ipoh (MBI).
- K. Viladiego& M.A. Velay-Dabat (2014). Outdoor thermal comfort in a hot and humid climate of Colombia: A field study in Barranquilla. *Journal of Building and Environment*, 75(2014), 142-152.
- Katzschner, L. *Urban Bioclimate and Open Space Planning*.
- M. Ignatius, Nyuk H.W. & Steve K.J. (2015). Urban microclimate analysis with consideration of local ambient temperature, external heat gain, urban ventilation, and outdoor thermal comfort in the tropics.*Journal of Sustainable Cities and Society*, 19(2015), 121-135.
- Mazlina M. & Ismail S. *Green infrastructure as green health promotion agenda for urban community*.http://irep.iium.edu.my/25089/1/green_infrastructure_as_green.pdf
- N. Makaremi, Elias S., Mohammad Zaki J. &AmirHosein G.H. (2012). Thermal comfort conditions of shaded outdoor spaces in hot and humid climate of Malaysia.*Journal of Building and Environment*, 48(2012), 7-14.
- R.F. Rupp, Natalia, G.V., & Roberto L. (2015).A review of human thermal comfort in the built environment.*Journal of Energy and Buildings*, 105(2015), 178-205.
- Nasir, R.A., SabariahSh.A., Azni Z-A.&Norhati I. (2015).*Adapting Human Comfort in an Urban Area: The role of tree shades towards urban regeneration*. Asian Conference on Environment-Behaviour Studies, Chung-Ang University, Seoul, S. Korea, 25-27 August 2014, “Environmental Settings in the Era of Urban Regeneration”.Procedia - Social and Behavioral Sciences, 170(2015), 369-380.
- Klemm W., Heusinkveld B.G., Lenzholzer S. & van Hove B. (2015).Street greenery and its physical and psychological impact on thermal comfort.*Journal of Landscape and Urban Planning*, 138(2015), 87-98.
- R.-L. Hwang, T.-P. Lin &Matzarakis A., (2011). Seasonal effects of urban street shading on long-term outdoor thermal comfort.*Journal of Building and Environment*, 46(2011), 863-870.
- S. Watanabe, Kazuo Nagano, Jin Ishii, &TetsumiHorikoshi (2014). Evaluation of outdoor thermal comfort in sunlight, building shade, and pergola shade during summer in a humid subtropical region.*Journal of Building and Environment*, 82(2014), 556-565.
- T. Honjo (009). Thermal Comfort in Outdoor Environment.*Global Environmental Research*, 13 (2009), 43-47.
- Stocker, T.F., D. Qin, G.-K. Plattner, L.V. Alexander, S.K. Allen, N.L. Bindoff, F.-M.Bréon, J.A. Church, U. Cubasch, S. Emori, P. Forster, P. Friedlingstein, N. Gillett, J.M. Gregory, D.L. Hartmann, E. Jansen, B. Kirtman, R. Knutti, K. Krishna Kumar, P. Lemke, J. Marotzke, V. Masson-Delmotte, G.A. Meehl, I.I. Mokhov, S. Piao, V. Ramaswamy, D. Randall, M. Rhein, M. Rojas, C. Sabine, D. Shindell, L.D. Talley,

- D.G. Vaughan and S.-P. Xie (2013). *Technical Summary. In: Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- The Royal Society, National Academy of Sciences. *Climate Change Evidence & Causes, An overview from the Royal Society and the US National Academy of Sciences*. <http://dels.nas.edu/resources/static-assets/exec-office-other/climate-change-full.pdf>
- Trust.Science.Innovation.VelociCalc Air Velocity Meter Model 9555 Series, TSI, Operation and Service Manual, TSI Incorporated (June 2007).
- Tzu-Ping Lin, Richard de Dear and Ruey-Lung Hwang (2011). Effect of thermal adaptation on seasonal outdoor thermal comfort. *International Journal of Climatology*, 31(2011), 302-312.
- United Nations, Department of Economic and Social Affairs, Population Division (2014). *World Urbanization Prospects: The 2014 Revision Highlights*, ST/ESA/SER.A/352.
- W. Yang, Nyuk H.W. & Steve K.J. (2013). Thermal comfort in outdoor urban spaces in Singapore. *Journal of Building and Environment*, 59(2013), 426-435.
- <http://wikimapia.org/#lang=en&lat=4.596731&lon=101.076147&z=18&m=b&search=birch%20memorial%20clock%20tower>
- <http://wikimapia.org/#lang=en&lat=4.594926&lon=101.084239&z=17&m=b&show=/1014924/Taman-Kanak-kanak-Food-Court&search=taman%20kanak-kanak%20food%20court#lang=en&lat=4.594926&lon=101.084239&z=17&m=b&search=taman%20kanak-kanak%20food%20court>