

UNIVERSITI TEKNOLOGI MARA

**EXPLICIT AND SEMI-IMPLICIT TWO-
STEP HYBRID METHOD FOR
SOLVING SPECIAL SECOND-ORDER
IVPs**

NUR AZILA BINTI YAHYA

MSc

February 2014

UNIVERSITI TEKNOLOGI MARA

**EXPLICIT AND SEMI-IMPLICIT TWO-
STEP HYBRID METHOD FOR
SOLVING SPECIAL SECOND-ORDER
IVPs**

NUR AZILA BINTI YAHYA

Thesis submitted in fulfillment
of the requirements for the degree of
Master of Sciences

Faculty of Computer and Mathematical Sciences

February 2014

AUTHOR'S DECLARATION

I declare that the work in this thesis was carried out in accordance with the regulations of Universiti Teknologi MARA. It is my original work except for quotations and citations which have been used duly acknowledged as referenced work. I also declare that it has been previously, and is not concurrently, submitted for any other degree at Universiti Teknologi MARA or at any institution.

I, hereby, acknowledge that I have been supplied with the Academic Rules and Regulations for Past Graduate, Universiti Teknologi MARA, regulating the conduct of my study and research.

Name of Student : Nur Azila Binti Yahya

Student ID No. : 2010285538

Programme : Master of Science

Faculty : Computer and Mathematical Sciences

Thesis Title : Explicit and Semi-Implicit Two-Step Hybrid Method for Solving Special Second-Order IVPs

Signature :

Date : February 2014

ABSTRACT

This research is divided into two main sections. Firstly, fourth order I2HM (4I2HM) and fifth order I2HM (5I2HM) are derived. Secondly, explicit and semi-implicit fifth order two-step hybrid method with first same as last (FSAL) feature are constructed and written as 5E2HMF and 5SI2HMF respectively. In order to analyze the stability of the new method, the second-order linear homogeneous test equation will be used. The numerical experiments are carried out using a wide range of problems. The criterion used in the numerical comparisons is absolute error and maximum error. The results are also compared to ODE23 and ODE45 which are the MATLAB's ODE solver functions. The interval of absolute stability for 4I2HM is found to be bigger than interval of periodicity for 4E2HM which is given by $(0, 4.47)$. For fifth order methods, the interval of absolute stability for 5I2HM is found to be wider than interval of absolute stability for 5E2HM which is given by $(0, 5.04)$. Next, for FSAL methods, the interval of absolute stability for 5E2HMF is found to be wider than the interval of absolute stability for 5SI2HMF which is given by $(0, 3.96)$. The numerical results obtained showed that, the proposed methods are better than ODE23 and ODE45. The 4I2HM and 4E2HM showed that, both methods performed equally well. In addition, the 5I2HM and 5E2HM showed that, both methods have almost equal performances. Lastly, the 5E2HMF and 5SI2HMF showed that, both methods performed equally well. Hence, the new proposed methods can serve as alternative methods for solving special second-order IVPs.

ACKNOWLEDGEMENTS

Assalamualaikum w.b.t.

In the name of Allah the Most Gracious, and the Most Merciful. Blessing and peace upon Muhammad (p.b.u.h) and his companions (r.a). My sincere gratitude goes to my supervisor, Associate Professor Masriah Hj Awang for her wise council, guidance, invaluable advice, which always led me to the right research direction. Thanks to my co-supervisor Professor Dr. Arsmah Ibrahim for her advice and continuous support towards the completion of this thesis. Their continuous guidance and encouragement during the time of my graduate study are highly appreciated.

Special thanks to Universiti Teknologi MARA for providing me scholarship under Young Lecturer Scheme (TPM) and Ministry of Higher Education for supporting me financial in the form of Academic Training Scheme for Bumiputera(SLAB) throughout the duration of my study.

Thank you also to postgraduate coordinator, Dr. Kamarul Ariffin Bin Abdul Jalil for his invaluable guideline to complete this thesis. It goes without saying that the excellent postgraduate laboratory facilities and the series of technical seminars, provided by Faculty of Computer and Mathematical Sciences (FSKM) and Institute of Graduate Studies (IPSiS). Furthermore, I would like to thank all the academic and non-academic staff Faculty of Computer and Mathematical Sciences, Universiti Teknologi MARA especially staff of postgraduate laboratory for their assistance and co-operation which made my master research duration a very memorable and challenging one. I also appreciate the support, patience and understanding of my postgraduate friends who deserve a very special mention.

My heartfelt thanks, unending gratitude and appreciate goes to my husband and my parents for their patience, understanding, and encouragement and prayers for my success without which this thesis would not have been materialized.

This thesis would not have been possible without the endless supports, hard work and efforts of a large number of individuals. For that, I dedicate this thesis as my appreciation to all.

Thank You

Nur Azila Binti Yahya