

UNIVERSITI TEKNOLOGI MARA

**ASSESSMENT OF SELECTED HEAVY METAL IN
COCKLES (A. GRANOSA), RIVER WATER AND
LEACHATE CHARACTERIZATION AND ITS
POTENTIAL HEALTH RISK.**

NURUL SYAZANA BINTI SHUKRI

Project submitted in fulfillment of the requirements for the degree of

**Bachelor (Hons.) in Environmental Health and Safety
Faculty of Health Sciences**

JULY 2015

Declaration by Student

Project entitled “*Assessment of selected heavy metal in cockles (A. granosa), river water and leachate characterization and its potential health risk*” is a presentation of my original work. Wherever contributions of others are involved, every effort is made to indicate this clearly, with due reference to the literature, and acknowledgement of collaborative project and discussions. This project was done under the guidance of Mr. Razi Ikhwan Bin Md Rashid as Project Supervisor. This project has been submitted to the Faculty of Health Sciences in partial fulfillment of the requirements for the awarding of Degree of Bachelor in Environmental Health and Safety (Hons).

Signature:

Student's Name: Nurul Syazana Binti Shukri

Matric number: 2012635234

I/C number: 910423-14-5758

Date:

TABLE OF CONTENTS

TITLE PAGE	PAGES
TITLE PAGE	
DECLARATION BY STUDENTS	ii
ACKNOWLEDGEMENT	iv
TABLE OF CONTENT	v-vi
LIST OF TABLE	vii-viii
LIST OF FIGURE	ix
LIST OF PLATES	x
LIST OF APPENDIX	xi
LIST OF ABBREVIATION	xii
ABSTRACT	xiii
ABSTRAK	xiv
CHAPTER 1: INTRODUCTION	1
1.1 Background Information	1-3
1.2 Problem Statement	4-5
1.3 Study Objectives	6
1.3.1 General Objective	6
1.3.2 Specific Objective	6
1.4 Conceptual framework	7
1.5 Significance of study	8
1.6 Scope	8
CHAPTER 2 : LITERATURE REVIEW	9
2.1 Solid waste management in Malaysia	9-10
2.2 Leachate characterization	11
2.3 Heavy metals contamination in <i>A. granosa</i> and river water	12
2.4 Definition and Terminologies	13
2.4.1 Cadmium (Cd)	13
2.4.2 Chromium (Cr)	14
2.4.3 Copper (Cu)	15
2.4.4 Lead (Pb)	16
2.4.5 Zinc (Zn)	17
2.5 Health effect of heavy metals contamination	18
2.6 Malaysia Climate	19
2.7 Rainfall pattern	19-20

CHAPTER 3: METHODOLOGY	21
3.1 Study design	22
3.2 Study variable	22
3.3 Sampling data collection	22
3.4.1 Surface water sampling	22-23
3.4.2 River water analysis	23
3.4.3 Blood cockles (<i>A.granosa</i>) sampling	23
3.4.4 Extraction method	24
3.4.5 Flow chart of sample preparation	25
3.4.6 Leachate sample	26
3.5 Analysis	26
3.5.1 Inductively Coupled Plasma Mass Spectrometry (ICP-MS)	26
3.6 Instrumentation	26-27
3.6.1 Standard and reagent	27
3.7 Summary of Sampling Method	27
3.8 Time for Collect of Samples (river water and cockles)	28
3.9 Health risk assessment	29-30
CHAPTER 4 :RESULTS	31
4.1 Characterization of leachate	31-33
4.2 Surface water analysis	34-38
4.3 Heavy metal concentration in cockles	39-41
4.4 Health risk assessment	42
CHAPTER 5 : DISCUSSION	43
5.1 Leachate characterization	43-44
5.2 Surface water analysis	45-46
5.3 Heavy metal concentration in cockles	47
5.4 Health risk assessment	48
CHAPTER 6 : RECOMMENDATION AND CONCLUSION	49
6.1 Recommendation	49-50
6.2 Conclusion	51
BIBLIOGRAPHY	52-57
APPENDICES	58-67

Abstract

Assessment of selected heavy metal in cockles (*A. granosa*), river water and leachate characterization and its potential health risk.

Nurul Syazana Binti Shukri

Introduction: This study aims to determine the concentration of heavy metals in cockles (*A. granosa*) and river water during wet and dry seasons and its potential health risk. Besides, to characterize the physiochemical parameter in landfill leachate. Cockles are one of bioindicator of aquatic ecosystem due to its ability to accumulate metal. From the previous study, season of sampling is one of factor known to influence metal concentration and accumulation in this organism.

Methodology: The study was conducted at commercially cultured cockle bed, coastal area of Pantai Remis, Jeram which is located approximately 8km away from Jeram Sanitary Landfill and the nearest river at cockles' bed, namely Sembilang River. The study design used was cross sectional study. 18 samples of cockles, 12 samples of surface water and 3 samples of raw leachate were taken for analysis selected heavy metal using Inductively Coupled Plasma Mass Spectrometry (ICP-MS).

Results: The analysis shows there was a little variation in heavy metal concentration between location and season for surface water and cockles samples. For raw leachate samples, 8 parameters which are BOD, COD, Cr, Fe, Ni, Zn and As were over the standard limit allowed by the Environmental Quality (Control of Pollution from Solid Waste Transfer Station and Landfill) Regulations 2009. Target Hazard Quotient (THQ) value was found lower for all heavy metal and show no potential risk.

Conclusion: There is significant different of concentration of heavy metal in cockles between wet and dry season. However, it is not solely the seasonal variation as factor that influences the concentration of heavy metal. Consumption of the cockles in Jeram can be concluded as safe as the level of selected heavy metal is low enough and low THQ.

Keyword: Cockles, surface water, raw leachate, seasonal variation, heavy metal, health risk