

UNIVERSITI TEKNOLOGI MARA

**INVESTIGATING THE EFFECTS OF
Pandanus amaryllifolius LEAF
EXTRACT IN RATS WITH
FRUCTOSE-INDUCED
METABOLIC SYNDROME**

NUR HIDAYAH BINTI RESHIDAN

MSc

December 2019

AUTHOR'S DECLARATION

I declare that the work in this thesis was carried out in accordance with the regulations of Universiti Teknologi MARA. It is original and is the results of my own work, unless otherwise indicated or acknowledged as referenced work. This thesis has not been submitted to any other academic institution or non-academic institution for any degree or qualification.

I, hereby, acknowledge that I have been supplied with the Academic Rules and Regulations for Postgraduate, Universiti Teknologi MARA, regulating the conduct of my study and research.

Name of Student : Nur Hidayah binti Reshidan

Student I.D. No. : 2016236084

Programme : Master of Medical Science (Anatomy) – MD757

Faculty : Medicine

Thesis Title : Investigating the Effects of Pandanus amaryllifolius
Leaf Extract in Rats with Fructose-Induced Metabolic
Syndrome

Signature of Student :

Date : December 2019

ABSTRACT

Natural plant-derived medicine may prevent obesity, hypertension, insulin resistance, hyperglycaemia and dyslipidaemia; together these conditions are known as metabolic syndrome (MS), the worldwide health problems on the rise. The excessive intake of refined carbohydrate, specifically fructose in daily consumption is causing MS prevalence to increase in Malaysia. In this study, the ability of *Pandanus amaryllifolius* (PA) leaf water extract to reverse MS features in fructose-induced rat model is being investigated. Thirty healthy adult male Wistar rats weighing between 150 to 180g were randomly divided into three groups which included Control (C; n=6), PA leaf water extract (PAE; n=6) and Metabolic Syndrome (MetS; n=18). Food and fluid were given *ad libitum* for eight weeks. These three groups differed in fluid intake whereby the rats in group C received tap water, PAE group received 10% PA leaf water extract and MetS group received 20% fructose drinking water (FDW). After eight weeks, the MetS group were further subdivided into three subgroups namely MetS1 (n=6), MetS2 (n=6) and MetS3 (n=6). MetS1 subgroup was sacrificed as the control for MS. MetS2 and MetS3 subgroups were treated with tap water and 10% of PA leaf water extract respectively for another eight weeks. The parameters for physiological and metabolic changes such as dietary intake (food intake, fluid intake and total calorie intake), obesity [percentage of total body weight gain, body mass index (BMI) and abdominal circumference (AC)], hypertension (systolic and diastolic blood pressure), hyperglycaemia (fasting plasma glucose), dyslipidaemia [triglyceride (TG), total cholesterol (TC), high density lipoprotein (HDL) and low density lipoprotein (LDL)], adipose tissue (total weight of adipose tissue and number, perimeter, diameter and area of adipocytes) and inflammatory biomarkers (NF κ B p65, TNF α , leptin and adiponectin) were measured. The intake of 20% FDW induced full blown MS symptoms, including obesity, hypertension, dyslipidaemia and hyperglycaemia in male Wistar rats. Subsequently, treatment with PA leaf water extract improved obesity parameters including BMI, abdominal adipose tissue deposition and adipocyte size, fasting plasma glucose, TG and HDL levels with neutral effects of inflammatory biomarkers. In conclusions, administration of PA in MS rat model helps to attenuate most of the MS features as well as improves obesity. Therefore, PA can be suggested as a useful dietary supplement to improve MS features induces by fructose.

ACKNOWLEDGEMENT

“Allah will bring about, after hardship, ease” – (65:7)

In the name of Allah, the Most Gracious and the Most Merciful.

Firstly, I wish to thank Allah for giving me the opportunity to embark on my master's degree research and for successfully completing this challenging journey. My sincere gratitude and deepest appreciation particularly go to my supervisor Dr Suhaila Abd Muid for invaluable guidance and encouragement throughout this research and thesis preparation. My sincere thanks also dedicated to my co-supervisors, Prof Dr Azian Abd Latiff and Dr Norshalizah binti Mamikutty for their personal assistance and useful suggestion throughout this research process. Thank you for the boundless support, patience and ideas in assisting me with this project.

I also would like to express my gratitude to Institute of Medical Molecular Biotechnology (IMMB), Laboratory Animal Unit Care (LACU), Laboratory Animal Facility and Management (LAFAM) and Anatomy Laboratory and the staffs, especially to En Mohd Yusri bin Idorus, Pn Jariah binti Togeman and En Ahmad Sawani bin A. Wahab for providing the facilities, knowledge and assistance while doing my project.

Special thanks to my colleagues and friends for helping me with this project especially to Nor Hafilah binti Mustaffa, Noor Sabirah binti Husin, batch mates, “stay up” mates, “PingPoly vs MonoPong” teams and UiTM Postgraduate Society members for memorable experiences that we have together. Special thanks also to Muhammad Shukri bin Noor for always giving me emotional and moral support to finish writing the thesis.

Finally, this thesis is dedicated to the loving memory of my late father, Hj Reshidan bin Hj Hasanudin, my mother, my stepfather, Othman Jailani bin Embong and my brother, Muhammad Muizz bin Hj Reshidan for their grateful understanding, motivation and financial endless support. Without them I would not be able to finish my master research journey. Alhamdulillah.

This research was fully supported by 600-IRMI/RAGS 5/3 (38/2014) and 600-IRMI/MyRA 5/3/GIP (048/2017) grants. This research was partially supported by 600-RMI/FRGS 5/3 (128/2015) grant.

TABLE OF CONTENTS

	Page
CONFIRMATION BY PANEL OF EXAMINERS	ii
AUTHOR'S DECLARATION	iii
ABSTRACT	iv
ACKNOWLEDGEMENT	v
TABLE OF CONTENTS	vi
LIST OF TABLES	ix
LIST OF FIGURES	x
LIST OF SYMBOLS	xii
LIST OF ABBREVIATIONS	xiii
CHAPTER ONE: INTRODUCTION	1
1.1 Research Background	1
1.2 Problem Statements	4
1.3 Hypotheses	4
1.4 Research Objectives	5
1.5 Significance of Study	5
CHAPTER TWO: LITERATURE REVIEW	6
2.1 Metabolic Syndrome	6
2.2 Metabolic Syndrome Risk Factors	8
2.2.1 Obesity	8
2.2.2 Hypertension	11
2.2.3 Hyperglycaemia	14
2.2.4 Dyslipidaemia	16
2.3 Causes, Prevention and Treatment of Metabolic Syndrome	18
2.3.1 Causes of Metabolic Syndrome	18
2.3.2 Prevention and Treatment of Metabolic Syndrome	21
2.4 Metabolic Syndrome Animal Model	23
2.4.1 Fructose Drinking Water Induced Metabolic Syndrome Model	24