ISOLATION AND CHARACTERIZATION OF BACTERIA ISOLATED FROM DECAYED FRUITS

INTAN MUNIRAH BINTI ZULKAHAR

Final Year Project Report Submitted in Partial Fulfillment of the Requirements for the Degree of Bachelor of Science (Hons.) Biology In the Faculty of Applied Sciences Universiti Teknologi MARA

JULY 2017

This Final Year Project Report entitled **"Isolation and Characterization of Bacteria Isolated from Decayed fruits"** was submitted by Intan Munirah binti Zulkahar, in partial fulfilment of the requirements for the Degree of Bachelor of Science (Hons.) Biology, in the Faculty of Applied Sciences, and was approved by

Dr. Nor' Aishah binti Hasan Supervisor B. Sc. (Hons.) Biology Faculty of Applied Sciences Universiti Teknologi MARA Kampus Kuala Pilah 72000 Kuala Pilah, Negeri Sembilan

Lili Syahani binti Rusli Project Coordinator B. Sc. (Hons.) Biology Faculty of Applied Sciences Universiti Teknologi MARA Kampus Kuala Pilah 72000 Kuala Pilah Negeri Sembilan Dr. Nor'aishah binti Abu Shah Head of Programme B. Sc. (Hons.) Biology Faculty of Applied Sciences Universiti Teknologi MARA Kampus Kuala Pilah 72000 Kuala Pilah Negeri Sembilan

Date:_____

TABLE OF CONTENTS

ACKNOWLEDGEMENTS

TABLE OF CONTENTS

PAGE

iii

iv

LIST OF TABLES LIST OF FIGURES LIST OF ABBREVIATIONS ABSTRACT ABSTRAK			vi vii viii ix x
СНА	PTER	1: INTRODUCTION	
1.1		ground Study	1
1.2	-	em Statement	3
1.3	Signif	ficance of the Study	4
1.4	-	tives of the Study	4
CHA	APTER 2	2: LITERATURE REVIEW	
2.1	Fruits		5
	2.1.1	Banana Fruit (Musa paradisiaca)	6
	2.1.2	Papaya (<i>Carica papaya L</i> .)	7
	2.1.3	Pineapple (Ananas comosus L.)	8
2.2	Bacter	ria	9
2.3	Bioch	emical Test (IMViC Test)	10
	2.3.1	Indole Production Test	10
	2.3.2	Methyl Red Test	10
	2.3.3	Voges-Proskauer Test	11
	2.3.4	Citrate utilization Test	12
2.4	Molec	cular Characterization Methods	13
CHA	APTER 3	3: METHODOLOGY	
3.1	Mater	Materials	
	3.1.1	Reagents and Indicators	15
	3.1.2	Apparatus	16
3.2	Samp	les Collection	16
3.3	Morp	hological Characterization	16

wiorphologica		10
3.3.1	Isolation of Bacteria	16
3.3.2	Gram stain	17

	3.2.3 Colony Characterization	18
3.4	Biochemical Characterization	18

Biochemical Characterization 18 3.4.1 Indole Test 19

	3.4.2	Methyl-red Test	19
	3.4.3	Voges-Proskauer Test	20
	3.4.4	Citrate Utilization Test	21
3.5	Selective Media		21
3.6	Molecular Ch	aracterization	21
	3.6.1	DNA extraction	21
	3.6.2	PCR amplification	22
	3.6.3	Gel Electrophoresis	23

CHAPTER 4: RESULTS AND DISCUSSION

4.1	Morphology Identification	24
	4.1.1 Isolation of Bacteria from Decayed Fruits	24
	4.1.2 Characterization of bacteria colonies	28
	4.1.3 Gram stain	29
4.2	Biochemical Identification	32
4.3	Selective media	36
4.4	Molecular Characterization	37

CHAPTER 5: CONCLUSION AND RECOMMENDATIONS 41

CITED REFERENCES	43
APPENDICES	46
CURRICULUM VITAE	51

ABSTRACT

ISOLATION AND CHARACTERIZATION OF BACTERIA ISOLATED FROM DECAYED FRUITS

Malaysia paradies for local fruits such as banana (Musa paradisiaca), papaya (Carica papaya L.) and pineapple (Ananas comosus L.). Bacteria easily spoiled the local fruits which caused change in the appearance, colour and smell of the fruits. Therefore, this study were aim to isolate and identify pathogenic bacteria by using morphological and molecular methods. Decayed fruits such as banana, papaya and pineapple samples were obtained from fruits shop at Kuala Pilah Negeri Sembilan district. In this study, six bacteria strain were successfully isolated known as P1, P2, B1, B2, N1 and N2 bacteria. Gram strain results demonstrated that one bacteria, B1 give a positive result while others five bacteria which were P1, P2, B2, N1 and N2 showed negative results with rod-shaped appearance. In addition, P1, P2, B1, B2, N1 and N2 bacteria colonies observation showed circular, entire, raised, smooth and shinning however it differed in term of size and optical characteristics. In addition, biochemical tests showed P1 and P2 bacteria belong to Klebsiella sp. and Escherichia sp. meanwhile others bacteria failed to give positive results. However, molecular analysis showed a negative results for P1 and P2 bacteria. Therefore in this study, bacteria samples from decayed fruits belong to Klebsiella sp. and Escherichia sp. Molecular analysis was recommended to comfirm the bacteria species.