UNIVERSITI TEKNOLOGI MARA

EFFECT OF EUKARION-207 AND ASIATIC ACID 'ANTI PROLIFERATIVE AND ANTI CANCER STUDIES'

NURAINI BINTI CHE AZIZ

Thesis submitted in fulfillment
of the requirements for the degree of
Master of Science

Faculty of Pharmacy

March 2017

AUTHOR'S DECLARATION

I declare that the work in this thesis was carried out in accordance with the regulations of Universiti Teknologi MARA. It is original and the result of my own work, unless otherwise indicated or acknowledged as referenced work. This thesis has not been submitted to any other academic or non-academic institution for any other degree or qualification.

I, hereby acknowledge that I have been supplied with the Academic Rules and Regulations for Postgraduate, Universiti Teknologi MARA, regulating the conduct of my study and research.

Name of Student	: Nuraini binti Che Aziz
Students's ID No.	: 2011218818
Programme	: Master of Science – PH780
Faculty	: Pharmacy
Thesis Title	: Effect of Eukarion-207 and Asiatic Acid 'Anti Proliferative and Anti Cancer Studies'
Signature of Student	: 
Date:	: March 2017

ABSTRACT

Chemotherapeutic drug resistance occurs when tumors develop resistance to chemotherapeutic drugs. It is a major problem faced by current cancer treatment modality. Therefore, there is an urgent need to find a new anti cancer drug which can effectively kill cancer cells. In this study, the anti proliferative effect of Eukarion-207 (EUK-207) and asiatic acid (AA) were screened against human hepatocellular carcinoma (HepG2), colorectal carcinoma (HCT116) and oral squamous cell carcinoma (OSCC). Compound that showed best anti proliferative effect were chosen for downstream analysis and its protective effect in orthotopic cancer xenograft model has been evaluated. Anti proliferative activity of EUK-207 and AA was determined by MTS assay. Expression of genes that account for apoptosis of cells namely Bax and Bcl-2 were determined by quantitative RT-PCR with AA (30 and 38 μM). To determine protective effect of AA against OSCC *in vivo*, AA (1, 5 and 10 mg/kg, *i.p.*) and normal saline were given daily for three weeks prior to tumor inoculation to tongue of severely compromised immunodeficiency (SCID) mice. Treatment continued for three weeks following tumor inoculation. Blood and organs of mice were harvested after euthanization for blood biochemistry and histopathology analysis, respectively. Results reveal that EUK-207 showed best anti proliferative effect against HCT116 with IC_{50} value of 31 ± 3.61 μM while AA exhibit better anti proliferative effect against OSCC with best IC_{50} value of 12 ± 3.5 μM following 72 h incubation time. Therefore, AA was selected for downstream analysis. The results also demonstrated that the best IC_{50} value of AA was not drastically different from IC_{50} of cisplatin against OSCC of 10 ± 8.5 μM. Anti proliferative effect of AA was highly selective as selectivity index of AA against OSCC (IC_{50}: 12 ± 3.5 μM) versus human gingival fibroblasts (IC_{50}: 82 ± 2.8 μM) was 6.8. This shows that AA was selective at inhibiting the proliferation of cancer cells yet was not detrimental to normal cells. AA initiated apoptosis by down regulation of Bcl-2 genes by 59% and 68% and upregulated Bax genes by 2.35 and 2.05 folds in OSCC treated with 30 μM and 38 μM of AA, respectively. AA did not possess protective effect in orthotopic xenograft model of oral cancer as tumors still grow despite presence of AA in the mice, however, the tumors that were formed were smaller in their areas of invasion. Treatment with 1, 5 and 10 mg/kg of AA significantly reduced the area of tumor invasion by 74%, 61% and 83%, respectively. Body weight of AA-treated mice were significantly different from cancer bearing mice but not significantly different from normal control mice. Blood biochemistry results demonstrated that lung, liver and kidney of mice administered with high dose of AA were normal.. Similarly, histology results showed no signs of toxicity or metastatic cancer in the liver, lung and kidney of AA-treated cancer-bearing mice. In conclusion, AA showed greater anti proliferative effect than EUK-207 against oral squamous cell carcinoma *in vitro* and showed inhibitory effect on tumor invasion *in vivo*.

ACKNOWLEDGEMENT

"In the name of Allah, most Compassionate, most Merciful."

All praises and thanks to Allah s.w.t who made this all possible. Thank you Lord, for giving me strength, patience, guidance and idea in completing my master study.

I am heartily thankful to my supervisor, Prof Aishah Adam, whose inspiration, enlightment, support and stimulating suggestions from initial to final level of this project. Thank you for guiding me to be a better student and researcher. My warmest thanks also goes to my co-supervisors Dr. Javed Mahmood and Dr. Fahima Khan who taught me from very basic of cell culture and xenograft model of oral cancer. I would like to express my sincere thanks to Prof. Dr. Mahmood Ameen Abdulla Hassan of Universiti Malaya for your guidance in analyzing histopathological slides for my *in vivo* work. Words can't describe how thankful I am to Dr. Kesavanarayanan Krishnan Selvarajan for your time and best effort in reviewing and guiding me to write thesis.

I also would like to extend my gratitude to all my friends; Samara Yahya Kraidi, Khairunnisa Razali and Manizheh Khalilpour Farshbafi for always lending me your hands, shoulders and ears. I am indebted to all my seniors and labmates who are directly or indirectly involved in making this research a success; Farhana Abdul Rahman, Nor Hafizal Jenterak, Alfazari Ghazali and Rosaimawati Rokik for encouraging ideas and lab work skills we shared together.

Last but not least, thank you Abah and Umi. Abah, cancer tear us apart and you are the main reason I've started my master study. Your patience and strength that running in my soul always keep me moving forward. I know that Abah might not see my achievement but deep down inside, I know that you are always watching me from above. Thank you Umi for your unconditional love and support, without you, completing my master study is nearly impossible. I am so grateful to my loving husband, Hasbullani Zakaria for his endless support and ideas in completing this thesis. Thank you to my sister, Afifah and my brother, Ahmad Hilmi for always smiling for me. Your smiles has brighten up my life.

Thank you.

TABLE OF CONTENTS