

**ISOLATION AND CHARACTERISATION OF CHEMICAL CONSTITUENTS FROM
Myrmecodia tuberosa (RUBIACEAE)**



**RESEARCH MANAGEMENT INSTITUTE (RMI)
UNIVERSITI TEKNOLOGI MARA
40450 SHAH ALAM, SELANGOR
MALAYSIA**

BY :

**KHONG HENG YEN
SAIDI RASEMI**

JULY 2014

Contents

1.	Letter of Report Submission.....	iii
2.	Letter of Offer (Research Grant)	iv
3.	Acknowledgements	vi
4.	Enhanced Research Title and Objectives.....	vii
5.	Report.....	1
5.1	Proposed Executive Summary.....	1
5.2	Enhanced Executive Summary	2
5.3	Introduction.....	3
5.4	Brief Literature Review.....	4
5.5	Methodology	6
5.6	Results and Discussion.....	9
5.7	Conclusion and Recommendation	16
5.8	References	17
6.	Research Outcomes	19
7.	Appendix.....	20

2. Letter of Offer (Research Grant)

Universiti Teknologi MARA (UiTM) Sarawak
Jalan Meranek, 94300 KOTA SAMARAHAN
Pejabat Timbalan Rektor PJI Tel: +6082 - 677 200 Fax: +6082 - 677 300
Penyelidikan dan Jaringan Industri www.sarawak.uitm.edu.my



ISO 9001:2008

KUR.2500.023



Surat Kami: 600-RMU/DANA 5/3 (9/2012)
Tarikh : 1 Ogos 2012

Dr. Khong Heng Yen
Faculty of Applied Sciences
UiTM Sarawak
Jalan Maranek
94200 KOTA SAMARAHAN

YBhg Dato/Prof/Dr/Tuan/Puan

KELULUSAN PERMOHONAN DANA KECEMERLANGAN 1/2012

Tajuk Projek : **Isolation And Characterisation of Chemical Constituents From Myrmecodia Tuberosa (Rubiaceae)**
Kod Projek : 600-RMU/DANA 5/3 (9/2012)
Kategori Projek : Kategori F (2012)
Tempoh : 1 Ogos 2012 – 31 Julai 2013
Jumlah Peruntukan : RM 10,000.00
Ketua Projek : Dr. Khong Heng Yen

Dengan hormatnya perkara di atas adalah rujuk

2. Sukacita dimaklumkan pihak Universiti telah meluluskan cadangan penyelidikan YBhg Dato/Prof/Dr/Tuan/Puan untuk membayai projek penyelidikan di bawah Dana Kecemerlangan UiTM.

3. Bagi pihak Universiti kami mengucapkan tahniah kepada Dato/Prof/Dr/Tuan/Puan kerana kejayaan ini dan seterusnya diharapkan berjaya menyiapkan projek ini dengan cemerlang.

4. Peruntukan kewangan akan disalurkan melalui tiga (3) peringkat berdasarkan kepada laporan kemajuan serta kewangan yang mencapai perbelanjaan lebih kurang 50% dari peruntukan yang diterima.

Peringkat Pertama	20%
Peringkat Kedua	40%
Peringkat Ketiga	40%

5. Pihak YBhg Dato/Prof/Dr/Tuan/Puan adalah diminta untuk melengkapkan semula kertas cadangan penyelidikan (jika perlu) dan mengisi borang setuju terima projek penyelidikan.

6. Semua kelulusan berkaitan bajet adalah tertakluk kepada syarat-syarat dalam Lampiran A dan Arahan Perbendaharaan/Tatacara Kewangan/Pekeliling & Surat Pekeliling Perbendaharaan dan Bendahan UiTM yang berkuatkuasa wajib dipatuhi.

Sekian, harap maklum.

"SELAMAT MENJALANKAN PENYELIDIKAN DENGAN JAYANYA"

Yang benar

PROF. DATO DR JAMIL HJ HAMALI
Rektor

Penerimaan
Amaganggah Kualiti
Ketua Pengajar
MAMPU 2006

Penerimaan
Amaganggah Kualiti
Pengaruh Akademik
Negeri Sarawak 2006

Penerimaan
Amaganggah Kualiti
UITM 2006
Amaziah Gemilang

Pengiktirafan
Dewan Akademik
Kualiti
AKSTAS 2008

Penerimaan
Amaganggah Kualiti
Sembanggah
Persekutuan

5. Report

5.1 Proposed Executive Summary

Medicinal plants have been used for centuries as remedies for human diseases as they contain components of therapeutic value. Most of the modern medications are derived originally from ancient herbal traditions. Previous studies have revealed that *Myrmecodia* species isolated flavanoids as the major compounds. In addition, chemical compounds derived from *Myrmecodia* species also exhibited interesting biological activities, including cytotoxic, antibacterial, antidiabetic and anti-cancer. It would be interesting therefore, to identify the bioactive compounds of *Myrmecodia tuberosa* from Sarawak and determine their anti-diabetic and antioxidant properties.

This study will be conducted on the barks of *Myrmecodia tuberosa*. Powdered air-dried barks samples of *M. tuberosa* (2-3 kg) will be extracted in methanol to yield methanol crude extracts and then will be fractionated, isolated and purified using chromatographic methods. Analyses for structural elucidations of pure bioactive compounds will involve the modern spectroscopic techniques such as NMR, FTIR and MS. All the crude extracts and pure compounds (subject to the availability) will be assayed for the anti-diabetic and antioxidant, which will be carried out based on slight modified Matsui et al. (1996) method and the 2,2-diphenyl-1-picrylhydrazyl (DPPH) respectively.

The isolation and characterization of these bioactive compounds derived from the barks of *Myrmecodia tuberosa* will lead us to establish a chemical and biological profile of the extract for standardization and product development. The outcome of this project is a document of medicinal plants rich in bioactive compounds for further investigation for potential in drug development. Moreover, it will also provide useful information for biotechnology research and development based on government National Biotechnology Policy to develop products derived from local plants and herbs.

5.3 Introduction

Myrmecodia tuberosa locally known as “Sarang Semut”, belongs to Rubiaceae family. *Anthorrhiza*, *Hydnophytum*, *Myrmecodia*, *Myrmephytum* and *Squamellaria* are the five known genera belong to the family of Rubiaceae that has tuber and epiphytic myrmecophytes (Huxley and Jebb, 1991). *Hydnophytum* has the widest distribution while the *Myrmecodia* genus has the second-widest distribution in the world (Thompson, 1981). *Myrmecodia* sp. can be found in Malaysia, Philippines, south to the Cape York Peninsula in Queensland, southern Thailand, Cambodia, Vietnam and New Guinea (Huxley, 1978). Usually, the genera of *Hydnophytum* and *Myrmecodia* species are associated with *Iridomyrmex* ant species. However, other ant species of the genera like *Anaplolepis*, *Camponotus*, *Crematogaster*, *Pedomyrma*, *Pheidole*, *Polyrachis*, *Monomorium*, *Technomyrex*, *Turneria*, and *Vollenhovia* also reported live in the tuber of this plant (Wilson, 1961). The ant-plants are saturated by ant colonies, (Plummer, 2000) and they are aggressive towards enemies of the host plant and are important for plant defense, (Kahkonen et.al., 1999). Plant parts produce sweet secretions consumed by the ants, (Pacini and Nepi, 2007) and the plant utilizes directly nutrients derived from animals, (Blois, 1958).



Pack of *M.tuberosa* sale at night market, Sabah



Natural habitat of *M. tuberosa*

The plant is traditionally used in Malaysia and Indonesia as an alternative treatment for cancer and tumor especially, in breast, liver, lung, ovarian and brain cancer. This plant is also used to lowering the glucose level in the blood. Thus, the