UNIVERSITI TEKNOLOGI MARA

TECHNICAL REPORT

BOUND ON THE THIRD ORDER HANKEL DETERMINANT FOR CERTAIN SUBCLASSES OF ANALYTIC FUNCTION

P41S18
NURKHAIRIAH WAHIDAH BINTI IBRAHIM

Bachelor of Science (Hons.) Mathematics
Faculty of Computer and Mathematical Sciences

DECEMBER 2018

UNIVERSITI TEKNOLOGI MARA

TECHNICAL REPORT

BOUND ON THE THIRD ORDER HANKEL DETERMINANT FOR CERTAIN SUBCLASSES OF ANALYTIC FUNCTION

P41S18

NURKHAIRIAH WAHIDAH BINTI IBRAHIM (2016674688)

Report submitted-in-partial fulfilment of the requirement for the degree of Bachelor of Science (Hons.) Mathematics Faculty of Computer and Mathematical Sciences

DECEMBER 2018

ACKNOWLEDGEMENT

IN THE NAME OF ALLAH, THE MOST GRACIOUS, THE MOST MERCIFUL

First of all, in the name of Allah, the most compassionate and most merciful and praised being open to Muhammad S.A.W. Thanks to Allah, the most grateful upon the completion of the task that is given to me in preparing this Final Year Project which the title is Bounds on The Third Order Hankel Determinant for the Certain Subclasses of Analytic Functions.

I would like to express the deepest appreciation to my supervisor, Madam Norlyda Binti Mohamed, who has the substance of a genius, she continually and convincingly conveyed a spirit of adventure in regard to research and an excitement in regard to teaching. Without her guidance and persistent help this dissertation would not have been possible.

Next, thanks to my parents and friends for the support me in order to complete this research. Their contributions are always being in mind and will remember for a long time. Thanks you for everything and may Allah bless will always with us.

TABLE OF CONTENTS

AC	KN(DWLEDGEMENT	ii
AB	STR	ACT	iv
CH	[APT	TER 1: INTRODUCTION	1
	1.1	Subclasses of Analytic Function	2
	1.2	Hankel determinant	4
	1.3	Problem Statement	5
	1.4	Objective	5
	1.5	Significants and Benefit of the Study	5
	1.6	Scope and Limitation of the Study	6
CH	IAPT	TER 2: BACKGROUND THEORY AND LITERATURE REVIEW	7
	2.1	Background Theory	7
	2.2	Literature Review and Related Research.	8
CH	IAPT	TER 3: METHODOLOGY AND IMPLEMENTATION	12
	3.1	Determination of The Function	12
	3.2	Determination of Third Order Hankel Determinant	12
CH	IAPT	TER 4: RESULT AND DISCUSSION	14
	4.1	Class of Function $S^{*\beta}_{\alpha}(\delta)$	14
	4.2 Class of Function $B^{*\beta}_{\alpha}(\delta)$		27
	4.3 Verification of The Result		
		Discussion for The Result of The Third Order Hankel Determinant for Class of ction $S^{*\beta}_{\alpha}(\delta)$ and Class of Function $B^{*\beta}_{\alpha}(\delta)$	4.4
CU			
	CHAPTE 5: CONCLUSION AND RECOMMENDATIONS		
KP.	rr.K	P.INC P.S	46

ABSTRACT

In analytic functions, there have many subclasses of class of function such as class of convex function, class of close-to-convex function and class of starlike function, but this research only focusing on class of starlike function. The class of the analytic function f(z) standardly nonnalized for two classes denoted by $S^{*\beta}_{\alpha}(\delta)$ and $B^{*\beta}_{\alpha}(\delta)$ satisfied

$$Re\ e^{i\delta} \left\{ \frac{zf'(z) + \alpha z^2 f''(z)}{f(z)} \right\} > \beta \text{ and } Re\ e^{i\delta} \left\{ \frac{zf'(z)}{f(z)} + \frac{\alpha zf''(z)}{f'(z)} \right\} > \beta$$

respectively where $0 \le \alpha \le 1$, $0 \le \beta \le 1$, $\cos(\delta) > \beta$ in unit disk $\Delta, \Delta = \{z \in \mathbb{C} : |z| < 1\}$. Nowadays, many classes of function are developed by some researchers, but some of the properties did not discover yet. It is hard to know whether the methods used are suitable to obtain the wanted properties. In order to derive coefficient bound a few methods are used to get the results such that power series, comparisons of coefficient with positive real part, relative minima and maxima and triangle inequalities. Next, Toeplitz determinant is used to prove the sharp bound for third Hankel determinants. The results obtained for the third Hankel determinant for the class of function $S^*{}^{\beta}_{\alpha}(\delta)$ and class of function $B^*{}^{\beta}_{\alpha}(\delta)$ are $|H_3(1)| \le \frac{235}{729}$ and $|H_3(1)| \le \frac{25}{729}$ respectively. Recommendation for the future research is the researchers must explore more about the other subclasses of the analytic function and use the class of function to find the other properties.