



Programme and Abstracts

PIMES

**PLANTATION MANAGEMENT
EXHIBITION & SEMINAR**

15th December 2018

Faculty of Plantation and Agrotechnology
Universiti Teknologi MARA
Melaka Branch, Jasin Campus
77300 Merlimau, Melaka, Malaysia

PLANTATION MANAGEMENT EXHIBITION AND SEMINAR 2018 (PiMES)

Melaka, Malaysia

December 15, 2018

NO	CONTENTS	PAGES
1.	The Dean, Faculty of Plantation and Agrotechnology, Universiti Teknologi MARA	1
2.	Introduction PiMES	3
3.	Committees	4
4.	Schedule of PiMES	5
5.	Room Distribution For Poster Presentation	7
6.	Distribution For Poster Presentation	8
7.	Abstracts	29
8.	List Of Panels Industries	241

PLANTATION MANAGEMENT EXHIBITION AND SEMINAR 2018 (PiMES)

*Melaka, Malaysia
December 15, 2018*

DEAN PREFACE



Assalamualaikum Warahmatullahi Wabarakatuh

My heartiest congratulations go to the Committees for successfully organized PiMES September 2018. PiMES September 2018 enables lecturers and panels from strong industrial background to reflect and share significant ideas, experiences and research findings in the workplace and in partnerships. It is also hoped to encourage collaboration among the lecturers and enhance the quality and performance of the faculty. The research findings derived from this substantial event shall indicate the commitment of lecturers not only in teaching, but also in striving to unfold new knowledge and processes that will benefit the nation. The efforts of our lecturers need to be further extended to a wider audience so that the nation will benefit from the research findings. It is also hoped that, the proceedings will trigger serious thought and more robust research in the field of education as well as plantation and technology so as to help Malaysia achieve Vision 2020.

As we know, agriculture production has increased tremendously today because of the demand from various sectors in the world. To meet the challenges of increasing food demand, techniques and ways should be created to improve productivity, profitability and sustainability of the agricultural system. Industrial agricultural system has led to irretrievably changes in the landscape diversity, soil quality, environment integrity, and natural resource base. This has resulted major questions and curiosity worldwide in relation to the sustainability of agricultural production system. The most significant damage to natural ecosystems and the environment was caused by habitat conversion and corresponding climate change, loss of biodiversity and ecosystem functions, soil erosion and degradation, and pollution from fertilizers and pesticides. Concepts in plant protection have changed in past decades from exclusion or destruction of pest to pest management. Serious problems with pesticides, rapid development of pest resistance, environmental effects of pesticides, and high costs led to development of new approaches and techniques in pest management based on improved knowledge of pest dynamics and their natural enemies, and the interaction between the pest and the crop.

It remains only for me to thank all those who have helped to make this events such a great and wonderful success. Much appreciation is due to the board editor, and reviewers of all papers submitted as well as to all authors whose ideas and contributions ensured rich and lively discussion during the various sessions.

DEAN,

Assoc Prof Dr Asmah Awal

PLANTATION MANAGEMENT EXHIBITION AND SEMINAR 2018 (PiMES)

Melaka, Malaysia

December 15, 2018

INTRODUCTION

The PiMES committee and UiTM (Melaka), Jasin Campus residents are very pleased to welcome all participants in the Plantation and Management Seminar (PiMES) which is organized by Faculty and Agrotechnology.

PiMES aims to give an exposure to the students about the procedure to make a poster by extracting information from their final year project. This seminar will sharpen their communication skill as well as they can exchange and share their research result, projects, experiences and new ideas related to all aspects of studies in plantation management and agribusiness, plant sciences, soil sciences, plant protection, plant biotechnology and agricultural engineering. We sincerely hope that you will enjoy and return home with plenty of inspiration to improve agro-industry plantation practices and research activities.

**IMPROVING RICE GROWTH THROUGH DIFFERENT
CONCENTRATION OF GIBBERELLIC ACID (GA) APPLICATION.**

Muhammad Waie Khairuddin, Mu'az Hashim *

Faculty of Plantation and Agrotechnology, UiTM (Malacca) Jasin Campus. 77300. Malacca.

*Corresponding Author:
Muazhashim@uitm.edu.my*

ABSTRACT

Paddy or rice is the second most important crop in the world after wheat. In Asia most of people uses the rice as a staple food. so the deficiency of the supply in rice could be affects the whole population. Improved rice production is needed to fulfill the demand of food. Early establishment of rice is very crucial for better nutrient uptake, better sunlight absorption, and vigorous growth and reduce weed competition. Application of GA on rice could potentially improve its early establishment. A study was conducted in green house at UiTM Jasin, Melaka. The experimental was conducted using Complete Randomized Design (CRD) with 4 treatment and 5 replication. Treatment 1 is control without any GA application, treatment 2 applied with 1g GA in 16 liter of water, treatment 3 applied with 2g GA in 16 liter of water, and treatment 4 applied with 3g GA in 16 liter of water. For growth parameter, plant height, number of tiller, leaf chlorophyll data were taken data on 25 days after sowing (DAS) and 45 DAS. Plant were harvested after 45 days before leaf area index and dry weight were taken. Data show there were significant difference of plant height, leaf area index, dry weight and numbers tiller. The result showed with application of GA, rice growth was improved. However, did not affect the chlorophyll content which is there were no significant difference of chlorophyll content of the rice plant. Plant height of treatment 4 is better growth than others because of the highest concentration of GA applied. Over concentration of GA influenced plant lodging and etiolation, so the optimum concentration needed to be applied for better growth.

Keyword: gibberellic acid (GA), concentration of GA, plant growth, early establishment.