

AUTOMATIC HEAT DETECTOR NOTEBOOK FAN

MUHAMMAD SAFWAN BIN AB RASHID MUHAMMAD SYAKIR BIN AHMAD BAKHARI

TK 7874 .M84 2015

FACULTY OF ELECTRICAL ENGINEERING UNIVERSITI TEKNOLOGI MARA MALAYSIA

MARCH 2015

TABLE OF CONTENTS

ACKNOWLEDGEMENT

ABSTRACT	
LIST OF FIGURES	i & ii
LIST OF ABBREVIATIONS	iii
CHAPTER 1 INTRODUCTION	1
1.1 Background of Study.1.2 Problem Statement.1.3 Objectives of Research.	1 2 2
CHAPTER 2 MATERIALS AND METHODS	3
2.1 Methodology	3
2.2 Literature Review	5
2.3 Experimental setup	10
2.4 Equipment and Component	13
CHAPTER 3 CIRCUIT DESIGN AND OPERATION	20
3.1 Schematic Diagram	20
3.2 Circuit Operations	21
CHAPTER 4 RESULTS AND DISCUSSION	22
4.1 Software Simulation Result	22
4.2 Hardware Implementation Result	23
4.6 Circuit Testing and Troubleshooting	24
4.7 Data Analysis and Discussions	25
CHAPTER 5 CONCLUSION AND RECOMMENDATION	26
5.1 Conclusion	26
5.2 Future Recommendation	27
REFERENCES	28

ACKNOWLEDGEMENTS

First of all, we want to express my sincerest gratitude to my supervisor, Miss Noor Fadzilah Binti Razali, who have been helping us a lot during our progress in this mini project and also gave the golden opportunity to do this wonderful project on the topic 'Automatic Fan Heat Detector'. Despite have been through hard circumstances, we managed to complete our project by time. In addition, we want to thank to some of the lecturers whose have gave some good information. We came to know about so many new things and we are really thankful to them but after all we have to refer directly to the supervisor in making an assessment. We both are making this project not only for marks but to also to increase our lenowledge in electrical engineering. Lastly, we offer our regards and blessing to my colleagues and all of those who supported us in any respect during the completion of the project.

ABSTRACT

This project is designed to upgrade the older notebook fan in the market which it fan cannot be regulate when sense heat above normal temperature. Theoretically, when the thermistor detect any heat surrounding, the fan will automatically operate. This type of project is using integrated circuit (IC) type 741 which is a wide range of analog application. This device is designed to operate from a wide range of power supply voltages. Besides that, this circuit use an NTC (Negative temperature coefficient)which is a thermistor is one in which the zero-power resistance decreases with an increase in temperature. This device will locate directly below the notebook to sense heat. Thus, make the DC fan to turn ON and when the temperature become cold or below the normal temperature, the DC fan will turn OFF by it self. Moreover, as usual, a relay is included in the circuit to connect with the output. It will active when there is current flow through it.

LIST OF FIGURES

<i>Figure 2.1</i> : Crystal built in the ThermaPAK5
<i>Figure 2.2</i> : The 'X' pattern accommodates most laptop sizes
<i>Figure 2.3</i> : XPad function system7
<i>Figure 2.4</i> : Piezo sensor come with small size
<i>Figure 2.5</i> : Application of Piezo sensor in most gadgets
<i>Figure 2.6</i> : Prototype of system
<i>Figure 2.7</i> : 12V DC fan testing direct to the power source10
<i>Figure 2.8</i> : All the components are completely connected11
Figure 2.9: The circuit is well functioning when connected with 12V battery11
<i>Figure 2.10</i> : Centre of Preset is rotated by screwdriver
<i>Figure 2.11(a)</i> : Heat source pointed to NTC Thermistor
<i>Figure 2.11(b)</i> : Closer view of thermistor sense heat from hair dryer13
<i>Figure 2.12</i> : Soldering kit13
<i>Figure 2.13</i> : Digital Multimeter
<i>Figure 2.14</i> : Hair dryer as heating device
Figure 2.15 : Sensor device
Figure 2.16 : LM 741 Integrated circuit (IC)16
<i>Figure 2.17</i> : 12V DC fan use in the circuit for cooling purposes
<i>Figure 2.18</i> : 12V 5 pin relay17
<i>Figure 2.19</i> : Diode 1N4001