

UNIVERSITI TEKNOLOGI MARA

**BROADBAND INTERNET PERFORMANCE (QOS MEASUREMENT)
VIEW FROM HOME ACCESS GATEWAY IN MALAYSIA**

MOHAMAD FAZRINO BIN MOHD IDRIS

**Thesis submitted in fulfillment of the requirement for the degree of
Master of Science**

Faculty of Electrical Engineering

JULY 2014

ACKNOWLEDGEMENT

First of all, I would like to express my gratitude to my advisor, Prof. Dr Mohd Ikram, for his guidance, encouragement, and contributions in the development of my research. Without his vision, deep insight, and advice, this work would not have been possible. His extensive knowledge, strong analytical skill, and commitment to the excellence of research and teaching are truly treasures to his students. He gives students freedom to explore the uncharted territory while providing the needed assistance at the right time. He is willing to share his knowledge and career experience and give emotional and moral encouragement. He is more than an adviser and a teacher but a role model and a friend. Working with him is proven to be an enjoyable and rewarding experience.

I want to take this opportunity to thank my colleagues and friends at Telekom and Uitm , Mohd Amin, Mohd Safwan, Mohd faizul, Mohd Rizal, Mohd Shahidi and among others. Without their friendship, care, and support, my life in the last two and a half years would have been unendurable. Finally, this thesis is dedicated to my parents and sisters for their love, sacrifice and support.

Abstract – The performance management is specified Quality of services (QoS) parameters is throughput, jitter, packet loss and delay. Network performance (NP) is very challenging to predict and guarantee in QoS performance because many service and applications rapidly increased. From that, Broadband wired assessment was conducted among 5 regions in Malaysia with 25 locations. Assessment is to benchmarking network and it is important to be used in operation and management of Network service providers (NSP) with MCMC requirement. The result of assessment was studied to find the best of benchmarking in a Network performance (NP). In addition from result, Internet Experience Measurement tool (IEMT) was developed also to more detail focusing a quality of experience (QoE) to cater user complaining slow browsing and slow connectivity.

Contents

CHAPTER 1.....	6
INTRODUCTION	6
1.1 End to End performance monitoring	8
1.2 BACKGROUND	9
1.3 PROBLEM STATEMENT	9
1.4 OBJECTIVES.....	9
1.5 RESEARCH CONTRIBUTIONS.....	10
1.6 SCOPE OF STUDY	10
CHAPTER 2.....	11
LITERATURE REVIEW	11
2.1 INTRODUCTION	12
2.1.1 Test Criteria: Features of QoS measurement tool (IPERF)	14
2.1.2 Types of Measurements.....	14
2.1.3 Parameters	14
2.1.4 Where the Action Takes Place.....	15
2.1.5 QoS Applicable Standards	15
2.1.6 Software module	16
2.1.7 Testing Equipment.....	16
2.1.8 Sampling Size and Types of Test.....	17
2.1.9 Tool Deployment.....	18
2.1.10 Method.....	18
CHAPTER 3.....	19
METHODOLOGY.....	19
3.1 KEY PERFORMANCE INDICATORS MEASUREMENTS FOLLOWS AS MCMC STANDARDS.....	20
3.1.1 Latency Measurements	20
3.1.2 Throughput Measurement	21
3.1.3 Packet Loss Measurement	22
3.1.4 Jitter Measurements	23
3.1.5 Trace Route Measurements	24
CHAPTER 4.....	26
ANALYSIS AND RESULT	26

4.1	Overall Network Performance: Quality of Services.....	27
4.2	Test Location	29
1.1	Overall Network Performance by region.	31
1.2	Result Analysis by Locations.....	34
1.2.1	Klang valley.....	34
1.2.1.1	Latency	34
1.2.1.2	Packet loss	34
1.2.1.3	Throughput at 70% of subscribed level.....	35
1.2.1.4	Throughput at 90% of subscribed level for 95% of the time	36
1.2.2	Kuantan	37
1.2.2.1	Latency	37
1.2.2.2	Packet loss	37
1.2.2.3	Throughput at 70% of subscribed level.....	38
1.2.2.4	Throughput at 90% of subscribed level for 95% of the time	38
1.2.3	Johor bahru	39
1.2.3.1	Latency	39
1.2.3.2	Packet loss	40
1.2.3.3	Throughput at 70% of subscribed level.....	41
1.2.3.4	Throughput at 90% of subscribed level for 95% of the time	41
1.2.4	Kota Kinabalu.....	42
1.2.4.1	Latency	42
1.2.4.3	Throughput at 70% of subscribed level.....	44
1.2.4.4	Throughput at 90% of subscribed level for 95% of the time	44
1.2.5	Kuching.....	45
1.2.5.1	Latency	45
1.2.5.2	Packet loss	46
1.2.5.3	Throughput at 70% of subscribed level.....	46
1.2.5.4	Throughput at 90% of subscribed level for 95% of the time	47
CHAPTER 6	51
RECOMMENDATION	51
CHAPTER 5	54
CONCLUSION	54